


HRC SUBMISSION DOCUMENTS FOR: SALVATION ARMY ALBANY WINDOW REPLACEMENT

20192827.0003

452 CLINTON AVE
ALBANY, NY 13904

FEBRUARY 2021

LOCATION MAP:



DRAWING INDEX

G-000	COVER PAGE
G-001	SYMBOLS & DETAILS
D-101	DEMOLITION KEY PLANS
D-102	DEMOLITION ELEVATIONS
D-103	DEMOLITION ELEVATIONS
D-104	DEMOLITION ELEVATIONS
D-105	DEMOLITION DETAILS
D-106	DEMOLITION DETAILS
A-101	NEW CONSTRUCTION KEY PLANS
A-200	EXTERIOR ELEVATIONS
A-201	EXTERIOR ELEVATIONS
A-202	EXTERIOR ELEVATIONS
A-600	SCHEDULES
A-601	DETAILS
A-602	DETAILS
A-603	DETAILS



CLIENT:

SALVATION ARMY

452 CLINTON AVE
ALBANY, NY 13904

ARCHITECTURAL:

PA PASSERO ASSOCIATES
engineering architecture

242 West Main Street, Suite 100 (585) 325-1000
Rochester, New York 14614 Fax: (585) 325-1691



NOT FOR CONSTRUCTION

GENERAL NOTES:

- DESIGN AND CONSTRUCTION SHALL CONFORM TO ALL LOCAL AND STATE CODES, INCLUDING (BUT NOT LIMITED TO) THE "NEW YORK STATE UNIFORM CODE AND 2015 INTERNATIONAL BUILDING CODE", LATEST REVISION, THE NFPA 101 LIFE SAFETY CODE, LATEST REVISION, OSHA AND ANY OTHER CODES GOVERNED BY THE JURISDICTION IN WHICH THIS PROJECT IS BEING CONSTRUCTED.
- THIS CONTRACT REQUIRES COMPLETE, FINISHED WORKABLE PROJECT OF THE AREAS INDICATED BY THE CONTRACT DOCUMENTS, AND SHALL INCLUDE ALL MATERIALS AND LABOR NECESSARY TO COMPLETE SAME, REGARDLESS OF WHETHER OR NOT EACH AND EVERY NECESSARY WORK OR ITEM IS SPECIFICALLY INDICATED ON ANY OTHER PORTION OF THE DRAWINGS AND/OR NOTES.
- WHERE MATERIALS REFERENCED ON DRAWINGS ARE NECESSARY TO COMPLETE THE WORK OF THIS CONTRACT SPECIFIED HEREIN, PROVIDE BEST QUALITY MATERIALS. WHERE MATERIALS ARE INTENDED TO MATCH EXISTING, PROVIDE CLOSEST POSSIBLE MATCH, SUBJECT TO OWNER'S APPROVAL. ALL ITEMS AND WORK ON DRAWINGS ARE NEW, UNLESS INDICATED EXISTING. ALL WORK WHICH HAS BEEN DAMAGED SHALL BE REPAIRED OR REPLACED. WHERE ITEM CANNOT BE REPAIRED TO A "NEW CONDITION", OR WHERE THE STRUCTURAL INTEGRITY HAS BEEN AFFECTED, ITEM SHALL BE REPLACED, AT NO COST TO THE OWNER.
- ALL CONTRACTORS ARE RESPONSIBLE TO VERIFY ALL SITE, FIELD AND BUILDING CONDITIONS PRIOR TO SUBMITTING BIDS AND COMMENCING WORK, IF THERE ARE ANY DISCREPANCIES BETWEEN DRAWINGS AND FIELD CONDITIONS, CONFER WITH ARCHITECT / ENGINEER AND CONSTRUCTION MANAGER FOR RESOLUTION.
- ALL PENETRATIONS THROUGH FLOORS AND FULL HEIGHT WALLS TO BE FIRE STOPPED AS REQUIRED BY NYS CODE. ALL GAPS AND JOINTS AT RATED FLOORS, ROOFS AND WALLS & INTERSECTION OF WALLS, TO BE FIRE STOPPED. GAPS & JOINTS INCLUDE (BUT ARE NOT LIMITED TO) TOP OF WALL TO FLOOR OR ROOF DECK, WALL TO BEAMS, AND CONTROL OR EXPANSION JOINTS. FIRE STOPPING INCLUDES BOTH FORM OR PACKING MATERIAL AND THE FILL, VOID OR CAVITY MATERIAL.
- PROVIDE FIRE BLOCKING IN CONCEALED SPACES AS PER NYS CODE.
- EXTERIOR PERIMETER OF ALL WINDOWS, DOOR FRAMES, LOUVERS OR OTHER ITEMS INSERTED IN AN EXTERIOR WALL SHALL BE SEALED WEATHER TIGHT WHETHER INDICATED ON DRAWINGS OR NOT.

- WOOD USED FOR BLOCKING OR OTHER PURPOSES ON OR ABOVE THE ROOF DECK, WITHIN 2'-0" OF GRADE AND OTHER LOCATIONS OUTSIDE THE BUILDING ENVELOPE WHERE EXPOSED TO THE WEATHER, SHALL BE PRESSURE TREATED TYPE (P.T.P).
- FINISHED DOOR OPENINGS SHALL BE NOMINAL @ 6" FROM FINISHED CORNER OF ROOM AT HINGE SIDE, EXCEPT WHERE DIMENSIONED OTHERWISE. ON THE "PULL" SIDE OF A DOOR OPENING, THE STRIKE SIDE SHALL BE NOMINAL 18" FROM A PERPENDICULAR WALL. ON THE "PUSH" SIDE OF A DOOR OPENING EQUIPPED WITH BOTH A CLOSER AND LATCH, THE STRIKE SIDE SHALL BE NOMINAL 12" FROM A PERPENDICULAR WALL.
- INTERIOR AND EXTERIOR CONCRETE SLABS SHALL BE SEPARATED FROM ANY VERTICAL SURFACE WITH AN ISOLATION JOINT. ALL SLAB-ON-GRADE (CONTROL, EXPANSION, ETC.) JOINTS TO RECEIVE SEALANT FOR RADON PROTECTION.
- UNLESS OTHERWISE SHOWN, FOOTINGS SHALL BEAR ON FIRM, LEVEL AND UNDISTURBED NATURAL SOIL OR SOLID ROCK. BEARING GRADE SHALL BE FREE OF WATER, FROST, ROCKS, MATERIALS THAT COULD DECOMPOSE AND OR OTHER LOOSE MATERIALS. SEE STRUCTURAL DRAWINGS FOR FURTHER SPECIFICATIONS.
- PROVIDE CONCEALED SOLID WOOD BLOCKING IN ALL PARTITIONS, IF RECESSED OR SURFACE MOUNTED ITEMS ARE SPECIFIED.
- REMOVE DEBRIS AND OTHER MATERIALS (RESULTING FROM DEMOLITION OR CONSTRUCTION) FROM SITE AS DEMOLITION OR CONSTRUCTION PROGRESSES. REMOVE RUBBISH FROM JOB SITE REGULARLY AND LEAVE PREMISES AND WORK IN CLEAN CONDITION. RUBBISH SHALL NOT BE ALLOWED TO ACCUMULATE AND SHALL BE APPROPRIATELY DISPOSED OF PRIOR TO COMPLETION, CLEAN PREMISES FOR OCCUPANCY BY OWNER.
- ALL CONTRACTORS ARE TO COORDINATE THE WORK WITH EACH OTHER, SO THAT THE WORK AND SCHEDULE ARE NOT IMPEDED. SCHEDULE WORK PROGRESS THROUGHOUT THE ENTIRE PROJECT TO PREVENT CONFLICTS AND INTERFERENCES. OBTAIN ALL NECESSARY INFORMATION SUCH AS SIZES, LOCATIONS, TEMPLATES, LAYOUT, DIMENSIONS AND ALL OTHER INFORMATION NECESSARY FOR A PROPER AND WELL-COORDINATED INSTALLATION. PRIOR TO INSTALLATION OF ITEMS, CONFER WITH EACH CONTRACTOR FOR EXACT LOCATION OF ALL ITEMS.

MATERIALS SYMBOLS

	EARTH/COMPACT FILL
	ROCK
	BRICK (PLAN/SECTION)
	METALS (SECTION)
	PLYWOOD
	BATT/LOOSE INSUL.
	GLASS (ELEVATION)
	POROUS FILL/GRAVEL
	CONCRETE (PLANS/SECTIONS)
	BRICK (ELEVATION)
	ARCHITECTURAL ROOF SHINGLES
	WOOD, FINISHED
	CERAMIC TILE (ELEV)
	SPRAY FIREPROOF (AROUND MEMBER)
	SAND/MORTAR PLASTER(SECT.)
	CONCRETE BLK.
	WOOD BLOCKING (SECTION)
	RIGID INSUL.
	PLASTER/PLAS BD. EIFS (ELEV.)
	GLASS BLOCK

GRAPHIC SYMBOLS

	ROOM NAME/NUMBER INDICATOR
	WORK POINT ELEV/FIN. FLOOR, ROOF)
	COLUMN NO.
	CENTER LINE
	WINDOW/FRAME TYPE
	DOOR NUMBER
	WALL TYPE
	REVISION
	NORTH ARROW
INTERIOR ELEVATION INDICATOR	
	ELEV. NUMBER SHEET LOCATED INDICATED # OF VIEW
WALL SECTION INDICATOR	
	NO. OF SECTION SHEET LOCATED ON
PLAN DETAIL INDICATOR	
	NO. OF SECTION PLAN DETAILS SHEET LOCATED ON
	REVISION PLACE W/ DATE IN REVISED PORTION OF SHT.
	NEW DOOR
	EXISTING DOOR
	DOOR REMOVED

ABBREVIATIONS

AD ACCESS DOOR	CMT CERAMIC MOSAIC TILE	EXTN EXTENSION	IBC INSTALLED BY CONTRACTOR	NTS NOT TO SCALE	POL POLISHED	TEMPGL TEMPERED GLASS
AFF ABOVE FINISH FLOOR	CONC CONCRETE	EXT EXTERIOR	INSUL INSULATION	NOM NOMINAL	PPGL POLISHED PLATE GLASS	TEX TEXTURE
ACT ACOUSTICAL TILE	CONSTR CONSTRUCTION	FCU FAN COIL UNIT	INS. GL Insulated Glass	NO, # NUMBER	PVP POLYVINYL CHLORIDE	THK THICKNESS
ADD ADDENDUM	CONT CONTINUOUS	FIN FINISHED	INT INTERIOR	OC ON CENTER	PCF POUNDS PER CUBIC FEET	TOIL TOILET
ADJ ADJACENT	CLL CONTACT LIMIT LINE	FA FIRE ALARM	INV INVERT	OPNG OPENING	PSL POUNDS PER SQUARE INCH	T&G TONGUE AND GROOVE
A/C AIR CONDITIONING	CNTOR CONTRACTOR	FAC FACTORY	JAN JANITOR	OPP OPPOSITE	PLF POUNDS PER LINEAR FEET	TOS TOP OF STEEL
ALT ALTERNATE	CJ CONTROL JOINT	FE FIRE EXTINGUISHER	JT JOINT	OPH OPPOSITE HAND	PSF POUNDS PER SQUARE FEET	TYP TYPICAL
ALUM ALUMINUM	CG CORNER GUARD	FP FIRE PROOFING	LAM LAMINATED	OD OUTSIDE DIAMETER	PCP PRECAST CONCRETE PANEL	TOW TOP OF WALL
AB Anchor Bolt	CS COUNTER SINK	FR FIRE RESISTANT	LAV LAVATORY	OA OVERALL	PREFAB PREFABRICATED	UC UNDERCUT
APPROX APPROXIMATE	CNTR COUNTER	FLR FLOOR	LH LEFT HAND	OH OVERHEAD	PREF PREFINISHED	UG UNDERGROUND
ARCH ARCHITECTURAL	CRS COURSE	FD FLOOR DRAIN	LCT LENGTH	PNT PAINTED	PROJ PROJECTION	UH UNIT HEATER
ATN ATTENUATION	DEMO DEMOLISH	FL FLUSH	LGT LIGHT	PN PANEL	PL PROPERTY LINE	UV UNIT VENTILATOR
AUTO AUTOMATIC	DET DETAIL	FT FOOT	LF LINEAR FEET	PBD PARTICAL BOARD	PR PRIMED	UR URINAL
BM BEAM	DIAG DIAGONAL	FTG FOOTING	LWT LIGHT WEIGHT	PLAS PLASTER	SST STAINLESS STEEL	VTR VENT THROUGH ROOF
BRG BEARING	DIA DIAMETER	FDIN FOUNDATION	LL LIVE LOAD	PLAM PLASTIC LAMINATE	STORM STORM SEWER	VENT VENTILATOR
BIT BITUMINOUS	DIM DIMENSION	FO FRAME OPENING	LOC LOCATION	QTY QUANTITY	SECT SECTION	VERT VERTICAL
BLK BLOCK	DO DITO	FBO FURNISHED BY OWNER	LLH LONG LEG HORIZONTAL	RAD RADIUS	SS SERVICE SINK	VEST VESTIBULE
BLKG BLOCKING	DR DOOR	FBC FURNISHED BY OWNER	LLV LONG LEG VERTICAL	RVL RAIN WATER LEADER	SHT SHEET	VCT VINYL COMPOSITION TILE
BD BOARD	DBL DOUBLE	LP LOW POINT	RECPT RECEPTACLE (ELECTRIC)	REF REQUIRED	SIM SIMILAR	VIF VERIFY IN FIELD
BOT BOTTOM	DN DOWN	FUR FURRING	REF REINFORCE (D) (ING)	REQD REQUIRED	SPKR SPEAKER	VWC VINYL WALL COVERING
BRK BRICK	DWG DRAWING	GALV GALVANIZED	RESIL RESILIENT	REINFORC REINFORCE CONCRETE PIPE	SPEC SPECIFICATIONS	WSCOT WAINSCOT
BC BRICK COURSE	EA EACH	GA GAGE	MAS MASONRY	RET RETURN	SQ SQUARE	WC WATER CLOSET
BLDG BUILDING	ELEC ELECTRICAL	GC GENERAL CONTRACTOR	MO MASONRY OPENING	RA RETURN AIR	SP STAND PIPE	WR WATER REPELLANT
BUR BUILT-UP ROOFING	EL ELEVATION	GL GLASS	MATL MATERIAL	REV REVISION, REVISED	STD STANDARD	WS WEATHER STRIP
BEJ BRICK EXPANS. JOINT	EWG ELECTRIC WATER COOLER	GB GRAB BAR	MAX MAXIMUM	RH RIGHT HAND	STL STEEL	WGT WEIGHT
CAB CABINET	ELEV ELEVATOR	GWB GYPSUM WALL BOARD	MECH Mechanical	RW RIGHT OF WAY	SD STORM DRAIN	WWF WELDED WIRE FABRIC
CH CABINET HEATER	EMERG EMERGENCY	HDCP HANDICAP	MTL/S METALS	R RISER	SGT STRUCTURAL GLAZED TILE	WGL WIRE GLASS
CSW CASEWORK	ENCL ENCLOSURE	HDW HARDWARE	MTP METAL TOILET PARTITION	RD ROOF DRAIN	STRUC TL STRUCTURAL	W/O WITHOUT
CLG CEILING	EQ EQUAL	HDWD HARDWOOD	MIN MINIMUM	RM ROOM	SUSP SUSPENDED	WD WOOD
CTR CENTER	EQUIP EQUIPMENT	HTR HEATER	MISC MISCELLANEOUS	RO ROOF OPENING	SW SWITCH	YD YARD
C/L CENTER LINE	EO EQUIPMENT BY OWNER	HIG HEATING	MOD MODULAR	PLG PLATE GLASS	SWBD SWITCHBOARD	
CT CERAMIC TILE	EXF EXHAUST FAN	HVAC HEATING, VENTILATION AIR CONDITIONING	MHP MOP HOPPER	PLYWD PLYWOOD	SYM SYMMETRICAL	
CMU CONCRETE MASONRY UNIT	EXIST EXISTING	HGT HEIGHT	NAT NATURAL	PLUB PLUMBING	TB TACKBOARD	
CLR CLEAR	EXP EXPANSION	HM HOLLOW METAL	NRC NOISE REDUCTION COEFFICIENT	PT/S P.T.S	TEL TELEPHONE	
COL COLUMN	EXPJ EXPANSION JOINT	ID INSIDE DIAMETER	NIC NOT IN CONTRACT		TV TELEVISION	
CW Cold Water	EXPD EXPOSED				TEMP TEMPERATURE, TEMPORARY	

ARCHITECT'S CERTIFICATION

THE ARCHITECT CERTIFIES TO THE BEST OF THEIR KNOWLEDGE AND BELIEF, THE PLANS AND SPECIFICATIONS ARE IN ACCORDANCE WITH THE APPLICABLE REQUIREMENTS OF THE "BUILDING CODE OF NEW YORK STATE, AND THE ENERGY CONSERVATION CONSTRUCTION CODE OF NEW YORK STATE."

BUILDING NOTES DURING CONSTRUCTION:

CONTRACTOR SHALL FOLLOW THE NEW YORK STATE BUILDING CODE. THEY SHALL COMPLY WITH CHAPTER 33 "SAFEGUARDS DURING CONSTRUCTION" OF NEW YORK STATE BUILDING CODE. THIS SECTION COVERS SAFETY DURING CONSTRUCTION AND THE PROTECTION OF ADJACENT PUBLIC AND PRIVATE PROPERTIES. THE ARCHITECT IS NOT RESPONSIBLE FOR ENFORCING THIS ON THE CONTRACTOR.

HRC REVIEW - NOT FOR CONSTRUCTION

Stamp:



Client:
SALVATION ARMY

Passero Associates

242 West Main Street, Suite 100 (585) 325-1000
Rochester, NY 14614 Fax: (585) 325-1691
Project Manager: Steven Trobe, AIA
Project Architect: Emily Connors, Assoc. AIA
Designer: Robert Sull

No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

SYMBOLS & DETAILS

452 CLINTON AVE


SALVATION ARMY ALBANY WINDOW REPLACEMENT

Town/City: ALBANY
County: Albany State: New York

Project No.:
20192827.0003


Drawing No.:
G-001

Date:
FEBRUARY 2021




1 FIRST FLOOR DEMOLITION PLAN

0' 8' 16' 32' 64'
3/64" = 1'-0"




2 SECOND FLOOR DEMOLITION PLAN

0' 8' 16' 32' 64'
3/64" = 1'-0"



3 THIRD FLOOR DEMOLITION PLAN

0' 8' 16' 32' 64'
3/64" = 1'-0"



4 FOURTH FLOOR DEMOLITION PLAN

0' 8' 16' 32' 64'
3/64" = 1'-0"

DEMOLITION SCOPE:

THE EXISTING CONDITION / DEMOLITION DRAWINGS ARE INTENDED AS A GENERAL GUIDE TO THE DEMOLITION REQUIRED FOR THIS PROJECT. DEMOLITION IS NOT SHOWN IN COMPLETE DETAIL AND IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REMOVE EXISTING CONSTRUCTION AS REQUIRED TO ACCOMPLISH THE DESIGN INTENT FOR THE WORK SHOWN AND REASONABLY IMPLIED FOR THE PROJECT. REFER TO THE WORK SHOWN ON ALL OTHER DRAWINGS IN THE SET FOR THE EXTENT OF THE DEMOLITION REQUIRED TO PERFORM THE WORK INTENT.

1. DEMOLITION INCLUDES THE COMPLETE REMOVAL OF ALL MATERIALS IN MASONRY BAY OPENING SHOWN AS

1 TO INCLUDE, BUT NOT LIMITED TO:

- a. WINDOWS
- b. EXTERIOR PANELS
- c. CAULKING
- d. BACKER STUD
- e. HEATING
- f. INSULATION
- g. INTERIOR GWB
- h. AIR CONDITIONERS
- i. LOUVERS
- j. DUCT WORK

2. CLEAN ALL SURFACES TO REMAIN OF ALL CAULK, FASTENERS, PAINT TO PROVIDE CLEAN SURFACE FOR NEW INSTALLATION.

3. INSPECT ALL SURFACES TO REMAIN INCLUDING MASONRY, PRECAST CONCRETE SILLS, INTERIOR WOOD SILLS, AND NOTIFY IN WRITING IF ANY NEED TO BE CORRECTED TO ENSURE A NEW INSTALLATION TO MEET ALL WARRANTIES.

GENERAL CONDITIONS:

- VISIT THE JOB SITE TO VERIFY EXISTING CONDITIONS AND DIMENSIONS PRIOR TO BEGINNING ANY WORK. NOTIFY THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNING THE WORK.
- QUESTIONABLE ITEMS, INCLUDING BUT NOT LIMITED TO FOUND / UNKNOWN CONDITIONS AND ITEMS NOT SHOWN / LISTED IN THE CONTRACT DOCUMENTS, SHALL BE COORDINATED WITH THE ARCHITECT BEFORE REMOVING.
- PATCH ALL OPENINGS IN EXISTING WALLS AND FLOOR SLABS TO REMAIN PRIOR TO INSTALLATION OF NEW WORK.

Stamp:



Client:

SALVATION ARMY

Passero Associates

242 West Main Street, Suite 1000 (585) 325-1000
Rochester, NY 14614 Fax: (585) 325-1691
Project Manager: Steven Trobe, AIA
Project Architect: Emily Connors, Assoc. AIA
Designer: Robert Sull

No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

DEMOLITION KEY PLANS

452 CLINTON AVE

SALVATION ARMY ALBANY WINDOW REPLACEMENT

Town/City: ALBANY
County: Albany State: New York

Project No.:

20192827.0003

Drawing No.:

D-101

Date:

FEBRUARY 2021

HRC REVIEW - NOT FOR CONSTRUCTION

DEMOLITION SCOPE:

THE EXISTING CONDITION / DEMOLITION DRAWINGS ARE INTENDED AS A GENERAL GUIDE TO THE DEMOLITION REQUIRED FOR THIS PROJECT. DEMOLITION IS NOT SHOWN IN COMPLETE DETAIL AND IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REMOVE EXISTING CONSTRUCTION AS REQUIRED TO ACCOMPLISH THE DESIGN INTENT FOR THE WORK SHOWN AND REASONABLY IMPLIED FOR THE PROJECT. REFER TO THE WORK SHOWN ON ALL OTHER DRAWINGS IN THE SET FOR THE EXTENT OF THE DEMOLITION REQUIRED TO PERFORM THE WORK INTENT.

1. DEMOLITION INCLUDES THE COMPLETE REMOVAL OF ALL MATERIALS IN MASONRY BAY OPENING SHOWN AS [Symbol]

1 TO INCLUDE, BUT NOT LIMITED TO:

- a. WINDOWS
- b. EXTERIOR PANELS
- c. CAULKING
- d. BACKER STUD
- e. HEATING
- f. INSULATION
- g. INTERIOR GWB
- h. AIR CONDITIONERS
- i. LOUVERS
- j. DUCT WORK

2. CLEAN ALL SURFACES TO REMAIN OF ALL CAULK, FASTENERS, PAINT TO PROVIDE CLEAN SURFACE FOR NEW INSTALLATION.

3. INSPECT ALL SURFACES TO REMAIN INCLUDING MASONRY, PRECAST CONCRETE SILLS, INTERIOR WOOD SILLS, AND NOTIFY IN WRITING IF ANY NEED TO BE CORRECTED TO ENSURE A NEW INSTALLATION TO MEET ALL WARRANTIES.

GENERAL CONDITIONS:

- VISIT THE JOB SITE TO VERIFY EXISTING CONDITIONS AND DIMENSIONS PRIOR TO BEGINNING ANY WORK. NOTIFY THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNING THE WORK.
- QUESTIONABLE ITEMS, INCLUDING BUT NOT LIMITED TO FOUND / UNKNOWN CONDITIONS AND ITEMS NOT SHOWN / LISTED IN THE CONTRACT DOCUMENTS, SHALL BE COORDINATED WITH THE ARCHITECT BEFORE REMOVING.
- PATCH ALL OPENINGS IN EXISTING WALLS AND FLOOR SLABS TO REMAIN PRIOR TO INSTALLATION OF NEW WORK.

DEMOLITION LEGEND:

- [Symbol] BAY SCHEDULE DEMOLITION KEYNOTE
- [Symbol] BAY TO BE REMOVED IN ITS ENTIRETY
- [Symbol] WINDOW TO BE REMOVED AND DISPOSED
- [Symbol] A/C WINDOW UNIT TO BE REMOVED & DISPOSED (12 TOTAL)

BAY TYPE SCHEDULE			
BAY TYPE	COUNT	BAY SIZE	WINDOWS / DOOR / OTHER
1A	7	5'-1" W x 9'-0" H	(1) 4'-0" x 4'-0"
1B	7	5'-1" W x 10'-10" H	(1) 4'-0" x 4'-0"
1C	2	5'-1" W x 9'-0" H	NONE
2	6	11'-0" W x 8'-10" H	(2) 4'-0" x 4'-0"
3A	1	4'-8" W x 8'-10" H	(1) 4'-0" x 4'-0"
3B	1	4'-8" W x 7'-0" H	(1) 4'-0" x 4'-0"
3C	1	4'-8" W x 10'-6" H	(1) 4'-0" x 4'-0"
4	3	11'-0" W x 10'-10" H	(2) 4'-0" x 4'-0"
5	2	8'-0" W x 8'-0" H	NONE
6A	4	7'-10" W x 9'-0" H	(1) 4'-0" x 4'-0"
6B	1	7'-10" W x 9'-0" H	NONE
7A	1	7'-2" W x 8'-0" H	UNKNOWN (WORK FROM OUTSIDE)
7B	1	7'-2" W x 8'-0" H	NONE
7C	8	7'-2" W x 9'-10" H	(1) 4'-0" x 4'-0"
8A	10	7'-10" W x 11'-6" H	(1) 4'-0" x 4'-0"
8B	4	7'-10" W x 11'-6" H	7'-0" x 3'-4" CLERESTORY
8C	1	7'-10" W x 11'-6" H	(1) 4'-0" x 4'-0"
8D	1	7'-10" W x 11'-6" H	NONE
8E	1	7'-10" W x 11'-6" H	(1) 3'-6" x 3'-4" CLERESTORY & (1) LOUVER
9A	2	7'-5" W x 7'-9" H	(1) 4'-0" x 4'-0"
9B	2	7'-5" W x 8'-9" H	(1) 4'-0" x 4'-0"
9E	3	7'-5" W x 11'-0" H	NONE
10A	8	7'-10" W x 11'-0" H	(1) 4'-0" x 4'-0"
10B	2	7'-10" W x 11'-0" H	NONE
10C	1	7'-10" W x 8'-9" H	(1) 4'-0" x 4'-0"
11A	5	5'-1" W x 11'-0" H	(1) 4'-0" x 4'-0"
11B	1	5'-1" W x 11'-0" H	NONE
11C	1	5'-1" W x 11'-0" H	36" x 84" DOOR
12	24	12'-4" W x 11'-0" H	(2) 4'-0" x 4'-0"
13B	2	4'-5" W x 11'-0" H	(1) 3'-3" x 4'-0"
13C	1	4'-5" W x 11'-0" H	36" x 84" DOOR
14	6	12'-4" W x 9'-0" H	UNKNOWN CLERESTORY
U1	17	UNKNOWN	NONE
U2	5	UNKNOWN	UNKNOWN
X	3		

NOTE:
EXISTING BAY TYPES BASED ON AVAILABLE INFORMATION AND SHOWN FOR REFERENCE ONLY. VERIFY EXISTING CONDITIONS IN FIELD.

HRC REVIEW - NOT FOR CONSTRUCTION




Client:
SALVATION ARMY

Passero Associates
242 West Main Street, Suite 100
Rochester, NY 14614
(585) 325-1000
Fax: (585) 325-1691
Project Manager: Steven Trobe, AIA
Project Architect: Emily Connors, Assoc. AIA
Designer: Robert Sull



No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

DEMOLITION ELEVATIONS
452 CLINTON AVE
SALVATION ARMY ALBANY WINDOW REPLACEMENT
Town/City: ALBANY
County: Albany State: New York
Project No.: **20192827.0003**
Drawing No.: **D-102**
Date: **FEBRUARY 2021**




1 NORTH ELEVATION DEMOLITION



2 WEST ELEVATION DEMOLITION





1 SOUTH ELEVATION DEMOLITION

0' 2' 4' 8' 16'
1/8" = 1'-0"

DEMOLITION SCOPE:
THE EXISTING CONDITION / DEMOLITION DRAWINGS ARE INTENDED AS A GENERAL GUIDE TO THE DEMOLITION REQUIRED FOR THIS PROJECT. DEMOLITION IS NOT SHOWN IN COMPLETE DETAIL AND IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REMOVE EXISTING CONSTRUCTION AS REQUIRED TO ACCOMPLISH THE DESIGN INTENT FOR THE WORK SHOWN AND REASONABLY IMPLIED FOR THE PROJECT. REFER TO THE WORK SHOWN ON ALL OTHER DRAWINGS IN THE SET FOR THE EXTENT OF THE DEMOLITION REQUIRED TO PERFORM THE WORK INTENT.


- DEMOLITION INCLUDES THE COMPLETE REMOVAL OF ALL MATERIALS IN MASONRY BAY OPENING SHOWN AS [Hatched Box Symbol]
- TO INCLUDE, BUT NOT LIMITED TO:
 - a. WINDOWS
 - b. EXTERIOR PANELS
 - c. CAULKING
 - d. BACKER STUD
 - e. HEATING
 - f. INSULATION
 - g. INTERIOR GWB
 - h. AIR CONDITIONERS
 - i. LOUVERS
 - j. DUCT WORK
- CLEAN ALL SURFACES TO REMAIN OF ALL CAULK, FASTENERS, PAINT TO PROVIDE CLEAN SURFACE FOR NEW INSTALLATION.
- INSPECT ALL SURFACES TO REMAIN INCLUDING MASONRY, PRECAST CONCRETE SILLS, INTERIOR WOOD SILLS, AND NOTIFY IN WRITING IF ANY NEED TO BE CORRECTED TO ENSURE A NEW INSTALLATION TO MEET ALL WARRANTIES.

- GENERAL CONDITIONS:**
- VISIT THE JOB SITE TO VERIFY EXISTING CONDITIONS AND DIMENSIONS PRIOR TO BEGINNING ANY WORK. NOTIFY THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNING THE WORK.
 - QUESTIONABLE ITEMS, INCLUDING BUT NOT LIMITED TO FOUND / UNKNOWN CONDITIONS AND ITEMS NOT SHOWN / LISTED IN THE CONTRACT DOCUMENTS, SHALL BE COORDINATED WITH THE ARCHITECT BEFORE REMOVING.
 - PATCH ALL OPENINGS IN EXISTING WALLS AND FLOOR SLABS TO REMAIN PRIOR TO INSTALLATION OF NEW WORK.

- DEMOLITION LEGEND:**
- [Diamond with 1A] BAY SCHEDULE DEMOLITION KEYNOTE
 - [Hatched Box] BAY TO BE REMOVED IN ITS ENTIRETY
 - [Cross-hatched Box] WINDOW TO BE REMOVED AND DISPOSED
 - [Box with X] A/C WINDOW UNIT TO BE REMOVED & DISPOSED (12 TOTAL)



Client:
SALVATION ARMY



2 EAST ELEVATION DEMOLITION

0' 2' 4' 8' 16'
1/8" = 1'-0"

BAY TYPE SCHEDULE			
BAY TYPE	COUNT	BAY SIZE	WINDOWS / DOOR / OTHER
1A	7	5'-1" W x 9'-0" H	(1) 4'-0" x 4'-0"
1B	7	5'-1" W x 10'-10" H	(1) 4'-0" x 4'-0"
1C	2	5'-1" W x 9'-0" H	NONE
2	6	11'-0" W x 8'-10" H	(2) 4'-0" x 4'-0"
3A	1	4'-8" W x 8'-10" H	(1) 4'-0" x 4'-0"
3B	1	4'-8" W x 7'-0" H	(1) 4'-0" x 4'-0"
3C	1	4'-8" W x 10'-6" H	(1) 4'-0" x 4'-0"
4	3	11'-0" W x 10'-10" H	(2) 4'-0" x 4'-0"
5	2	8'-0" W x 8'-0" H	NONE
6A	4	7'-10" W x 9'-0" H	(1) 4'-0" x 4'-0"
6B	1	7'-10" W x 9'-0" H	NONE
7A	1	7'-2" W x 8'-0" H	UNKNOWN (WORK FROM OUTSIDE)
7B	1	7'-2" W x 8'-0" H	NONE
7C	8	7'-2" W x 9'-10" H	(1) 4'-0" x 4'-0"
8A	10	7'-10" W x 11'-6" H	(1) 4'-0" x 4'-0"
8B	4	7'-10" W x 11'-6" H	7'-0" x 3'-4" CLERESTORY
8C	1	7'-10" W x 11'-6" H	(1) 4'-0" x 4'-0"
8D	1	7'-10" W x 11'-6" H	NONE
8E	1	7'-10" W x 11'-6" H	(1) 3'-6" x 3'-4" CLERESTORY & (1) LOUVER
9A	2	7'-5" W x 7'-9" H	(1) 4'-0" x 4'-0"
9B	2	7'-5" W x 8'-9" H	(1) 4'-0" x 4'-0"
9E	3	7'-5" W x 11'-0" H	NONE
10A	8	7'-10" W x 11'-0" H	(1) 4'-0" x 4'-0"
10B	2	7'-10" W x 11'-0" H	NONE
10C	1	7'-10" W x 8'-9" H	(1) 4'-0" x 4'-0"
11A	5	5'-1" W x 11'-0" H	(1) 4'-0" x 4'-0"
11B	1	5'-1" W x 11'-0" H	NONE
11C	1	5'-1" W x 11'-0" H	36" x 84" DOOR
12	24	12'-4" W x 11'-0" H	(2) 4'-0" x 4'-0"
13B	2	4'-5" W x 11'-0" H	(1) 3'-3" x 4'-0"
13C	1	4'-5" W x 11'-0" H	36" x 84" DOOR
14	6	12'-4" W x 9'-0" H	UNKNOWN CLERESTORY
U1	17	UNKNOWN	NONE
U2	5	UNKNOWN	UNKNOWN
X	3		

NOTE:
EXISTING BAY TYPES BASED ON AVAILABLE INFORMATION AND SHOWN FOR REFERENCE ONLY. VERIFY EXISTING CONDITIONS IN FIELD.

Passero Associates
242 West Main Street, Suite 100
Rochester, NY 14614
(585) 325-1000
Fax: (585) 325-1691
Project Manager: Steven Trobe, AIA
Project Architect: Emily Connors, Assoc. AIA
Designer: Robert Sull

No.	Date	By	Description

DEMOLITION ELEVATIONS
452 CLINTON AVE

SALVATION ARMY ALBANY WINDOW REPLACEMENT
Town/City: ALBANY
County: Albany State: New York

Project No.: 20192827.0003


Drawing No.: D-103

Date: FEBRUARY 2021

HRC REVIEW - NOT FOR CONSTRUCTION

DEMOLITION SCOPE:





THE EXISTING CONDITION / DEMOLITION DRAWINGS ARE INTENDED AS A GENERAL GUIDE TO THE DEMOLITION REQUIRED FOR THIS PROJECT. DEMOLITION IS NOT SHOWN IN COMPLETE DETAIL AND IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REMOVE EXISTING CONSTRUCTION AS REQUIRED TO ACCOMPLISH THE DESIGN INTENT FOR THE WORK SHOWN AND REASONABLY IMPLIED FOR THE PROJECT. REFER TO THE WORK SHOWN ON ALL OTHER DRAWINGS IN THE SET FOR THE EXTENT OF THE DEMOLITION REQUIRED TO PERFORM THE WORK INTENT.

1. DEMOLITION INCLUDES THE COMPLETE REMOVAL OF ALL MATERIALS IN MASONRY BAY OPENING SHOWN AS 
- 1 TO INCLUDE, BUT NOT LIMITED TO:
 - a. WINDOWS
 - b. EXTERIOR PANELS
 - c. CAULKING
 - d. BACKER STUD
 - e. HEATING
 - f. INSULATION
 - g. INTERIOR GWB
 - h. AIR CONDITIONERS
 - i. LOUVERS
 - j. DUCT WORK
2. CLEAN ALL SURFACES TO REMAIN OF ALL CAULK, FASTENERS, PAINT TO PROVIDE CLEAN SURFACE FOR NEW INSTALLATION.
3. INSPECT ALL SURFACES TO REMAIN INCLUDING MASONRY, PRECAST CONCRETE SILLS, INTERIOR WOOD SILLS, AND NOTIFY IN WRITING IF ANY NEED TO BE CORRECTED TO ENSURE A NEW INSTALLATION TO MEET ALL WARRANTIES.

GENERAL CONDITIONS:

- VISIT THE JOB SITE TO VERIFY EXISTING CONDITIONS AND DIMENSIONS PRIOR TO BEGINNING ANY WORK. NOTIFY THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNING THE WORK.
- QUESTIONABLE ITEMS, INCLUDING BUT NOT LIMITED TO FOUND / UNKNOWN CONDITIONS AND ITEMS NOT SHOWN / LISTED IN THE CONTRACT DOCUMENTS, SHALL BE COORDINATED WITH THE ARCHITECT BEFORE REMOVING.
- PATCH ALL OPENINGS IN EXISTING WALLS AND FLOOR SLABS TO REMAIN PRIOR TO INSTALLATION OF NEW WORK.


DEMOLITION LEGEND:

-  BAY SCHEDULE DEMOLITION KEYNOTE
-  BAY TO BE REMOVED IN ITS ENTIRETY
-  WINDOW TO BE REMOVED AND DISPOSED
-  A/C WINDOW UNIT TO BE REMOVED & DISPOSED (12 TOTAL)

BAY TYPE SCHEDULE			
BAY TYPE	COUNT	BAY SIZE	WINDOWS / DOOR / OTHER
1A	7	5'-1" W x 9'-0" H	(1) 4'-0" x 4'-0"
1B	7	5'-1" W x 10'-10" H	(1) 4'-0" x 4'-0"
1C	2	5'-1" W x 9'-0" H	NONE
2	6	11'-0" W x 8'-10" H	(2) 4'-0" x 4'-0"
3A	1	4'-8" W x 8'-10" H	(1) 4'-0" x 4'-0"
3B	1	4'-8" W x 7'-0" H	(1) 4'-0" x 4'-0"
3C	1	4'-8" W x 10'-6" H	(1) 4'-0" x 4'-0"
4	3	11'-0" W x 10'-10" H	(2) 4'-0" x 4'-0"
5	2	8'-0" W x 8'-0" H	NONE
6A	4	7'-10" W x 9'-0" H	(1) 4'-0" x 4'-0"
6B	1	7'-10" W x 9'-0" H	NONE
7A	1	7'-2" W x 8'-0" H	UNKNOWN (WORK FROM OUTSIDE)
7B	1	7'-2" W x 8'-0" H	NONE
7C	8	7'-2" W x 9'-10" H	(1) 4'-0" x 4'-0"
8A	10	7'-10" W x 11'-6" H	(1) 4'-0" x 4'-0"
8B	4	7'-10" W x 11'-6" H	7'-0" x 3'-4" CLERESTORY
8C	1	7'-10" W x 11'-6" H	(1) 4'-0" x 4'-0"
8D	1	7'-10" W x 11'-6" H	NONE
8E	1	7'-10" W x 11'-6" H	(1) 3'-6" x 3'-4" CLERESTORY & (1) LOUVER
9A	2	7'-5" W x 7'-9" H	(1) 4'-0" x 4'-0"
9B	2	7'-5" W x 8'-9" H	(1) 4'-0" x 4'-0"
9E	3	7'-5" W x 11'-0" H	
10A	8	7'-10" W x 11'-0" H	(1) 4'-0" x 4'-0"
10B	2	7'-10" W x 11'-0" H	NONE
10C	1	7'-10" W x 8'-9" H	(1) 4'-0" x 4'-0"
11A	5	5'-1" W x 11'-0" H	(1) 4'-0" x 4'-0"
11B	1	5'-1" W x 11'-0" H	NONE
11C	1	5'-1" W x 11'-0" H	36" x 84" DOOR
12	24	12'-4" W x 11'-0" H	(2) 4'-0" x 4'-0"
13B	2	4'-5" W x 11'-0" H	(1) 3'-3" x 4'-0"
13C	1	4'-5" W x 11'-0" H	36" x 84" DOOR
14	6	12'-4" W x 9'-0" H	UNKNOWN CLERESTORY
U1	17	UNKNOWN	NONE
U2	5	UNKNOWN	UNKNOWN
X	3		

NOTE:
EXISTING BAY TYPES BASED ON AVAILABLE INFORMATION AND SHOWN FOR REFERENCE ONLY. VERIFY EXISTING CONDITIONS IN FIELD.

HRC REVIEW - NOT FOR CONSTRUCTION




Client:
SALVATION ARMY

Passero Associates
242 West Main Street, Suite 1000 (585) 325-1000
Rochester, NY 14614 Fax: (585) 325-1691
Project Manager: Steven Trobe, AIA
Project Architect: Emily Connors, Assoc. AIA
Designer: Robert Sull


No.	Date	By	Description


UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

DEMOLITION ELEVATIONS
452 CLINTON AVE
SALVATION ARMY ALBANY WINDOW REPLACEMENT
Town/City: ALBANY
County: Albany State: New York
Project No.: **20192827.0003**
Drawing No.: **D-104**
Date: **FEBRUARY 2021**




1 PARTIAL COURTYARD ELEVATION - DEMOLITION
0' 2' 4' 8' 16'
1/8" = 1'-0"


LEGEND
 EXISTING TO REMAIN




1 DEMO HEAD & SILL SECTION - WALL
 0' 3' 6' 1' 2'
 1 1/2" = 1'-0"



3 DEMO HEAD & SILL SECTION - DOOR
 0' 3' 6' 1' 2'
 1 1/2" = 1'-0"



2 DEMO JAMB SECTION - WALL
 0' 3' 6' 1' 2'
 1 1/2" = 1'-0"



4 DEMO JAMB SECTION - DOOR
 0' 3' 6' 1' 2'
 1 1/2" = 1'-0"

HRC REVIEW - NOT FOR CONSTRUCTION



Client:
SALVATION ARMY

Passero Associates
 242 West Main Street, Suite 1000 (585) 325-1000
 Rochester, NY 14614 Fax: (585) 325-1691
 Project Manager: Steven Trobe, AIA
 Project Architect: Emily Connors, Assoc. AIA
 Designer: Robert Sull

No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

DEMOLITION DETAILS
 452 CLINTON AVE
 SALVATION ARMY ALBANY WINDOW REPLACEMENT
 Town/City: ALBANY State: New York
 County: Albany
 Project No.: 20192827.0003
 Drawing No.: D-105
 Date: FEBRUARY 2021

LEGEND



Stamp:



Client:
SALVATION ARMY

Passero Associates

242 West Main Street, Suite 100 (585) 325-1000
Rochester, NY 14614 Fax: (585) 325-1691
Project Manager: Steven Trobe, AIA
Project Architect: Emily Connors, Assoc. AIA
Designer: Robert Sull

No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

**DEMOLITION
DETAILS**

452 CLINTON AVE


SALVATION ARMY ALBANY
WINDOW REPLACEMENT

Town/City: ALBANY
County: Albany State: New York

Project No.:
20192827.0003


Drawing No.:
D-106

Date:
FEBRUARY 2021




1 DEMO HEAD & SILL SECTION - WINDOW

0' 3' 6' 1' 2'
1 1/2" = 1'-0"




3 DEMO HEAD & SILL SECTION - CLERESTORY WINDOW

0' 3' 6' 1' 2'
1 1/2" = 1'-0"



2 DEMO JAMB SECTION - WINDOW


0' 3' 6' 1' 2'
1 1/2" = 1'-0"



4 DEMO JAMB SECTION - CLERESTORY WINDOW


0' 3' 6' 1' 2'
1 1/2" = 1'-0"

**HRC REVIEW - NOT FOR
CONSTRUCTION**




1 FIRST FLOOR

0" 8" 16" 32" 64"
 3/64" = 1'-0"




2 SECOND FLOOR

0" 8" 16" 32" 64"
 3/64" = 1'-0"



3 THIRD FLOOR

0" 8" 16" 32" 64"
 3/64" = 1'-0"



4 FOURTH FLOOR

0" 8" 16" 32" 64"
 3/64" = 1'-0"

**HRC REVIEW - NOT FOR
 CONSTRUCTION**

Stamp:



Client:
SALVATION ARMY

Passero Associates

242 West Main Street, Suite 100 (585) 325-1000
 Rochester, NY 14614 Fax: (585) 325-1691
 Project Manager: Steven Trobe, AIA
 Project Architect: Emily Connors, Assoc. AIA
 Designer: Robert Sull

No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

**NEW CONSTRUCTION
 KEY PLANS**

452 CLINTON AVE

**SALVATION ARMY ALBANY
 WINDOW REPLACEMENT**

Town/City: ALBANY State: New York
 County: Albany

Project No.:
20192827.0003

Drawing No.:
A-101

Date:
FEBRUARY 2021




Client:
SALVATION ARMY

Passero Associates
242 West Main Street, Suite 1000 (585) 325-1000
Rochester, NY 14614 Fax: (585) 325-1691
Project Manager: Steven Trobe, AIA
Project Architect: Emily Connors, Assoc. AIA
Designer: Robert Sull


No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©




EXTERIOR ELEVATIONS
452 CLINTON AVE
SALVATION ARMY ALBANY WINDOW REPLACEMENT
Town/City: ALBANY State: New York
County: Albany
Project No.: **20192827.0003**
Drawing No.: **A-200**
Date: **FEBRUARY 2021**




2 NORTH ELEVATION
0' 2' 4' 8' 16'
1/8" = 1'-0"




1 WEST ELEVATION
0' 2' 4' 8' 16'
1/8" = 1'-0"

- NEW CONSTRUCTION LEGEND:**
-  BAY TO BE REPLACED IN ITS ENTIRETY
 -  NEW WINDOW TAG
 -  NEW DOOR TAG

HRC REVIEW - NOT FOR CONSTRUCTION



2 SOUTH ELEVATION
0' 2' 4' 8' 16'
1/8" = 1'-0"



1 EAST ELEVATION
0' 2' 4' 8' 16'
1/8" = 1'-0"

- NEW CONSTRUCTION LEGEND:
- BAY TO BE REPLACED IN ITS ENTIRETY
 - NEW WINDOW TAG
 - NEW DOOR TAG

HRC REVIEW - NOT FOR CONSTRUCTION



Client:
SALVATION ARMY

Passero Associates
242 West Main Street, Suite 100 Rochester, NY 14614 (585) 325-1000 Fax: (585) 325-1691
Project Manager: Steven Trobe, AIA
Project Architect: Emily Connors, Assoc. AIA
Designer: Robert Sull

No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

EXTERIOR ELEVATIONS

452 CLINTON AVE

SALVATION ARMY ALBANY WINDOW REPLACEMENT

Town/City: ALBANY
County: Albany State: New York

Project No.: **20192827.0003**

Drawing No.: **A-201**

Date: **FEBRUARY 2021**

Stamp:



Client:
SALVATION ARMY

Passero Associates

242 West Main Street, Suite 100 (585) 325-1000
 Rochester, NY 14614 Fax: (585) 325-1691
 Project Manager: Steven Trobe, AIA
 Project Architect: Emily Connors, Assoc. AIA
 Designer: Robert Sull

No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

EXTERIOR ELEVATIONS

452 CLINTON AVE


SALVATION ARMY ALBANY WINDOW REPLACEMENT

Town/City: ALBANY
 County: Albany State: New York

Project No.: **20192827.0003**

Drawing No.: **A-202**

Date: **FEBRUARY 2021**



1 PARTIAL COURTYARD ELEVATION - NEW
 0' 2' 4' 8' 16'
 1/8" = 1'-0"

NEW CONSTRUCTION LEGEND:

BAY TO BE REPLACED IN ITS ENTIRETY


NEW WINDOW TAG

NEW DOOR TAG

HRC REVIEW - NOT FOR CONSTRUCTION

WINDOW SCHEDULE								
TYPE MARK	Count	ROUGH OPENING		OPERATION	MATERIAL	FINISH	ELEVATION LETTER	REMARKS
		WIDTH	HEIGHT					
1	131	4'-0"	4'-0"	DOUBLE HUNG	ALUMINUM	FACTORY	A	TEMPERED GLASS PER ELEVATIONS
2	6	12'-5"	3'-6"	FIXED	ALUMINUM	FACTORY	B	
3	5	7'-6"	3'-6"	FIXED	ALUMINUM	FACTORY	C	
4	4	3'-0"	4'-0"	DOUBLE HUNG	ALUMINUM	FACTORY	A	TEMPERED GLASS PER ELEVATIONS

Grand total: 146




A ALUMINUM DOUBLE HUNG B ALUMINUM FIXED 2 MULLION CLERESTORY C ALUMINUM 1 MULLION FIXED CLERESTORY

WINDOW ELEVATIONS



DOOR SCHEDULE									
GRID	DOOR			FRAME		ELEVATION LETTER	HARDWARE	REMARKS	
	DOOR MTL.	DOOR FIN.	THICKNESS	WIDTH	HEIGHT				FRAME TYPE
FIRST FLOOR									
1UU	HM	FRP	1 3/4"	3'-0"	7'-0"	HM	FACTORY	A (none)	
1Y	HM	FRP	1 3/4"	3'-0"	7'-0"	HM	FACTORY	B (none)	



A EXTERIOR SINGLE FLUSH ONE LIGHT B EXTERIOR SINGLE FLUSH

DOOR ELEVATIONS



BAY GRID SCHEDULE		
LEVEL	GRID #	BAY TYPE
1		
1	5P	U1
1	5Q	U1
1	1A	1A
1	1AA	X
1	1B	1A
1	1BB	14A
1	1C	2
1	1CC	14A
1	1D	2
1	1DD	X
1	1E	2
1	1EE	14A
1	1FF	14A
1	1GG	14A
1	1H	U1
1	1HH	8B
1	1JJ	8B
1	1KK	8B
1	1L	1C
1	1LL	8B
1	1M	8C
1	1MM	8E
1	1N	8D
1	1P	U1
1	1Q	U1
1	1R	U1
1	1S	U1
1	1UU	10B
1	1VV	10B
1	1W	U1
1	1WW	11B
1	1X	U1
1	1XX	11C
1	1Y	13C
1	1Z	14A
2		

BAY GRID SCHEDULE		
LEVEL	GRID #	BAY TYPE
2	2A	1B
2	2AA	12
2	2B	1B
2	2BB	12
2	2C	4
2	2CC	12
2	2D	4
2	2DD	12
2	2E	4
2	2EE	12
2	2F	1B
2	2FF	12
2	2G	1B
2	2GG	12
2	2H	7B
2	2HH	8A
2	2J	7A
2	2JJ	8A
2	2K	3C
2	2KK	8A
2	2L	1B
2	2LL	8A
2	2M	7C
2	2MM	8A
2	2N	7C
2	2NN	1B
2	2P	7C
2	2Q	7C
2	2QQ	10A
2	2R	U1
2	2RR	9E
2	2S	U1
2	2SS	9E
2	2T	10A
2	2U	10A
2	2UU	10A
2	2V	6B
2	2VV	10A
2	2WW	11A
2	2XX	11A
2	2Y	13B
2	2Z	12

BAY GRID SCHEDULE		
LEVEL	GRID #	BAY TYPE
3		
3	3C	
3	1TT	U1
3	2PP	X
3	2Q	X
3	2R	X
3	2T	U1
3	3A	1A
3	3AA	12
3	3B	1A
3	3BB	12
3	3C	2
3	3CC	12
3	3D	2
3	3DD	12
3	3E	2
3	3EE	12
3	3F	1A
3	3FF	12
3	3G	1A
3	3GG	12
3	3H	5
3	3HH	8A
3	3J	5
3	3JJ	8A
3	3K	3A
3	3KK	8A
3	3L	1A
3	3LL	8A
3	3M	7C
3	3MM	8A
3	3N	7C
3	3NN	1B
3	3P	7C
3	3PP	X
3	3Q	7C
3	3Q	X
3	3QQ	10C
3	3R	6B
3	3R	X
3	3RR	9B
3	3S	6B
3	3SS	9B
3	3T	10A
3	3TT	U1
3	3U	10A
3	3UU	3U
3	3V	6B
3	3VV	3U
3	3VV	11A
3	3XX	11A
3	3Y	X
3	3Z	12
3	4S	3B

BAY GRID SCHEDULE		
LEVEL	GRID #	BAY TYPE
4		
4	4AA	12
4	4BB	12
4	4C	1C
4	4CC	12
4	4DD	12
4	4EE	12
4	4FF	12
4	4GG	12
4	4HH	6A
4	4JJ	6B
4	4KK	6A
4	4LL	6A
4	4MM	6A
4	4T	10A
4	4U	9E
4	4V	U2
4	4Y	11A
4	4Z	12

BAY TYPE SCHEDULE			
BAY TYPE	COUNT	BAY SIZE	WINDOWS / DOOR / OTHER
1A	7	5'-1" W x 9'-0" H	(1) 4'-0" x 4'-0"
1B	7	5'-1" W x 10'-10" H	(1) 4'-0" x 4'-0"
1C	2	5'-1" W x 9'-0" H	NONE
2	6	11'-0" W x 8'-10" H	(2) 4'-0" x 4'-0"
3A	1	4'-8" W x 8'-10" H	(1) 4'-0" x 4'-0"
3B	1	4'-8" W x 7'-0" H	(1) 4'-0" x 4'-0"
3C	1	4'-8" W x 10'-6" H	(1) 4'-0" x 4'-0"
4	3	11'-0" W x 10'-10" H	(2) 4'-0" x 4'-0"
5	2	8'-0" W x 8'-0" H	NONE
6A	4	7'-10" W x 9'-0" H	(1) 4'-0" x 4'-0"
6B	1	7'-10" W x 9'-0" H	NONE
7A	1	7'-2" W x 8'-0" H	UNKNOWN (WORK FROM OUTSIDE)
7B	1	7'-2" W x 8'-0" H	NONE
7C	8	7'-2" W x 9'-10" H	(1) 4'-0" x 4'-0"
8A	10	7'-10" W x 11'-6" H	(1) 4'-0" x 4'-0"
8B	4	7'-10" W x 11'-6" H	7'-0" x 3'-4" CLERESTORY
8C	1	7'-10" W x 11'-6" H	(1) 4'-0" x 4'-0"
8D	1	7'-10" W x 11'-6" H	NONE
8E	1	7'-10" W x 11'-6" H	(1) 3'-6" x 3'-4" CLERESTORY & (1) LOUVER
9A	2	7'-5" W x 7'-9" H	(1) 4'-0" x 4'-0"
9B	2	7'-5" W x 8'-9" H	(1) 4'-0" x 4'-0"
9E	3	7'-5" W x 11'-0" H	
10A	8	7'-10" W x 11'-0" H	(1) 4'-0" x 4'-0"
10B	2	7'-10" W x 11'-0" H	NONE
10C	1	7'-10" W x 8'-9" H	(1) 4'-0" x 4'-0"
11A	5	5'-1" W x 11'-0" H	(1) 4'-0" x 4'-0"
11B	1	5'-1" W x 11'-0" H	NONE
11C	1	5'-1" W x 11'-0" H	36" x 84" DOOR
12	24	12'-4" W x 11'-0" H	(2) 4'-0" x 4'-0"
13B	2	4'-5" W x 11'-0" H	(1) 3'-3" x 4'-0"
13C	1	4'-5" W x 11'-0" H	36" x 84" DOOR
14	6	12'-4" W x 9'-0" H	UNKNOWN CLERESTORY
U1	17	UNKNOWN	NONE
U2	5	UNKNOWN	UNKNOWN
X	3		

Stamp:



Client:
SALVATION ARMY

Passero Associates

242 West Main Street, Suite 100 (585) 325-1000
Rochester, NY 14614 Fax: (585) 325-1691
Project Manager: Steven Trobe, AIA
Project Architect: Emily Connors, Assoc. AIA
Designer: Robert Sull

No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

SCHEDULES

452 CLINTON AVE

SALVATION ARMY ALBANY
WINDOW REPLACEMENT


Town/City: ALBANY
County: Albany State: New York

Project No.:
20192827.0003


Drawing No.:
A-600

Date:
FEBRUARY 2021

**HRC REVIEW - NOT FOR
CONSTRUCTION**



1 NEW HEAD & SILL SECTION - WALL
0' 3' 6' 1' 2'
1 1/2" = 1'-0"




2 NEW HEAD & SILL SECTION - DOOR
0' 1' 2' 4' 8'
1 1/2" = 1'-0"


LEGEND

EXISTING TO REMAIN

NEW



4 NEW JAMB SECTION - WALL
0' 3' 6' 1' 2'
1 1/2" = 1'-0"



3 NEW JAMB SECTION - DOOR
0' 1' 2' 4' 8'
1 1/2" = 1'-0"

HRC REVIEW - NOT FOR CONSTRUCTION



Client:
SALVATION ARMY

Passero Associates

242 West Main Street, Suite 100 (585) 325-1000
Rochester, NY 14614 Fax: (585) 325-1691

Project Manager: Steven Trobe, AIA
Project Architect: Emily Connors, Assoc. AIA
Designer: Robert Sull

No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

DETAILS

452 CLINTON AVE

SALVATION ARMY ALBANY WINDOW REPLACEMENT

Town/City: ALBANY
County: Albany State: New York

Project No.: 20192827.0003

Drawing No.: A-601

Date: FEBRUARY 2021

Stamp:



Client:
SALVATION ARMY

Passero Associates

242 West Main Street, Suite 100 (585) 325-1000
 Rochester, NY 14614 Fax: (585) 325-1691
 Project Manager: Steven Trobe, AIA
 Project Architect: Emily Connors, Assoc. AIA
 Designer: Robert Sull

No.	Date	By	Description

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DRAWING IS IN VIOLATION OF STATE EDUCATION LAW ARTICLE 145 SECTION 7209 AND ARTICLE 147 SECTION 7307. THESE PLANS ARE COPYRIGHT PROTECTED. ©

DETAILS

452 CLINTON AVE

SALVATION ARMY ALBANY WINDOW REPLACEMENT



Town/City: ALBANY
 County: Albany State: New York

Project No.:
 20192827.0003



Drawing No.:
 A-602

Date:
 FEBRUARY 2021



LEGEND





1 NEW HEAD & SILL SECTION - WINDOW



3 NEW HEAD & SILL SECTION - CLERESTORY WINDOW



2 NEW JAMB SECTION - WINDOW



4 NEW JAMB SECTION - CLERESTORY WINDOW



HRC REVIEW - NOT FOR CONSTRUCTION

