



November 4, 2021

Mr. Neil O'Connor, P.E.
City of Albany
Department of Water and Water Supply
10 North Enterprise Dr
Albany, NY 12204

**RE: Sanitary Sewer Capacity Evaluation
19 Erie Boulevard
Redburn Development Partners
MJ1459.01**

Dear Mr. O'Connor:

This letter is in regard to the proposed redevelopment of the property located at 19 Erie Boulevard (Tax Map No. 65.16-5-4.1) within the City of Albany. Specifically, Redburn Development Partners is planning to redevelop this property into a 261-unit (307 Bedrooms) apartment complex, 1,200 square foot (SF) coffee shop, 9,195 SF rock climbing gym and 25,000 SF furniture store. Included in Attachment A are calculations deriving the theoretical maximum day and peak hourly wastewater flows from the proposed redeveloped property which are as follows:

- Maximum Day Flow: 38,070 gpd (26.4 gpm)
- Peak Hourly Flow: 152,280 gpd (106 gpm)

It is noted that the theoretical maximum day (and peak hourly) wastewater flows used for the sanitary sewer capacity evaluation presented within this letter are more conservative and differ than those derived in the water engineering report submitted to the City of Albany (City) for this project. The more conservative sanitary flows are being utilized to ensure sufficient spare capacity is available in the existing 8-inch PVC sanitary sewer located along Erie Boulevard as further discussed below.

There is an existing 8-inch PVC sanitary sewer located along Erie Boulevard, approximately 1,300 feet in length, which discharges to an existing Albany County Water Purification District (County)-owned 54-inch trunk sewer located on the west side of Erie Boulevard. Included in Attachment A are calculations deriving the theoretical capacity of the existing 8-inch sewer based on sewer material, diameter and invert elevations which were field verified by Redburn Development Partners in September 2021. Refer to Attachment B for mapping of the existing 8-inch sanitary sewer.

The theoretical capacity of the existing 8-inch sanitary sewer is limited by the 0.07% sewer slope between manholes MH 2 and MH 3. This sewer section does not comply with the minimum recommended slope per Recommended Standards for Wastewater Facilities (i.e., 10 States) for an 8-inch sewer of 0.004 ft/ft (0.4%). As a result, this sewer section will have reduced flow velocities and a higher potential for solids settling, particularly during low to average flow conditions. Further, this could result in sewer backups if peak flow conditions are unable to flush the settled solids from the sewer. Therefore, it is not recommended that 19 Erie Boulevard property connect to the existing 8-inch sewer upstream of MH 3.

Downstream of MH 3, the theoretical capacity of the existing 8-inch sanitary sewer is 433 gpm and limited by the 0.38% sewer slope between MH 4 and MH 5.

Flow monitoring was performed from 8/18/2021 to 9/1/2021 at the farthest downstream manhole (MH 6) located along the existing 8-inch sanitary sewer (i.e., immediately upstream of the connection to the 54-inch trunk sewer) for purposes of evaluating existing sanitary flows. Based on the flow monitoring data included in Attachment C, the current average daily and peak hourly flows in the existing 8-inch sanitary sewer are as follows:

- Current Average Daily Flow: 6,912 gpd (4.8 gpm)
- Current Peak Hourly Flow: 41,328 gpd (28.7 gpm)



Based on theoretical peak wastewater flows from the apartment complex (106 gpm) and current peak sanitary flows per flow monitoring data (29 gpm), the total projected peak sanitary flow within the existing 8-inch sanitary sewer is anticipated to be 135 gpm. Assuming that the 19 Erie Boulevard property is connecting downstream of MH 3, the remaining available capacity in the sewer following connection of the proposed redeveloped property will be 298 gpm (433 gpm – 135 gpm).

While the sanitary sewer capacity calculations indicate there is sufficient capacity to receive and convey both current and proposed sanitary flows associated with the redevelopment of 19 Erie Boulevard (if connected downstream of MH 3), the existing 8-inch sanitary sewer between MH 4 and MH 5 was found to be installed at a slope (0.38%) which is below the minimum recommended slope per Recommended Standards for Wastewater Facilities (0.4%).

Therefore, the developer has agreed to a routine inspection and maintenance plan for the existing 8-inch sewer which would be implemented to minimize the potential for any significant accumulation of solids (and associated sewer backups) from occurring. This would include the following, immediately occurring after the 19 Erie Blvd property is connected to the 8-inch sewer:

- Perform routine CCTV Inspection of the entire 8-inch sewer to determine if and/or when cleaning is required.
 - Bi-weekly inspection for the first two (2) months
 - Bi-weekly and/or monthly inspection for the next ten (10) months
 - After 12 months: Re-evaluate inspection frequency based on previous 12 months CCTV findings
- Perform cleaning of the 8-inch sewer to remove accumulated solids as necessary based on findings from the routine sewer inspections (i.e., CCTV).

It is noted that the last manhole (MH 6) located along the existing 8-inch sanitary sewer (before discharge to the County trunk sewer) has a formed flow channel which reduces to a couple inches in width and is anticipated to function as an informal flume to facilitate monitoring of flow into the Trunk Sewer. See attachment D for a photo of MH 6 interior. As part of this project, the channel within the manhole was planned to be widened to 8 inches to match the sewer pipes in and out of the structure, thereby allowing 3-inch solids to pass, and would no longer function to provide informal flow monitoring. This letter and plans for the manhole modifications to pass 3-inch solids and higher flows will be submitted to the County for approval.

The developer is currently proceeding with the design phase of the new sewer connection from the proposed 19 Erie Boulevard redeveloped property to the existing 8-inch gravity sewer downstream of manhole MH 3. Further, as the redeveloped property will increase sanitary flows in excess of 2,500 gpd, the developer will coordinate with the County to ensure ability of the County's North Plant to accept new flow. If the City has any questions or concerns with the approach outlined herein, please do not hesitate to contact me at (518) 371-0799 or mdriscane@mjels.com.

Sincerely,

Matt Driscane, P.E.
Project Manager

Attach:

- A. Calculations
 - Theoretical Wastewater Flows – Proposed Apartment Complex
 - Existing 8-inch Sanitary Sewer Capacity
- B. Existing 8-inch Sanitary Sewer Mapping
- C. Flow Monitoring Data (8/18-9/1/21)
- D. Photo - Manhole 6 Interior

ATTACHMENT A
SANITARY CALCULATIONS

M.J. Engineering & Land Surveying, P.C.

1533 Crescent Road - Clifton Park, N.Y. 12065

Phone: (518) 371-0799**Fax:** (518) 371-0822**Project** 19 Erie Blvd Apartment Complex

MJ No. 1459.01 P.I.N.

Sheet No. 1 of 3

Calculated By: MJD Date: 11/3/2021

Checked By: Date:

Subject: Theoretical Wastewater Flows Evaluation**PROPOSED FLOWS**

→ Based on an apartment complex consisting of the following:

- 261 Apartment Units, 307 Bedrooms
- 1,200 SF Cofee Shop
- 9,195 SF Rock Climbing Gym , Max 50 Patrons
- 25,000 SF Furniture Store

1. Max Day Flow**A. Bedroom Hydraulic Loading**

of Bedrooms : 307

Hydraulic Loading Rate¹ : 110 gpd / Bedroom →Based on post 1994 plumbing fixtures**Total Bedroom Loading : 33,770 gpd → Max Day Flow****B. Coffee Shop Hydraulic Loading**

of Seats: 25

Hydraulic Loading Rate¹ : 20 gpd/seat →Lounge, Bar hydraulic loading rate applied**Total Cofee Shop Loading: 500 gpd****C. Rocking Climbing / Gym Hydraulic Loading**

of Patrons 50

Hydraulic Loading Rate¹ : 20 gpd/patron →Health Club hydraulic loading rate applied**Total Rock Climbing/Gym Loading: 1,000 gpd****D. Furniture Store Hydraulic Loading**

Furniture Store Floor Area: 25,000 SF (Square Feet)

Hydraulic Loading Rate¹ : 0.1 gpd/SF →Shopping Center / Department Store hydraulic loading rate applied**2,500 gpd**

Total # of Employees: 20

Hydraulic Loading Rate¹ : 15 15 gpd/employee**300 gpd****Total Furniture Store Loading: 2,800 gpd****E. Total Hydraulic Loading:**

Apartment Units/Bedrooms: 33,770 gpd

Cofee Shop: 500 gpd

Rock Climbing/Gym: 1,000 gpd

Furniture Store: 2,800 gpd

Total Hydraulic Loading (Q_{max}): 38,070 gpd →Max Day Flow**26.4 gpm****Calculation Notes:**¹ Hydraulic loading rates from Table B-3 Typical Per-Unit Hydraulic Loading Rates from the New York State Design Standards for Intermediate Sized Wastewater Treatment Facilities (2012)

M.J. Engineering & Land Surveying, P.C.

1533 Crescent Road - Clifton Park, N.Y. 12065

Phone: (518) 371-0799**Fax:** (518) 371-0822**Project** 19 Erie Blvd Apartment Complex

MJ No. 1459.01 P.I.N.

Sheet No. 2 of 3

Calculated By: MJD Date: 11/3/2021

Checked By: Date:

Subject: Comparison of Existing vs Proposed Sanitary Flows**2. Peak Hourly Flow**

→ Total population of approximately 500.

→ Use equation from Figure 1 in "Recommended Standards for Wastewater Facilities" 2014 Edition to derive peaking factor.

→ Apply peaking factor to max day flow derived from Table B-3 of DEC Design Standards to derive conservative peak hourly flow. Normally peaking factor is applied to the average daily flow and not maximum day flow.

$$\text{Peaking Factor} = \frac{18 + P^{1/2}}{4 + P^{1/2}} \quad \text{where; } P = \text{Population} = 0.5 \rightarrow \text{in thousands}$$

$$= 3.97$$

$$\text{Peak Hourly Flow} = Q_{\text{max}} \times \text{Peaking Factor}$$

$$= 106 \text{ gpm}$$

3. Existing Sanitary Flows

→ Per flow monitoring performed by Grundeen & Associates, Inc. from 8/18/2021 to 9/1/2021 at farthest downstream manhole (immediately upstream of trunk sewer) along the existing 8" PVC sanitary sewer on Erie Blvd.

Flow Monitoring Results:

| | | |
|---------------|------|-----|
| Minimum Flow: | 1.15 | gpm |
| Average Flow: | 4.83 | gpm |
| Maximum Flow: | 28.7 | gpm |

4. Total Sanitary Flows (Existing + Proposed)

| | | | |
|------------------------------------|------------|------------|---|
| Existing Peak Flow: | 29 | gpm | → per 8/18/2021 to 9/1/2021 flow monitoring |
| Proposed Peak Flow: | 106 | gpm | → from redevelopment of 19 Erie Blvd into Apartment Complex |
| Total Peak Sanitary Flows = | 135 | gpm | → Existing + Proposed (19 Erie Blvd) Flows |

M.J. Engineering & Land Surveying, P.C.

1533 Crescent Road - Clifton Park, N.Y. 12065

Phone: (518) 371-0799

Fax: (518) 371-0822

Project **19 Erie Blvd Apartment Complex**

MJ No. 1459.01 P.I.N. _____

Sheet No. 3 of 3

Calculated By: MJD Date: 11/3/2021

Checked By: _____ Date: _____

Subject: Existing 8" PVC Gravity Sewer Capacity Evaluation

5. Existing 8" PVC Gravity Sewer Capacity Evaluation

→ Evaluation of full pipe capacity for the existing 8" PVC Gravity Sewer along Erie Blvd to determine if pipe has sufficient capacity to handle proposed flows from the apartment complex at 19 Erie Blvd.

→ Mannings Equation utilized to evaluate 8" PVC Sewer Capacity

Mannings Equation

$$Q = \frac{1.486 AR^{2/3} S^{1/2}}{n}$$

where;

Q = Flow

S = Slope

n = Roughness Coefficient = .01 for PVC Pipe

A = Cross Sectional Flow Area

P_w = Wetted Perimeter = pi x D

R = Hydraulic Radius = A / P_w

→ Sewer Diameter, Material and Invert Elevations at existing sanitary manholes per field survey performed by Redburn in September 2021

| MH From | MH To | Rim El. From | Rim El. To | Inv. El. From | Inv. El. To | Pipe Dia (in) | Pipe Material | Pipe Length (ft) | Slope ¹ (ft/ft) | n | Flow (gpm) |
|---------|-------|--------------|------------|---------------|-------------|---------------|---------------|------------------|----------------------------|------|------------|
| 1 | 2 | 17.67 | 16.29 | 12.20 | 10.71 | 8 | PVC | 288.79 | 0.0052 | 0.01 | 506 |
| 2 | 3 | 16.29 | 15.61 | 10.67 | 10.44 | 8 | PVC | 321.29 | 0.0007 | 0.01 | 189 |
| 3 | 4 | 15.61 | 13.56 | 10.40 | 8.77 | 8 | PVC | 388.85 | 0.0042 | 0.01 | 457 |
| 4 | 5 | 13.56 | 13.56 | 8.73 | 7.72 | 8 | PVC | 266.42 | 0.0038 | 0.01 | 433 |
| 5 | 6 | 13.56 | 13.56 | 7.68 | 7.54 | 8 | PVC | 27.00 | 0.0050 | 0.01 | 500 |
| 6 | 7 | 13.56 | 13.25 | 7.50 | 7.41 | 8 | PVC | 15.54 | 0.0056 | 0.01 | 529 |

Notes:

¹ Sewer sections from MH 2 to 3 does not provide minimum slope (0.004 ft/ft) per 10 States Standards.
Sewer section from MH 4 to 5 is just below minimum slope (0.004 ft/ft) per 10 States Standards.

6. Existing 8" Sanitary Sewer - Available Capacity if connecting upstream of MH 3

Capacity Limiting Sewer Section: MH 2 to MH 3

Theoretical Capacity of Limiting Sewer Section: 189.0 gpm

Total Peak Sanitary Flows (Existing + Proposed): 135 gpm

Total Spare Sewer Capacity: 54.0 gpm

7. Existing 8" Sanitary Sewer - Available Capacity if connecting downstream of MH 3


Capacity Limiting Sewer Section: MH 4 to MH 5

Theoretical Capacity of Limiting Sewer Section: 433 gpm

Total Peak Sanitary Flows (Existing + Proposed): 135 gpm

Total Spare Sewer Capacity: 298.0 gpm

ATTACHMENT B
**EXISTING 8-INCH
SANITARY SEWER MAPPING**




CITY OF ALBANY

DEPARTMENT OF WATER & WATER SUPPLY

Printed: 3/25/2021

This map and data therein was compiled from recorded documents and global positioning collected data and is to be considered a work in progress and for reference only. This map was prepared only for the expressed and official use by the City of Albany Water & Water Supply Department.

0 25 50 100'



Manhole 7 (at Trunk Sewer)
 Rim El. 13.25'
 8" PVC Inv. In El.: 7.41'

Manhole 6 (Flow Monitoring Location)
 Rim El: 13.56'
 8" PVC Inv. In El.: 7.54'
 *8"PVC Inv. Out El.: 7.50'
 *Assumes 1/8 in per ft drop across manhole

Manhole 5
 Rim El: 13.56'
 8" PVC Inv. In El.: 7.72'
 *8"PVC Inv. Out El.: 7.68'
 *Assumes 1/8 in per ft drop across manhole


Manhole 4
 Rim El: 13.56'
 8" PVC Inv. In El.: 8.77'
 *8"PVC Inv. Out El.: 8.73'
 *Assumes 1/8 in per ft drop across manhole

Manhole 3
 Rim El: 15.61'
 8" PVC Inv. In El.: 10.44'
 *8"PVC Inv. Out El.: 10.40'
 *Assumes 1/8 in per ft drop across manhole

Manhole 2
 Rim El: 16.29'
 8" PVC Inv. In El.: 10.71'
 *8"PVC Inv. Out El.: 10.67'
 *Assumes 1/8 in per ft drop across manhole

Manhole 1
 Rim El: 17.67'
 8" PVC Inv. Out El: 12.20'


ATTACHMENT C
FLOW MONITORING DATA



CITY OF ALBANY DEPARTMENT OF WATER & WATER SUPPLY

This map and data therein was compiled from recorded documents and global positioning collected data and is to be considered a work in progress and for reference only. This map was prepared only for the expressed and official use by the City of Albany Water & Water Supply Department.

Printed: 3/25/2021




Existing 8" Sanitary Sewer

19 Erie Blvd

Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Flow Monitoring Data from 8/18/2021 to 9/1/2021
Flow monitored at last manhole (upstream of trunk sewer) along the Erie Boulevard 8-inch Sanitary Sewer



| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | 0 | 0 | 0 |
| Significant Digits | 0 | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |
| FlowCon | | | |
| FlowConDetails | | | |
| Isco Data Type ID | 2 | 10 | 1 |

| | | | |
|-----------------|----------|----------|----------|
| 8/18/2021 13:30 | 1.049322 | 0.614775 | 7.06855 |
| 8/18/2021 13:35 | 1.398081 | 0.427169 | 7.712258 |
| 8/18/2021 13:40 | 1.191383 | 0.394244 | 5.649794 |
| 8/18/2021 13:45 | 1.041381 | 0.394244 | 4.64684 |
| 8/18/2021 13:50 | 1.149834 | 0.298617 | 4.064745 |
| 8/18/2021 13:55 | 1.156558 | 0.370216 | 5.082152 |
| 8/18/2021 14:00 | 1.008787 | 0.370216 | 4.166132 |
| 8/18/2021 14:05 | 0.905121 | 0.622363 | 5.978329 |
| 8/18/2021 14:10 | 0.915422 | 0.629446 | 6.147226 |
| 8/18/2021 14:15 | 0.82712 | 0.56873 | 4.78796 |
| 8/18/2021 14:20 | 1.142643 | 0.515733 | 6.665239 |
| 8/18/2021 14:25 | 0.97746 | 0.671428 | 7.216089 |
| 8/18/2021 14:30 | 0.846117 | 0.581207 | 5.058525 |
| 8/18/2021 14:35 | 0.699001 | 0.480152 | 3.157116 |
| 8/18/2021 14:40 | 0.6632 | 0.45556 | 2.772341 |
| 8/18/2021 14:45 | 0.802106 | 0.550975 | 4.434279 |
| 8/18/2021 14:50 | 1.209806 | 0.550975 | 8.073302 |
| 8/18/2021 14:55 | 0.924901 | 0.635325 | 6.298738 |
| 8/18/2021 15:00 | 0.875675 | 0.601511 | 5.505154 |
| 8/18/2021 15:05 | 0.89732 | 0.616379 | 5.846382 |
| 8/18/2021 15:10 | 0.870984 | 0.598288 | 5.432781 |
| 8/18/2021 15:15 | 1.184211 | 0.598288 | 8.499217 |
| 8/18/2021 15:20 | 0.939139 | 0.645105 | 6.540045 |
| 8/18/2021 15:25 | 1.027213 | 0.645105 | 7.453499 |
| 8/18/2021 15:30 | 1.034212 | 0.645105 | 7.527569 |
| 8/18/2021 15:35 | 0.833405 | 0.572475 | 4.873247 |
| 8/18/2021 15:40 | 0.801694 | 0.550692 | 4.428667 |
| 8/18/2021 15:45 | 0.790625 | 0.543089 | 4.279348 |
| 8/18/2021 15:50 | 0.775592 | 0.532763 | 4.081369 |
| 8/18/2021 15:55 | 0.696595 | 0.478499 | 3.130322 |
| 8/18/2021 16:00 | 0.765341 | 0.525721 | 3.949512 |
| 8/18/2021 16:05 | 0.888313 | 0.610192 | 5.70292 |
| 8/18/2021 16:10 | 1.095777 | 0.610192 | 7.744997 |
| 8/18/2021 16:15 | 0.614929 | 0.422402 | 2.299619 |
| 8/18/2021 16:20 | 0.842767 | 0.578906 | 5.009308 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/18/2021 16:25 | 0.664523 | 0.456468 | 2.786034 | |
| 8/18/2021 16:30 | 0.908641 | 0.624156 | 6.029669 | |
| 8/18/2021 16:35 | 0.886666 | 0.609061 | 5.676912 | |
| 8/18/2021 16:40 | 0.882633 | 0.60629 | 5.613525 | |
| 8/18/2021 16:45 | 1.640112 | 0.499036 | 11.32527 | |
| 8/18/2021 16:50 | 1.27594 | 0.499036 | 7.897312 | |
| 8/18/2021 16:55 | 1.046757 | 0.299718 | 3.559266 | |
| 8/18/2021 17:00 | 0.974003 | 0.67159 | 7.180612 | |
| 8/18/2021 17:05 | 0.941686 | 0.649307 | 6.608721 | |
| 8/18/2021 17:10 | 0.945298 | 0.651797 | 6.671274 | |
| 8/18/2021 17:15 | 0.874082 | 0.602693 | 5.501295 | |
| 8/18/2021 17:20 | 0.88715 | 0.611703 | 5.706096 | |
| 8/18/2021 17:25 | 1.199315 | 0.337654 | 4.885562 | |
| 8/18/2021 17:30 | 1.070182 | 0.337654 | 4.140997 | |
| 8/18/2021 17:35 | 0.982827 | 0.679586 | 7.362332 | |
| 8/18/2021 17:40 | 0.822136 | 0.568475 | 4.743604 | |
| 8/18/2021 17:45 | 0.826228 | 0.571304 | 4.802025 | |
| 8/18/2021 17:50 | 0.973575 | 0.673189 | 7.193094 | |
| 8/18/2021 17:55 | 0.746798 | 0.516381 | 3.742093 | |
| 8/18/2021 18:00 | 0.729452 | 0.504387 | 3.531095 | |
| 8/18/2021 18:05 | 0.774896 | 0.53581 | 4.099299 | |
| 8/18/2021 18:10 | 0.820765 | 0.567527 | 4.724126 | |
| 8/18/2021 18:15 | 1.121753 | 0.224007 | 2.941695 | |
| 8/18/2021 18:20 | 0.965458 | 0.661949 | 6.987124 | |
| 8/18/2021 18:25 | 1.390806 | 0.661949 | 11.86169 | |
| 8/18/2021 18:30 | 0.82287 | 0.564186 | 4.713982 | |
| 8/18/2021 18:35 | 1.090632 | 0.564186 | 7.112252 | |
| 8/18/2021 18:40 | 0.801346 | 0.549429 | 4.415693 | |
| 8/18/2021 18:45 | 0.779951 | 0.53476 | 4.1305 | |
| 8/18/2021 18:50 | 0.817295 | 0.560364 | 4.635616 | |
| 8/18/2021 18:55 | 0.865882 | 0.593677 | 5.344749 | |
| 8/18/2021 19:00 | 0.811295 | 0.55625 | 4.552141 | |
| 8/18/2021 19:05 | 0.991051 | 0.679497 | 7.451366 | |
| 8/18/2021 19:10 | 0.930912 | 0.638264 | 6.388059 | |
| 8/18/2021 19:15 | 0.833868 | 0.571727 | 4.870841 | |
| 8/18/2021 19:20 | 0.81011 | 0.555438 | 4.535765 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/18/2021 19:25 | 0.906046 | 0.621214 | 5.976213 |
| 8/18/2021 19:30 | 0.849492 | 0.582439 | 5.0989 |
| 8/18/2021 19:35 | 0.874454 | 0.599554 | 5.476052 |
| 8/18/2021 19:40 | 0.812965 | 0.557395 | 4.575292 |
| 8/18/2021 19:45 | 1.131533 | 0.557395 | 7.412613 |
| 8/18/2021 19:50 | 0.940003 | 0.644497 | 6.542658 |
| 8/18/2021 19:55 | 0.764232 | 0.523982 | 3.928076 |
| 8/18/2021 20:00 | 1.536649 | 0.523982 | 10.83422 |
| 8/18/2021 20:05 | 0.693827 | 0.47571 | 3.093904 |
| 8/18/2021 20:10 | 0.988314 | 0.67762 | 7.400883 |
| 8/18/2021 20:15 | 0.753761 | 0.516803 | 3.796554 |
| 8/18/2021 20:20 | 0.700063 | 0.479986 | 3.16308 |
| 8/18/2021 20:25 | 0.653888 | 0.448327 | 2.672083 |
| 8/18/2021 20:30 | 0.701272 | 0.480815 | 3.176599 |
| 8/18/2021 20:35 | 0.736393 | 0.504895 | 3.584192 |
| 8/18/2021 20:40 | 0.885149 | 0.606887 | 5.642495 |
| 8/18/2021 20:45 | 0.664873 | 0.455858 | 2.784465 |
| 8/18/2021 20:50 | 0.633759 | 0.434526 | 2.473205 |
| 8/18/2021 20:55 | 0.625872 | 0.429118 | 2.397747 |
| 8/18/2021 21:00 | 0.62088 | 0.425695 | 2.350695 |
| 8/18/2021 21:05 | 0.62541 | 0.428802 | 2.393372 |
| 8/18/2021 21:10 | 0.617847 | 0.423616 | 2.32238 |
| 8/18/2021 21:15 | 0.620765 | 0.425617 | 2.349626 |
| 8/18/2021 21:20 | 0.615495 | 0.422004 | 2.30057 |
| 8/18/2021 21:25 | 0.614382 | 0.42124 | 2.290282 |
| 8/18/2021 21:30 | 0.62397 | 0.427814 | 2.379753 |
| 8/18/2021 21:35 | 0.621765 | 0.426302 | 2.359 |
| 8/18/2021 21:40 | 0.620307 | 0.425303 | 2.34534 |
| 8/18/2021 21:45 | 0.612959 | 0.420264 | 2.277178 |
| 8/18/2021 21:50 | 0.629492 | 0.4316 | 2.432208 |
| 8/18/2021 21:55 | 0.624305 | 0.428043 | 2.382915 |
| 8/18/2021 22:00 | 0.612754 | 0.420124 | 2.275295 |
| 8/18/2021 22:05 | 0.666331 | 0.456858 | 2.799587 |
| 8/18/2021 22:10 | 0.619873 | 0.425005 | 2.34128 |
| 8/18/2021 22:15 | 0.619382 | 0.424668 | 2.33669 |
| 8/18/2021 22:20 | 0.621641 | 0.426218 | 2.35784 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/18/2021 22:25 | 0.619647 | 0.42485 | 2.339164 |
| 8/18/2021 22:30 | 0.61699 | 0.423029 | 2.314425 |
| 8/18/2021 22:35 | 0.613139 | 0.420388 | 2.278837 |
| 8/18/2021 22:40 | 0.607241 | 0.416344 | 2.224967 |
| 8/18/2021 22:45 | 0.596772 | 0.409166 | 2.131209 |
| 8/18/2021 22:50 | 0.62012 | 0.425174 | 2.343586 |
| 8/18/2021 22:55 | 0.607196 | 0.416313 | 2.224555 |
| 8/18/2021 23:00 | 0.612138 | 0.419702 | 2.269639 |
| 8/18/2021 23:05 | 0.610351 | 0.418476 | 2.253274 |
| 8/18/2021 23:10 | 0.6188 | 0.42427 | 2.331264 |
| 8/18/2021 23:15 | 0.613411 | 0.420575 | 2.281341 |
| 8/18/2021 23:20 | 0.61059 | 0.418641 | 2.255462 |
| 8/18/2021 23:25 | 0.620002 | 0.425093 | 2.342478 |
| 8/18/2021 23:30 | 0.614797 | 0.421525 | 2.294119 |
| 8/18/2021 23:35 | 0.614732 | 0.42148 | 2.293517 |
| 8/18/2021 23:40 | 0.624677 | 0.428299 | 2.386437 |
| 8/18/2021 23:45 | 0.644685 | 0.442017 | 2.580026 |
| 8/18/2021 23:50 | 0.638627 | 0.437863 | 2.520465 |
| 8/18/2021 23:55 | 0.629405 | 0.431541 | 2.431378 |
| 8/19/2021 0:00 | 0.62309 | 0.427211 | 2.371457 |
| 8/19/2021 0:05 | 0.618832 | 0.424291 | 2.331557 |
| 8/19/2021 0:10 | 0.619123 | 0.424491 | 2.33427 |
| 8/19/2021 0:15 | 0.623537 | 0.427517 | 2.375669 |
| 8/19/2021 0:20 | 0.61923 | 0.424564 | 2.335274 |
| 8/19/2021 0:25 | 0.620384 | 0.425355 | 2.346057 |
| 8/19/2021 0:30 | 0.620715 | 0.425582 | 2.349156 |
| 8/19/2021 0:35 | 0.62629 | 0.429405 | 2.401712 |
| 8/19/2021 0:40 | 0.617675 | 0.423498 | 2.320785 |
| 8/19/2021 0:45 | 0.619208 | 0.424549 | 2.335062 |
| 8/19/2021 0:50 | 0.620076 | 0.425144 | 2.343175 |
| 8/19/2021 0:55 | 0.621339 | 0.42601 | 2.354999 |
| 8/19/2021 1:00 | 0.66085 | 0.4531 | 2.742994 |
| 8/19/2021 1:05 | 0.658468 | 0.451467 | 2.718604 |
| 8/19/2021 1:10 | 0.632244 | 0.433487 | 2.458596 |
| 8/19/2021 1:15 | 0.637588 | 0.437151 | 2.510335 |
| 8/19/2021 1:20 | 0.645412 | 0.442515 | 2.587227 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/19/2021 1:25 | 0.655537 | 0.449457 | 2.688779 | |
| 8/19/2021 1:30 | 0.627298 | 0.430096 | 2.411291 | |
| 8/19/2021 1:35 | 0.638707 | 0.437918 | 2.521248 | |
| 8/19/2021 1:40 | 0.633656 | 0.434455 | 2.472209 | |
| 8/19/2021 1:45 | 0.63081 | 0.432504 | 2.444828 | |
| 8/19/2021 1:50 | 0.626511 | 0.429556 | 2.403808 | |
| 8/19/2021 1:55 | 0.627323 | 0.430113 | 2.411529 | |
| 8/19/2021 2:00 | 0.630958 | 0.432605 | 2.44625 | |
| 8/19/2021 2:05 | 0.621852 | 0.426362 | 2.359816 | |
| 8/19/2021 2:10 | 0.623915 | 0.427777 | 2.37924 | |
| 8/19/2021 2:15 | 0.625408 | 0.4288 | 2.393348 | |
| 8/19/2021 2:20 | 0.630743 | 0.432458 | 2.444181 | |
| 8/19/2021 2:25 | 0.630773 | 0.432478 | 2.444468 | |
| 8/19/2021 2:30 | 0.630756 | 0.432467 | 2.444308 | |
| 8/19/2021 2:35 | 0.639201 | 0.438257 | 2.526074 | |
| 8/19/2021 2:40 | 0.63138 | 0.432895 | 2.450298 | |
| 8/19/2021 2:45 | 0.637065 | 0.436792 | 2.505243 | |
| 8/19/2021 2:50 | 0.633325 | 0.434228 | 2.469016 | |
| 8/19/2021 2:55 | 0.633889 | 0.434615 | 2.474454 | |
| 8/19/2021 3:00 | 0.675727 | 0.4633 | 2.898209 | |
| 8/19/2021 3:05 | 0.669177 | 0.458809 | 2.829249 | |
| 8/19/2021 3:10 | 0.659601 | 0.452244 | 2.730191 | |
| 8/19/2021 3:15 | 0.658031 | 0.451167 | 2.714148 | |
| 8/19/2021 3:20 | 0.658382 | 0.451408 | 2.717729 | |
| 8/19/2021 3:25 | 0.664347 | 0.455498 | 2.779021 | |
| 8/19/2021 3:30 | 0.663037 | 0.454599 | 2.76549 | |
| 8/19/2021 3:35 | 0.665663 | 0.4564 | 2.792653 | |
| 8/19/2021 3:40 | 0.683784 | 0.468825 | 2.984393 | |
| 8/19/2021 3:45 | 0.680447 | 0.466536 | 2.948513 | |
| 8/19/2021 3:50 | 0.661286 | 0.453399 | 2.747475 | |
| 8/19/2021 3:55 | 0.6559 | 0.449706 | 2.692458 | |
| 8/19/2021 4:00 | 0.783858 | 0.537438 | 4.181741 | |
| 8/19/2021 4:05 | 0.73704 | 0.505339 | 3.591977 | |
| 8/19/2021 4:10 | 0.702715 | 0.481804 | 3.19277 | |
| 8/19/2021 4:15 | 0.683703 | 0.468769 | 2.98352 | |
| 8/19/2021 4:20 | 0.689256 | 0.472576 | 3.043776 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/19/2021 4:25 | 0.679696 | 0.466022 | 2.94048 | |
| 8/19/2021 4:30 | 0.671846 | 0.460639 | 2.857235 | |
| 8/19/2021 4:35 | 0.65935 | 0.452072 | 2.727619 | |
| 8/19/2021 4:40 | 0.661948 | 0.453853 | 2.754279 | |
| 8/19/2021 4:45 | 0.653757 | 0.448237 | 2.670761 | |
| 8/19/2021 4:50 | 0.644243 | 0.441714 | 2.575654 | |
| 8/19/2021 4:55 | 0.649712 | 0.445463 | 2.630069 | |
| 8/19/2021 5:00 | 0.642544 | 0.440549 | 2.558878 | |
| 8/19/2021 5:05 | 0.64758 | 0.444002 | 2.608782 | |
| 8/19/2021 5:10 | 0.635945 | 0.436024 | 2.494358 | |
| 8/19/2021 5:15 | 0.630712 | 0.432436 | 2.443885 | |
| 8/19/2021 5:20 | 0.634559 | 0.435075 | 2.480938 | |
| 8/19/2021 5:25 | 0.63022 | 0.432099 | 2.439174 | |
| 8/19/2021 5:30 | 0.634478 | 0.435018 | 2.480147 | |
| 8/19/2021 5:35 | 0.630352 | 0.43219 | 2.440439 | |
| 8/19/2021 5:40 | 0.630817 | 0.432509 | 2.444897 | |
| 8/19/2021 5:45 | 0.635334 | 0.435606 | 2.488439 | |
| 8/19/2021 5:50 | 0.645265 | 0.442415 | 2.585776 | |
| 8/19/2021 5:55 | 0.667515 | 0.45767 | 2.811913 | |
| 8/19/2021 6:00 | 0.653057 | 0.447757 | 2.66369 | |
| 8/19/2021 6:05 | 0.629171 | 0.43138 | 2.429141 | |
| 8/19/2021 6:10 | 0.62578 | 0.429055 | 2.396871 | |
| 8/19/2021 6:15 | 0.633263 | 0.434185 | 2.468413 | |
| 8/19/2021 6:20 | 0.635479 | 0.435705 | 2.489839 | |
| 8/19/2021 6:25 | 0.660342 | 0.452752 | 2.737777 | |
| 8/19/2021 6:30 | 1.086587 | 0.452752 | 5.676736 | |
| 8/19/2021 6:35 | 1.255587 | 0.452752 | 7.00028 | |
| 8/19/2021 6:40 | 1.355645 | 0.452752 | 7.819355 | |
| 8/19/2021 6:45 | 1.414189 | 0.192797 | 3.53864 | |
| 8/19/2021 6:50 | 1.621602 | 0.31126 | 6.950355 | |
| 8/19/2021 6:55 | 1.308759 | 0.31126 | 5.109676 | |
| 8/19/2021 7:00 | 1.130736 | 0.31126 | 4.135107 | |
| 8/19/2021 7:05 | 1.037009 | 0.311114 | 3.644621 | |
| 8/19/2021 7:10 | 0.977653 | 0.660556 | 7.101282 | |
| 8/19/2021 7:15 | 0.928719 | 0.627494 | 6.25866 | |
| 8/19/2021 7:20 | 0.911728 | 0.616013 | 5.980579 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/19/2021 7:25 | 1.593081 | 0.46205 | 10.05934 |
| 8/19/2021 7:30 | 1.441342 | 0.340291 | 6.418837 |
| 8/19/2021 7:35 | 1.476672 | 0.243476 | 4.7551 |
| 8/19/2021 7:40 | 1.832955 | 0.190781 | 5.0706 |
| 8/19/2021 7:45 | 1.726224 | 0.190781 | 4.656879 |
| 8/19/2021 7:50 | 1.749604 | 0.29498 | 7.339292 |
| 8/19/2021 7:55 | 1.600325 | 0.287969 | 6.31017 |
| 8/19/2021 8:00 | 1.455743 | 0.287969 | 5.510008 |
| 8/19/2021 8:05 | 1.265772 | 0.345417 | 5.403446 |
| 8/19/2021 8:10 | 1.118522 | 0.345417 | 4.517103 |
| 8/19/2021 8:15 | 1.118977 | 0.345417 | 4.519774 |
| 8/19/2021 8:20 | 1.071809 | 0.345417 | 4.245568 |
| 8/19/2021 8:25 | 1.085985 | 0.345417 | 4.327459 |
| 8/19/2021 8:30 | 1.039907 | 0.345417 | 4.062946 |
| 8/19/2021 8:35 | 0.983845 | 0.639666 | 6.940326 |
| 8/19/2021 8:40 | 0.973457 | 0.632913 | 6.76155 |
| 8/19/2021 8:45 | 0.915387 | 0.595158 | 5.812034 |
| 8/19/2021 8:50 | 0.89922 | 0.584646 | 5.562566 |
| 8/19/2021 8:55 | 0.861221 | 0.559941 | 5.00136 |
| 8/19/2021 9:00 | 0.852185 | 0.554065 | 4.87303 |
| 8/19/2021 9:05 | 0.847051 | 0.550727 | 4.801004 |
| 8/19/2021 9:10 | 0.834914 | 0.542836 | 4.633208 |
| 8/19/2021 9:15 | 0.833758 | 0.542084 | 4.61741 |
| 8/19/2021 9:20 | 0.8617 | 0.560251 | 5.008204 |
| 8/19/2021 9:25 | 0.815286 | 0.530075 | 4.36926 |
| 8/19/2021 9:30 | 0.797561 | 0.518551 | 4.138688 |
| 8/19/2021 9:35 | 0.77465 | 0.503655 | 3.8515 |
| 8/19/2021 9:40 | 0.767849 | 0.499233 | 3.768577 |
| 8/19/2021 9:45 | 0.77639 | 0.504785 | 3.872875 |
| 8/19/2021 9:50 | 0.798893 | 0.519416 | 4.155753 |
| 8/19/2021 9:55 | 0.816879 | 0.53111 | 4.390341 |
| 8/19/2021 10:00 | 0.777482 | 0.505496 | 3.886337 |
| 8/19/2021 10:05 | 0.764869 | 0.497295 | 3.732583 |
| 8/19/2021 10:10 | 0.878066 | 0.570892 | 5.245814 |
| 8/19/2021 10:15 | 0.823201 | 0.535221 | 4.474608 |
| 8/19/2021 10:20 | 0.803803 | 0.522608 | 4.219038 |

| | | | |
|----------------------|-------------|-------------|-------------|
| Site Name | Albany | Albany | Albany |
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/19/2021 10:25 | 0.834829 | 0.542781 | 4.632052 |
| 8/19/2021 10:30 | 0.823324 | 0.535301 | 4.476247 |
| 8/19/2021 10:35 | 0.823109 | 0.535161 | 4.473371 |
| 8/19/2021 10:40 | 1.521229 | 0.426478 | 8.691729 |
| 8/19/2021 10:45 | 1.193917 | 0.426478 | 6.130572 |
| 8/19/2021 10:50 | 1.029894 | 0.426478 | 4.946245 |
| 8/19/2021 10:55 | 1.014515 | 0.299536 | 3.398675 |
| 8/19/2021 11:00 | 0.960777 | 0.630089 | 6.603824 |
| 8/19/2021 11:05 | 0.832425 | 0.545914 | 4.63914 |
| 8/19/2021 11:10 | 0.852089 | 0.55881 | 4.913954 |
| 8/19/2021 11:15 | 0.835577 | 0.547982 | 4.682573 |
| 8/19/2021 11:20 | 0.779969 | 0.511513 | 3.951076 |
| 8/19/2021 11:25 | 0.749341 | 0.491427 | 3.579078 |
| 8/19/2021 11:30 | 1.067745 | 0.491427 | 6.006907 |
| 8/19/2021 11:35 | 0.980505 | 0.643027 | 6.942267 |
| 8/19/2021 11:40 | 0.833615 | 0.546695 | 4.655517 |
| 8/19/2021 11:45 | 0.852415 | 0.559024 | 4.918589 |
| 8/19/2021 11:50 | 0.830397 | 0.544584 | 4.611336 |
| 8/19/2021 11:55 | 0.930426 | 0.610184 | 6.102362 |
| 8/19/2021 12:00 | 0.859658 | 0.563774 | 5.022219 |
| 8/19/2021 12:05 | 0.787521 | 0.516466 | 4.046147 |
| 8/19/2021 12:10 | 0.721102 | 0.472907 | 3.25515 |
| 8/19/2021 12:15 | 0.764622 | 0.501448 | 3.761965 |
| 8/19/2021 12:20 | 0.751507 | 0.492847 | 3.604672 |
| 8/19/2021 12:25 | 0.726204 | 0.476253 | 3.312331 |
| 8/19/2021 12:30 | 0.701345 | 0.45995 | 3.03922 |
| 8/19/2021 12:35 | 0.660917 | 0.433437 | 2.624347 |
| 8/19/2021 12:40 | 0.727512 | 0.477111 | 3.32709 |
| 8/19/2021 12:45 | 0.903351 | 0.592428 | 5.674517 |
| 8/19/2021 12:50 | 0.803426 | 0.526897 | 4.250736 |
| 8/19/2021 12:55 | 0.768418 | 0.503937 | 3.808229 |
| 8/19/2021 13:00 | 0.714197 | 0.468379 | 3.178691 |
| 8/19/2021 13:05 | 0.938239 | 0.615308 | 6.229237 |
| 8/19/2021 13:10 | 0.790144 | 0.518186 | 4.079471 |
| 8/19/2021 13:15 | 0.744455 | 0.488222 | 3.521734 |
| 8/19/2021 13:20 | 0.696818 | 0.456981 | 2.990967 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/19/2021 13:25 | 0.671098 | 0.440114 | 2.72545 |
| 8/19/2021 13:30 | 0.829928 | 0.544276 | 4.604904 |
| 8/19/2021 13:35 | 1.32759 | 0.451277 | 7.562475 |
| 8/19/2021 13:40 | 1.028449 | 0.451277 | 5.223165 |
| 8/19/2021 13:45 | 0.899942 | 0.59191 | 5.638292 |
| 8/19/2021 13:50 | 0.826894 | 0.55336 | 4.657151 |
| 8/19/2021 13:50 | | | |
| 8/19/2021 13:55 | 0.816208 | 0.537935 | 4.465219 |
| 8/19/2021 14:00 | 0.73738 | 0.484989 | 3.449666 |
| 8/19/2021 14:05 | 0.698169 | 0.459199 | 3.014058 |
| 8/19/2021 14:10 | 0.725582 | 0.477229 | 3.314947 |
| 8/19/2021 14:15 | 0.691587 | 0.45487 | 2.944323 |
| 8/19/2021 14:20 | 0.773912 | 0.509017 | 3.887059 |
| 8/19/2021 14:25 | 0.721947 | 0.474839 | 3.274077 |
| 8/19/2021 14:30 | 0.670867 | 0.441242 | 2.731044 |
| 8/19/2021 14:35 | 0.636931 | 0.418922 | 2.402006 |
| 8/19/2021 14:40 | 0.610304 | 0.401409 | 2.161132 |
| 8/19/2021 14:45 | 0.643928 | 0.423524 | 2.467807 |
| 8/19/2021 14:50 | 1.021319 | 0.423524 | 4.852525 |
| 8/19/2021 14:55 | 0.824167 | 0.542071 | 4.539661 |
| 8/19/2021 15:00 | 0.708171 | 0.465778 | 3.121885 |
| 8/19/2021 15:05 | 0.942943 | 0.620192 | 6.324709 |
| 8/19/2021 15:10 | 0.927464 | 0.610011 | 6.072274 |
| 8/19/2021 15:15 | 0.776799 | 0.510916 | 3.922938 |
| 8/19/2021 15:20 | 0.681108 | 0.447978 | 2.835277 |
| 8/19/2021 15:25 | 0.686948 | 0.451819 | 2.895754 |
| 8/19/2021 15:30 | 0.755412 | 0.496849 | 3.661719 |
| 8/19/2021 15:35 | 1.481268 | 0.447705 | 8.782746 |
| 8/19/2021 15:40 | 1.128637 | 0.355485 | 4.709928 |
| 8/19/2021 15:45 | 0.922392 | 0.609069 | 6.014517 |
| 8/19/2021 15:50 | 0.828861 | 0.547309 | 4.621843 |
| 8/19/2021 15:55 | 1.032651 | 0.333049 | 3.877729 |
| 8/19/2021 16:00 | 0.89181 | 0.587848 | 5.525756 |
| 8/19/2021 16:05 | 0.816121 | 0.537957 | 4.440894 |
| 8/19/2021 16:10 | 0.82492 | 0.543757 | 4.559887 |
| 8/19/2021 16:15 | 0.788623 | 0.519831 | 4.080873 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/19/2021 16:20 | 0.817575 | 0.538916 | 4.460426 |
| 8/19/2021 16:25 | 1.02741 | 0.538916 | 6.228331 |
| 8/19/2021 16:30 | 1.103739 | 0.538916 | 6.912648 |
| 8/19/2021 16:35 | 1.148936 | 0.538916 | 7.327358 |
| 8/19/2021 16:40 | 1.311885 | 0.538916 | 8.877416 |
| 8/19/2021 16:45 | 1.007272 | 0.538916 | 6.051278 |
| 8/19/2021 16:50 | 0.845758 | 0.557493 | 4.849116 |
| 8/19/2021 16:55 | 0.785779 | 0.517957 | 4.04466 |
| 8/19/2021 17:00 | 0.763858 | 0.503507 | 3.771878 |
| 8/19/2021 17:05 | 0.780018 | 0.514159 | 3.971882 |
| 8/19/2021 17:10 | 0.796676 | 0.525139 | 4.18445 |
| 8/19/2021 17:15 | 0.790778 | 0.521252 | 4.108445 |
| 8/19/2021 17:20 | 0.705467 | 0.465018 | 3.09931 |
| 8/19/2021 17:25 | 0.671352 | 0.442531 | 2.741937 |
| 8/19/2021 17:30 | 0.690181 | 0.454942 | 2.935979 |
| 8/19/2021 17:35 | 0.701726 | 0.462552 | 3.058855 |
| 8/19/2021 17:40 | 0.646298 | 0.426016 | 2.495799 |
| 8/19/2021 17:45 | 0.623821 | 0.4112 | 2.286535 |
| 8/19/2021 17:50 | 0.607997 | 0.400769 | 2.145665 |
| 8/19/2021 17:55 | 0.637647 | 0.420314 | 2.413977 |
| 8/19/2021 18:00 | 0.74489 | 0.491004 | 3.544838 |
| 8/19/2021 18:05 | 0.694459 | 0.457762 | 2.981164 |
| 8/19/2021 18:10 | 0.635202 | 0.418702 | 2.39114 |
| 8/19/2021 18:15 | 0.635302 | 0.418768 | 2.392069 |
| 8/19/2021 18:20 | 0.760974 | 0.501606 | 3.736824 |
| 8/19/2021 18:25 | 0.781903 | 0.515402 | 3.995611 |
| 8/19/2021 18:30 | 0.828106 | 0.545857 | 4.603434 |
| 8/19/2021 18:35 | 0.739009 | 0.487128 | 3.476136 |
| 8/19/2021 18:40 | 0.709564 | 0.467718 | 3.143968 |
| 8/19/2021 18:45 | 0.660185 | 0.43517 | 2.630538 |
| 8/19/2021 18:50 | 0.600881 | 0.396079 | 2.084042 |
| 8/19/2021 18:55 | 0.599423 | 0.395118 | 2.071545 |
| 8/19/2021 19:00 | 0.698305 | 0.460297 | 3.022138 |
| 8/19/2021 19:05 | 0.677688 | 0.446707 | 2.806363 |
| 8/19/2021 19:10 | 0.740726 | 0.48826 | 3.496115 |
| 8/19/2021 19:15 | 0.715778 | 0.471814 | 3.21243 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/19/2021 19:20 | 0.676949 | 0.44622 | 2.798804 |
| 8/19/2021 19:25 | 0.641009 | 0.42253 | 2.445582 |
| 8/19/2021 19:30 | 0.618474 | 0.407675 | 2.238339 |
| 8/19/2021 19:35 | 0.612424 | 0.403687 | 2.184539 |
| 8/19/2021 19:40 | 0.597991 | 0.394174 | 2.059313 |
| 8/19/2021 19:45 | 0.606294 | 0.399647 | 2.130821 |
| 8/19/2021 19:50 | 0.60402 | 0.398148 | 2.111093 |
| 8/19/2021 19:55 | 0.585002 | 0.385612 | 1.95033 |
| 8/19/2021 20:00 | 0.576122 | 0.379759 | 1.877842 |
| 8/19/2021 20:05 | 0.575044 | 0.379048 | 1.869152 |
| 8/19/2021 20:10 | 0.570692 | 0.376179 | 1.83431 |
| 8/19/2021 20:15 | 0.567669 | 0.374187 | 1.810343 |
| 8/19/2021 20:20 | 0.554416 | 0.365451 | 1.707439 |
| 8/19/2021 20:25 | 0.566964 | 0.373722 | 1.804772 |
| 8/19/2021 20:30 | 0.562577 | 0.37083 | 1.770382 |
| 8/19/2021 20:35 | 0.557356 | 0.367388 | 1.729956 |
| 8/19/2021 20:40 | 0.554379 | 0.365427 | 1.70716 |
| 8/19/2021 20:45 | 0.557289 | 0.367344 | 1.729442 |
| 8/19/2021 20:50 | 0.558102 | 0.36788 | 1.735701 |
| 8/19/2021 20:55 | 0.561975 | 0.370433 | 1.765693 |
| 8/19/2021 21:00 | 0.554862 | 0.365745 | 1.710842 |
| 8/19/2021 21:05 | 0.55759 | 0.367543 | 1.731756 |
| 8/19/2021 21:10 | 0.562344 | 0.370677 | 1.768568 |
| 8/19/2021 21:15 | 0.558134 | 0.367902 | 1.73595 |
| 8/19/2021 21:20 | 0.559954 | 0.369101 | 1.750005 |
| 8/19/2021 21:25 | 0.555742 | 0.366325 | 1.717575 |
| 8/19/2021 21:30 | 0.552092 | 0.363919 | 1.689763 |
| 8/19/2021 21:35 | 0.557718 | 0.367628 | 1.732747 |
| 8/19/2021 21:40 | 0.569256 | 0.375233 | 1.822902 |
| 8/19/2021 21:45 | 0.602578 | 0.397197 | 2.09864 |
| 8/19/2021 21:50 | 0.582365 | 0.383874 | 1.928639 |
| 8/19/2021 21:55 | 0.570256 | 0.375892 | 1.830839 |
| 8/19/2021 22:00 | 0.559612 | 0.368876 | 1.747355 |
| 8/19/2021 22:05 | 0.570104 | 0.375792 | 1.829637 |
| 8/19/2021 22:10 | 0.558899 | 0.368406 | 1.741849 |
| 8/19/2021 22:15 | 0.559773 | 0.368982 | 1.748606 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/19/2021 22:20 | 0.553986 | 0.365167 | 1.704161 |
| 8/19/2021 22:25 | 0.555306 | 0.366037 | 1.714237 |
| 8/19/2021 22:30 | 0.551403 | 0.363465 | 1.684545 |
| 8/19/2021 22:35 | 0.545192 | 0.359371 | 1.637922 |
| 8/19/2021 22:40 | 0.547291 | 0.360754 | 1.653588 |
| 8/19/2021 22:45 | 0.542562 | 0.357637 | 1.618412 |
| 8/19/2021 22:50 | 0.547957 | 0.361193 | 1.658577 |
| 8/19/2021 22:55 | 0.548295 | 0.361416 | 1.661115 |
| 8/19/2021 23:00 | 0.549985 | 0.36253 | 1.673829 |
| 8/19/2021 23:05 | 0.546153 | 0.360004 | 1.645081 |
| 8/19/2021 23:10 | 0.542573 | 0.357644 | 1.618491 |
| 8/19/2021 23:15 | 0.54014 | 0.356041 | 1.600569 |
| 8/19/2021 23:20 | 0.547726 | 0.361041 | 1.656844 |
| 8/19/2021 23:25 | 0.549723 | 0.362357 | 1.671854 |
| 8/19/2021 23:30 | 0.541859 | 0.357173 | 1.613215 |
| 8/19/2021 23:35 | 0.541661 | 0.357043 | 1.61176 |
| 8/19/2021 23:40 | 0.561786 | 0.370308 | 1.764219 |
| 8/19/2021 23:45 | 0.562181 | 0.370569 | 1.767297 |
| 8/19/2021 23:50 | 0.553653 | 0.364948 | 1.701625 |
| 8/19/2021 23:55 | 0.548421 | 0.361499 | 1.662064 |
| 8/20/2021 0:00 | 0.547669 | 0.361003 | 1.656417 |
| 8/20/2021 0:05 | 0.552363 | 0.364097 | 1.691816 |
| 8/20/2021 0:10 | 0.556671 | 0.366937 | 1.724696 |
| 8/20/2021 0:15 | 0.551616 | 0.363605 | 1.686152 |
| 8/20/2021 0:20 | 0.556212 | 0.366635 | 1.721179 |
| 8/20/2021 0:25 | 0.55326 | 0.364689 | 1.698631 |
| 8/20/2021 0:30 | 0.552701 | 0.36432 | 1.694384 |
| 8/20/2021 0:35 | 0.554257 | 0.365346 | 1.706229 |
| 8/20/2021 0:40 | 0.550927 | 0.363151 | 1.680938 |
| 8/20/2021 0:45 | 0.549469 | 0.36219 | 1.669943 |
| 8/20/2021 0:50 | 0.547486 | 0.360882 | 1.655045 |
| 8/20/2021 0:55 | 0.550901 | 0.363134 | 1.680746 |
| 8/20/2021 1:00 | 0.548466 | 0.361529 | 1.662401 |
| 8/20/2021 1:05 | 0.552071 | 0.363905 | 1.689603 |
| 8/20/2021 1:10 | 0.551292 | 0.363392 | 1.683704 |
| 8/20/2021 1:15 | 0.55378 | 0.365031 | 1.70259 |

| | | | |
|----------------------|-------------|-------------|-------------|
| Site Name | Albany | Albany | Albany |
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/20/2021 1:20 | 0.543419 | 0.358202 | 1.624748 | |
| 8/20/2021 1:25 | 0.553637 | 0.364937 | 1.701502 | |
| 8/20/2021 1:30 | 0.548761 | 0.361723 | 1.664615 | |
| 8/20/2021 1:35 | 0.555073 | 0.365884 | 1.712458 | |
| 8/20/2021 1:40 | 0.548087 | 0.361279 | 1.659552 | |
| 8/20/2021 1:45 | 0.574987 | 0.37901 | 1.868691 | |
| 8/20/2021 1:50 | 0.576294 | 0.379872 | 1.879233 | |
| 8/20/2021 1:55 | 0.573503 | 0.378032 | 1.856767 | |
| 8/20/2021 2:00 | 0.553832 | 0.365066 | 1.702985 | |
| 8/20/2021 2:05 | 0.544264 | 0.358759 | 1.631021 | |
| 8/20/2021 2:10 | 0.544176 | 0.358701 | 1.630368 | |
| 8/20/2021 2:15 | 0.546541 | 0.36026 | 1.647982 | |
| 8/20/2021 2:20 | 0.545698 | 0.359704 | 1.641684 | |
| 8/20/2021 2:25 | 0.550871 | 0.363114 | 1.68052 | |
| 8/20/2021 2:30 | 0.550108 | 0.362611 | 1.674761 | |
| 8/20/2021 2:35 | 0.543048 | 0.357957 | 1.622003 | |
| 8/20/2021 2:40 | 0.546556 | 0.36027 | 1.64809 | |
| 8/20/2021 2:45 | 0.553671 | 0.364959 | 1.701757 | |
| 8/20/2021 2:50 | 0.550754 | 0.363037 | 1.679636 | |
| 8/20/2021 2:55 | 0.546983 | 0.360551 | 1.65128 | |
| 8/20/2021 3:00 | 0.5541 | 0.365242 | 1.705027 | |
| 8/20/2021 3:05 | 0.575656 | 0.379451 | 1.874078 | |
| 8/20/2021 3:10 | 0.587802 | 0.387458 | 1.973534 | |
| 8/20/2021 3:15 | 0.592712 | 0.390694 | 2.014596 | |
| 8/20/2021 3:20 | 0.594515 | 0.391882 | 2.029801 | |
| 8/20/2021 3:25 | 0.59014 | 0.388999 | 1.993021 | |
| 8/20/2021 3:30 | 0.58747 | 0.387239 | 1.970773 | |
| 8/20/2021 3:35 | 0.587814 | 0.387465 | 1.973627 | |
| 8/20/2021 3:40 | 0.588733 | 0.388071 | 1.98128 | |
| 8/20/2021 3:45 | 0.58694 | 0.386889 | 1.966368 | |
| 8/20/2021 3:50 | 0.57956 | 0.382025 | 1.905714 | |
| 8/20/2021 3:55 | 0.582106 | 0.383703 | 1.926514 | |
| 8/20/2021 4:00 | 0.607446 | 0.400406 | 2.140858 | |
| 8/20/2021 4:05 | 0.728419 | 0.480147 | 3.354397 | |
| 8/20/2021 4:10 | 0.653027 | 0.430451 | 2.560564 | |
| 8/20/2021 4:15 | 0.630742 | 0.415762 | 2.349817 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/20/2021 4:20 | 0.612122 | 0.403488 | 2.181873 | |
| 8/20/2021 4:25 | 0.60204 | 0.396843 | 2.094005 | |
| 8/20/2021 4:30 | 1.323502 | 0.377215 | 6.293293 | |
| 8/20/2021 4:35 | 1.019978 | 0.347623 | 3.975268 | |
| 8/20/2021 4:40 | 0.8819 | 0.577193 | 5.337632 | |
| 8/20/2021 4:45 | 0.799948 | 0.523557 | 4.197002 | |
| 8/20/2021 4:50 | 0.722978 | 0.47318 | 3.26949 | |
| 8/20/2021 4:55 | 0.682396 | 0.446621 | 2.83456 | |
| 8/20/2021 5:00 | 0.643687 | 0.421286 | 2.453409 | |
| 8/20/2021 5:05 | 0.620719 | 0.406253 | 2.242479 | |
| 8/20/2021 5:10 | 0.607016 | 0.397285 | 2.121953 | |
| 8/20/2021 5:15 | 0.601902 | 0.393938 | 2.077972 | |
| 8/20/2021 5:20 | 0.589423 | 0.38577 | 1.972938 | |
| 8/20/2021 5:25 | 0.591072 | 0.386849 | 1.986631 | |
| 8/20/2021 5:30 | 0.586503 | 0.383859 | 1.948829 | |
| 8/20/2021 5:35 | 0.57793 | 0.378249 | 1.87905 | |
| 8/20/2021 5:40 | 0.578119 | 0.378372 | 1.880569 | |
| 8/20/2021 5:45 | 0.575894 | 0.376916 | 1.862699 | |
| 8/20/2021 5:50 | 0.565572 | 0.37016 | 1.781094 | |
| 8/20/2021 5:55 | 0.581119 | 0.380336 | 1.904832 | |
| 8/20/2021 6:00 | 0.571915 | 0.374312 | 1.830988 | |
| 8/20/2021 6:05 | 0.566596 | 0.370831 | 1.789099 | |
| 8/20/2021 6:10 | 0.561071 | 0.367214 | 1.746191 | |
| 8/20/2021 6:15 | 0.56758 | 0.371474 | 1.796799 | |
| 8/20/2021 6:20 | 0.566619 | 0.370845 | 1.789274 | |
| 8/20/2021 6:25 | 0.570416 | 0.373331 | 1.819121 | |
| 8/20/2021 6:30 | 0.562661 | 0.368255 | 1.758472 | |
| 8/20/2021 6:35 | 0.564142 | 0.369224 | 1.769961 | |
| 8/20/2021 6:40 | 0.65531 | 0.428893 | 2.564449 | |
| 8/20/2021 6:45 | 0.862658 | 0.564599 | 5.05529 | |
| 8/20/2021 6:50 | 0.731864 | 0.478997 | 3.369651 | |
| 8/20/2021 6:55 | 0.661648 | 0.433041 | 2.626219 | |
| 8/20/2021 7:00 | 0.648329 | 0.424324 | 2.497404 | |
| 8/20/2021 7:05 | 0.647217 | 0.423596 | 2.48683 | |
| 8/20/2021 7:10 | 0.635747 | 0.416089 | 2.379229 | |
| 8/20/2021 7:15 | 0.647021 | 0.423468 | 2.484962 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/20/2021 7:20 | 0.647741 | 0.423939 | 2.491811 | |
| 8/20/2021 7:25 | 0.660229 | 0.432113 | 2.612319 | |
| 8/20/2021 7:30 | 0.679373 | 0.444642 | 2.803618 | |
| 8/20/2021 7:35 | 0.721189 | 0.47201 | 3.249551 | |
| 8/20/2021 7:40 | 0.787087 | 0.515139 | 4.032492 | |
| 8/20/2021 7:45 | 0.729335 | 0.477342 | 3.34097 | |
| 8/20/2021 7:50 | 0.698401 | 0.457095 | 3.001723 | |
| 8/20/2021 7:55 | 0.670851 | 0.439064 | 2.71747 | |
| 8/20/2021 8:00 | 0.647383 | 0.423705 | 2.488409 | |
| 8/20/2021 8:05 | 0.669807 | 0.438381 | 2.707032 | |
| 8/20/2021 8:10 | 0.603908 | 0.395251 | 2.095157 | |
| 8/20/2021 8:15 | 0.604873 | 0.395882 | 2.103453 | |
| 8/20/2021 8:20 | 0.626367 | 0.40995 | 2.293312 | |
| 8/20/2021 8:25 | 0.6022 | 0.394133 | 2.080524 | |
| 8/20/2021 8:30 | 0.60448 | 0.395625 | 2.100071 | |
| 8/20/2021 8:35 | 0.625263 | 0.409227 | 2.283324 | |
| 8/20/2021 8:40 | 0.617434 | 0.404104 | 2.213231 | |
| 8/20/2021 8:45 | 0.595961 | 0.39005 | 2.027567 | |
| 8/20/2021 8:50 | 0.577822 | 0.378178 | 1.878179 | |
| 8/20/2021 8:55 | 0.638799 | 0.418087 | 2.407584 | |
| 8/20/2021 9:00 | 0.651545 | 0.426429 | 2.528163 | |
| 8/20/2021 9:05 | 0.641935 | 0.420139 | 2.436931 | |
| 8/20/2021 9:10 | 0.618046 | 0.404504 | 2.218661 | |
| 8/20/2021 9:15 | 0.603109 | 0.394728 | 2.088303 | |
| 8/20/2021 9:20 | 0.578276 | 0.378475 | 1.881838 | |
| 8/20/2021 9:25 | 0.579103 | 0.379016 | 1.888507 | |
| 8/20/2021 9:30 | 0.578243 | 0.378453 | 1.881568 | |
| 8/20/2021 9:35 | 0.586844 | 0.384082 | 1.951632 | |
| 8/20/2021 9:40 | 0.566238 | 0.370596 | 1.786296 | |
| 8/20/2021 9:45 | 0.720571 | 0.471606 | 3.242679 | |
| 8/20/2021 9:50 | 0.747566 | 0.489273 | 3.551 | |
| 8/20/2021 9:55 | 0.720075 | 0.471281 | 3.237158 | |
| 8/20/2021 10:00 | 0.652926 | 0.427332 | 2.541434 | |
| 8/20/2021 10:05 | 0.615389 | 0.402765 | 2.195131 | |
| 8/20/2021 10:10 | 0.57623 | 0.377136 | 1.865393 | |
| 8/20/2021 10:15 | 0.553141 | 0.362024 | 1.685685 | |

| Site Name | Albany | Albany | Albany | |
|----------------------|-------------|-------------|-------------|---|
| Isco Quantity | Level | Velocity | Flow Rate | |
| Label | 350 Level | 350 Velocit | Flow Rate | |
| Units | in | ft/s | gpm | |
| Resolution | | 0 | 0 | 0 |
| Significant Digits | | 0 | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M | |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C | |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/20/2021 10:20 | 0.676725 | 0.442909 | 2.776679 | |
| 8/20/2021 10:25 | 0.705352 | 0.461645 | 3.076083 | |
| 8/20/2021 10:30 | 0.664032 | 0.434601 | 2.649685 | |
| 8/20/2021 10:35 | 1.321025 | 0.359111 | 5.975097 | |
| 8/20/2021 10:40 | 1.032283 | 0.29397 | 3.420954 | |
| 8/20/2021 10:45 | 0.91882 | 0.59755 | 5.867402 | |
| 8/20/2021 10:50 | 0.928859 | 0.604079 | 6.026449 | |
| 8/20/2021 10:55 | 0.923114 | 0.600342 | 5.935121 | |
| 8/20/2021 11:00 | 0.883806 | 0.574778 | 5.332119 | |
| 8/20/2021 11:05 | 0.821595 | 0.53432 | 4.454304 | |
| 8/20/2021 11:10 | 0.948873 | 0.617094 | 6.350976 | |
| 8/20/2021 11:15 | 0.853708 | 0.555204 | 4.895839 | |
| 8/20/2021 11:20 | 0.787585 | 0.512202 | 4.013217 | |
| 8/20/2021 11:25 | 0.688443 | 0.447725 | 2.87871 | |
| 8/20/2021 11:30 | 0.681708 | 0.443345 | 2.809597 | |
| 8/20/2021 11:35 | 0.653134 | 0.424762 | 2.527332 | |
| 8/20/2021 11:40 | 0.739953 | 0.481224 | 3.440456 | |
| 8/20/2021 11:45 | 0.639984 | 0.41621 | 2.403335 | |
| 8/20/2021 11:50 | 0.706187 | 0.459265 | 3.065553 | |
| 8/20/2021 11:55 | 0.75317 | 0.48982 | 3.594181 | |
| 8/20/2021 12:00 | 0.896503 | 0.583036 | 5.52276 | |
| 8/20/2021 12:05 | 0.810872 | 0.527346 | 4.312304 | |
| 8/20/2021 12:10 | 0.619334 | 0.402781 | 2.216003 | |
| 8/20/2021 12:15 | 0.689559 | 0.448451 | 2.890258 | |
| 8/20/2021 12:20 | 0.798541 | 0.519327 | 4.15236 | |
| 8/20/2021 12:25 | 1.017993 | 0.222858 | 2.541294 | |
| 8/20/2021 12:30 | 0.76841 | 0.496929 | 3.755218 | |
| 8/20/2021 12:35 | 0.769036 | 0.497334 | 3.762769 | |
| 8/20/2021 12:40 | 0.970635 | 0.627707 | 6.677593 | |
| 8/20/2021 12:45 | 0.944238 | 0.610637 | 6.239754 | |
| 8/20/2021 12:50 | 1.280046 | 0.610637 | 9.70835 | |
| 8/20/2021 12:55 | 0.813033 | 0.525786 | 4.316362 | |
| 8/20/2021 13:00 | 0.961744 | 0.621957 | 6.528166 | |
| 8/20/2021 13:05 | 0.934636 | 0.604427 | 6.084779 | |
| 8/20/2021 13:10 | 0.93086 | 0.601985 | 6.024463 | |
| 8/20/2021 13:15 | 0.914326 | 0.591292 | 5.764505 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |
| FlowCon | | | |
| FlowConDetails | | | |
| Isco Data Type ID | 2 | 10 | 1 |
| 8/20/2021 13:19 | | | |
| 8/20/2021 13:20 | 0.817388 | 0.538563 | 4.468367 |
| 8/20/2021 13:25 | 1.173221 | 0.511117 | 7.075632 |
| 8/20/2021 13:30 | 1.38446 | 0.467536 | 8.426838 |
| 8/20/2021 13:35 | 1.023219 | 0.337272 | 3.874774 |
| 8/20/2021 13:40 | 0.843896 | 0.578272 | 5.013653 |
| 8/20/2021 13:45 | 1.281427 | 0.578272 | 9.208122 |
| 8/20/2021 13:50 | 0.816203 | 0.559296 | 4.617722 |
| 8/20/2021 13:55 | 0.819995 | 0.561895 | 4.670813 |
| 8/20/2021 13:57 | | | |
| 8/20/2021 14:00 | 1.179168 | 0.561895 | 8.003775 |
| 8/20/2021 14:05 | 0.784485 | 0.537561 | 4.187604 |
| 8/20/2021 14:10 | 0.883485 | 0.6054 | 5.613211 |
| 8/20/2021 14:15 | 0.789192 | 0.540787 | 4.249876 |
| 8/20/2021 14:20 | 0.802278 | 0.549754 | 4.425843 |
| 8/20/2021 14:25 | 1.098463 | 0.259066 | 3.299966 |
| 8/20/2021 14:30 | 0.767905 | 0.52312 | 3.949322 |
| 8/20/2021 14:35 | 1.717833 | 0.52312 | 12.68099 |
| 8/20/2021 14:40 | 3.031765 | 0.52312 | 27.88712 |
| 8/20/2021 14:45 | 0.914033 | 0.622667 | 6.06754 |
| 8/20/2021 14:50 | 0.841299 | 0.573119 | 4.946581 |
| 8/20/2021 14:55 | 0.776651 | 0.529078 | 4.061256 |
| 8/20/2021 15:00 | 0.700182 | 0.476985 | 3.144096 |
| 8/20/2021 15:05 | 0.797042 | 0.542969 | 4.329441 |
| 8/20/2021 15:10 | 0.826482 | 0.563025 | 4.734576 |
| 8/20/2021 15:15 | 0.734093 | 0.500087 | 3.533775 |
| 8/20/2021 15:20 | 0.933179 | 0.63571 | 6.385133 |
| 8/20/2021 15:25 | 1.050467 | 0.63571 | 7.588259 |
| 8/20/2021 15:30 | 1.077651 | 0.63571 | 7.875597 |
| 8/20/2021 15:35 | 1.020897 | 0.63571 | 7.279258 |
| 8/20/2021 15:40 | 1.054986 | 0.63571 | 7.635811 |
| 8/20/2021 15:45 | 0.990128 | 0.674505 | 7.386573 |
| 8/20/2021 15:50 | 0.873774 | 0.595241 | 5.430474 |
| 8/20/2021 15:55 | 0.919522 | 0.626406 | 6.157613 |
| 8/20/2021 16:00 | 0.749574 | 0.510633 | 3.72066 |
| 8/20/2021 16:05 | 0.934258 | 0.636445 | 6.403326 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/20/2021 16:10 | 1.021428 | 0.636445 | 7.293196 |
| 8/20/2021 16:15 | 1.384122 | 0.636445 | 11.32588 |
| 8/20/2021 16:20 | 1.10636 | 0.636445 | 8.191824 |
| 8/20/2021 16:25 | 0.899175 | 0.612545 | 5.827591 |
| 8/20/2021 16:30 | 1.043549 | 0.612545 | 7.24178 |
| 8/20/2021 16:35 | 0.836697 | 0.569984 | 4.880151 |
| 8/20/2021 16:40 | 0.894001 | 0.609021 | 5.745362 |
| 8/20/2021 16:45 | 0.786757 | 0.535962 | 4.192907 |
| 8/20/2021 16:50 | 0.781962 | 0.532696 | 4.130138 |
| 8/20/2021 16:55 | 0.809153 | 0.551219 | 4.493516 |
| 8/20/2021 17:00 | 0.739675 | 0.503889 | 3.600509 |
| 8/20/2021 17:05 | 0.782411 | 0.533002 | 4.135999 |
| 8/20/2021 17:10 | 0.88923 | 0.60577 | 5.670149 |
| 8/20/2021 17:15 | 0.879377 | 0.599058 | 5.516654 |
| 8/20/2021 17:20 | 0.778336 | 0.530226 | 4.083036 |
| 8/20/2021 17:25 | 0.751387 | 0.511868 | 3.742913 |
| 8/20/2021 17:30 | 1.086499 | 0.511868 | 6.417196 |
| 8/20/2021 17:35 | 0.720821 | 0.491045 | 3.378057 |
| 8/20/2021 17:40 | 0.765242 | 0.521306 | 3.9156 |
| 8/20/2021 17:45 | 0.792867 | 0.540125 | 4.273709 |
| 8/20/2021 17:50 | 0.726295 | 0.494774 | 3.44178 |
| 8/20/2021 17:55 | 0.66823 | 0.455219 | 2.801262 |
| 8/20/2021 18:00 | 0.842257 | 0.573771 | 4.960475 |
| 8/20/2021 18:05 | 0.997826 | 0.67975 | 7.52855 |
| 8/20/2021 18:10 | 0.7396 | 0.503838 | 3.599604 |
| 8/20/2021 18:15 | 0.790185 | 0.538298 | 4.238133 |
| 8/20/2021 18:20 | 1.03979 | 0.538298 | 6.330653 |
| 8/20/2021 18:25 | 1.061677 | 0.538298 | 6.525506 |
| 8/20/2021 18:30 | 1.10753 | 0.538298 | 6.939202 |
| 8/20/2021 18:35 | 1.025651 | 0.538298 | 6.205687 |
| 8/20/2021 18:40 | 1.235394 | 0.538298 | 8.1301 |
| 8/20/2021 18:45 | 0.837766 | 0.570712 | 4.895538 |
| 8/20/2021 18:50 | 0.851142 | 0.579824 | 5.090445 |
| 8/20/2021 18:55 | 1.533338 | 0.579824 | 11.95188 |
| 8/20/2021 19:00 | 2.23193 | 0.579824 | 20.32295 |
| 8/20/2021 19:05 | 2.530466 | 0.579824 | 24.17979 |

| Site Name | Albany | Albany | Albany | |
|----------------------|-------------|-------------|-------------|---|
| Isco Quantity | Level | Velocity | Flow Rate | |
| Label | 350 Level | 350 Velocit | Flow Rate | |
| Units | in | ft/s | gpm | |
| Resolution | | 0 | 0 | 0 |
| Significant Digits | | 0 | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M | |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C | |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/20/2021 19:10 | 2.870347 | 0.579824 | 28.71448 |
| 8/20/2021 19:15 | 1.312973 | 0.579824 | 9.56271 |
| 8/20/2021 19:20 | 1.221653 | 0.579824 | 8.616694 |
| 8/20/2021 19:25 | 1.190231 | 0.579824 | 8.297649 |
| 8/20/2021 19:30 | 1.179639 | 0.579824 | 8.190864 |
| 8/20/2021 19:35 | 1.19628 | 0.579824 | 8.358804 |
| 8/20/2021 19:40 | 1.260059 | 0.579824 | 9.011209 |
| 8/20/2021 19:45 | 1.205458 | 0.579824 | 8.451835 |
| 8/20/2021 19:50 | 1.086206 | 0.579824 | 7.266295 |
| 8/20/2021 19:55 | 1.358982 | 0.579824 | 10.04951 |
| 8/20/2021 20:00 | 1.072687 | 0.579824 | 7.135176 |
| 8/20/2021 20:05 | 0.762412 | 0.519378 | 3.87995 |
| 8/20/2021 20:10 | 0.783509 | 0.53375 | 4.150335 |
| 8/20/2021 20:15 | 0.759217 | 0.517202 | 3.839948 |
| 8/20/2021 20:20 | 0.687108 | 0.468079 | 3.000985 |
| 8/20/2021 20:25 | 0.636608 | 0.433677 | 2.484746 |
| 8/20/2021 20:30 | 0.582512 | 0.396825 | 1.994444 |
| 8/20/2021 20:35 | 0.59614 | 0.406109 | 2.111984 |
| 8/20/2021 20:40 | 0.860489 | 0.586191 | 5.229308 |
| 8/20/2021 20:45 | 0.686881 | 0.467924 | 2.998542 |
| 8/20/2021 20:50 | 0.588349 | 0.400801 | 2.044302 |
| 8/20/2021 20:55 | 0.834461 | 0.56846 | 4.848057 |
| 8/20/2021 21:00 | 0.660637 | 0.450046 | 2.723205 |
| 8/20/2021 21:05 | 0.582857 | 0.39706 | 1.997379 |
| 8/20/2021 21:10 | 0.559686 | 0.381275 | 1.806445 |
| 8/20/2021 21:15 | 0.551317 | 0.375574 | 1.740261 |
| 8/20/2021 21:20 | 0.539806 | 0.367732 | 1.651616 |
| 8/20/2021 21:25 | 0.537673 | 0.366279 | 1.635489 |
| 8/20/2021 21:30 | 0.545227 | 0.371425 | 1.693019 |
| 8/20/2021 21:35 | 0.54624 | 0.372115 | 1.700826 |
| 8/20/2021 21:40 | 0.543198 | 0.370043 | 1.677448 |
| 8/20/2021 21:45 | 0.541455 | 0.368856 | 1.664146 |
| 8/20/2021 21:50 | 0.542048 | 0.369259 | 1.668663 |
| 8/20/2021 21:55 | 0.540923 | 0.368493 | 1.660095 |
| 8/20/2021 22:00 | 0.54213 | 0.369315 | 1.669288 |
| 8/20/2021 22:05 | 0.543195 | 0.370041 | 1.677431 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/20/2021 22:10 | 0.541432 | 0.36884 | 1.66397 |
| 8/20/2021 22:15 | 0.567897 | 0.386868 | 1.872804 |
| 8/20/2021 22:20 | 0.561711 | 0.382654 | 1.822678 |
| 8/20/2021 22:25 | 0.54903 | 0.374016 | 1.722435 |
| 8/20/2021 22:30 | 0.537976 | 0.366485 | 1.637773 |
| 8/20/2021 22:35 | 0.536788 | 0.365676 | 1.628823 |
| 8/20/2021 22:40 | 0.538525 | 0.36686 | 1.641919 |
| 8/20/2021 22:45 | 0.53253 | 0.362776 | 1.596994 |
| 8/20/2021 22:50 | 0.53482 | 0.364336 | 1.614066 |
| 8/20/2021 22:55 | 0.533449 | 0.363401 | 1.603829 |
| 8/20/2021 23:00 | 0.535782 | 0.364991 | 1.621273 |
| 8/20/2021 23:05 | 0.540514 | 0.368214 | 1.656987 |
| 8/20/2021 23:10 | 0.536255 | 0.365313 | 1.624823 |
| 8/20/2021 23:15 | 0.53841 | 0.366781 | 1.641051 |
| 8/20/2021 23:20 | 0.535335 | 0.364687 | 1.617923 |
| 8/20/2021 23:25 | 0.555731 | 0.378581 | 1.774984 |
| 8/20/2021 23:30 | 0.555529 | 0.378443 | 1.773391 |
| 8/20/2021 23:35 | 0.544962 | 0.371244 | 1.690981 |
| 8/20/2021 23:40 | 0.537254 | 0.365994 | 1.632333 |
| 8/20/2021 23:45 | 0.542907 | 0.369844 | 1.675222 |
| 8/20/2021 23:50 | 0.563551 | 0.383908 | 1.837505 |
| 8/20/2021 23:55 | 0.555951 | 0.37873 | 1.776725 |
| 8/21/2021 0:00 | 0.540392 | 0.368132 | 1.656065 |
| 8/21/2021 0:05 | 0.540421 | 0.368151 | 1.65628 |
| 8/21/2021 0:10 | 0.541286 | 0.368741 | 1.662863 |
| 8/21/2021 0:15 | 0.539929 | 0.367816 | 1.65255 |
| 8/21/2021 0:20 | 0.539382 | 0.367443 | 1.648401 |
| 8/21/2021 0:25 | 0.538421 | 0.366789 | 1.641132 |
| 8/21/2021 0:30 | 0.538576 | 0.366895 | 1.642307 |
| 8/21/2021 0:35 | 0.537507 | 0.366166 | 1.63424 |
| 8/21/2021 0:40 | 0.541091 | 0.368607 | 1.661372 |
| 8/21/2021 0:45 | 0.539854 | 0.367765 | 1.651982 |
| 8/21/2021 0:50 | 0.540394 | 0.368133 | 1.65608 |
| 8/21/2021 0:55 | 0.541556 | 0.368924 | 1.664913 |
| 8/21/2021 1:00 | 0.548049 | 0.373347 | 1.714815 |
| 8/21/2021 1:05 | 0.538789 | 0.367039 | 1.643914 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/21/2021 1:10 | 0.54737 | 0.372885 | 1.709556 |
| 8/21/2021 1:15 | 0.542411 | 0.369507 | 1.671437 |
| 8/21/2021 1:20 | 0.540037 | 0.367889 | 1.653363 |
| 8/21/2021 1:25 | 0.541764 | 0.369066 | 1.6665 |
| 8/21/2021 1:30 | 0.54623 | 0.372108 | 1.700748 |
| 8/21/2021 1:35 | 0.543653 | 0.370353 | 1.680933 |
| 8/21/2021 1:40 | 0.549034 | 0.374019 | 1.722466 |
| 8/21/2021 1:45 | 0.541882 | 0.369147 | 1.667402 |
| 8/21/2021 1:50 | 0.540572 | 0.368254 | 1.657429 |
| 8/21/2021 1:55 | 0.541192 | 0.368677 | 1.662146 |
| 8/21/2021 2:00 | 0.545135 | 0.371362 | 1.69231 |
| 8/21/2021 2:05 | 0.542557 | 0.369606 | 1.672549 |
| 8/21/2021 2:10 | 0.544113 | 0.370666 | 1.684463 |
| 8/21/2021 2:15 | 0.543986 | 0.37058 | 1.683491 |
| 8/21/2021 2:20 | 0.549374 | 0.37425 | 1.725104 |
| 8/21/2021 2:25 | 0.54912 | 0.374077 | 1.723128 |
| 8/21/2021 2:30 | 0.54841 | 0.373593 | 1.717613 |
| 8/21/2021 2:35 | 0.557369 | 0.379697 | 1.78798 |
| 8/21/2021 2:40 | 0.564288 | 0.38441 | 1.843461 |
| 8/21/2021 2:45 | 0.562785 | 0.383386 | 1.831325 |
| 8/21/2021 2:50 | 0.548638 | 0.373749 | 1.71939 |
| 8/21/2021 2:55 | 0.550497 | 0.375015 | 1.733857 |
| 8/21/2021 3:00 | 0.546194 | 0.372084 | 1.700473 |
| 8/21/2021 3:05 | 0.547926 | 0.373264 | 1.713867 |
| 8/21/2021 3:10 | 0.549416 | 0.374279 | 1.725433 |
| 8/21/2021 3:15 | 0.54805 | 0.373348 | 1.714821 |
| 8/21/2021 3:20 | 0.546455 | 0.372262 | 1.702487 |
| 8/21/2021 3:25 | 0.549346 | 0.374231 | 1.724886 |
| 8/21/2021 3:30 | 0.544775 | 0.371117 | 1.689542 |
| 8/21/2021 3:35 | 0.547843 | 0.373207 | 1.713221 |
| 8/21/2021 3:40 | 0.549461 | 0.374309 | 1.725783 |
| 8/21/2021 3:45 | 0.551671 | 0.375815 | 1.743031 |
| 8/21/2021 3:50 | 0.551648 | 0.375799 | 1.742851 |
| 8/21/2021 3:55 | 0.548609 | 0.373729 | 1.719163 |
| 8/21/2021 4:00 | 0.546485 | 0.372282 | 1.702714 |
| 8/21/2021 4:05 | 0.550275 | 0.374864 | 1.732124 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/21/2021 4:10 | 0.557327 | 0.379668 | 1.787646 | |
| 8/21/2021 4:15 | 0.546623 | 0.372376 | 1.703784 | |
| 8/21/2021 4:20 | 0.538276 | 0.36669 | 1.640038 | |
| 8/21/2021 4:25 | 0.542663 | 0.369679 | 1.673364 | |
| 8/21/2021 4:30 | 0.548241 | 0.373478 | 1.716303 | |
| 8/21/2021 4:35 | 0.550462 | 0.374991 | 1.733583 | |
| 8/21/2021 4:40 | 0.546367 | 0.372202 | 1.701803 | |
| 8/21/2021 4:45 | 0.552821 | 0.376598 | 1.752047 | |
| 8/21/2021 4:50 | 0.54693 | 0.372586 | 1.706157 | |
| 8/21/2021 4:55 | 0.561124 | 0.382255 | 1.817969 | |
| 8/21/2021 5:00 | 0.592826 | 0.403851 | 2.083031 | |
| 8/21/2021 5:05 | 0.574386 | 0.39129 | 1.926259 | |
| 8/21/2021 5:10 | 0.567345 | 0.386493 | 1.868303 | |
| 8/21/2021 5:15 | 0.562642 | 0.383288 | 1.830169 | |
| 8/21/2021 5:20 | 0.553339 | 0.376951 | 1.756118 | |
| 8/21/2021 5:25 | 0.550555 | 0.375055 | 1.734308 | |
| 8/21/2021 5:30 | 0.547101 | 0.372702 | 1.707475 | |
| 8/21/2021 5:35 | 0.551952 | 0.376006 | 1.745232 | |
| 8/21/2021 5:40 | 0.550037 | 0.374702 | 1.730271 | |
| 8/21/2021 5:45 | 0.546764 | 0.372472 | 1.704872 | |
| 8/21/2021 5:50 | 0.565018 | 0.384907 | 1.849373 | |
| 8/21/2021 5:55 | 0.586117 | 0.39928 | 2.025148 | |
| 8/21/2021 6:00 | 0.568831 | 0.387505 | 1.880448 | |
| 8/21/2021 6:05 | 0.560467 | 0.381807 | 1.8127 | |
| 8/21/2021 6:10 | 0.559938 | 0.381447 | 1.80846 | |
| 8/21/2021 6:15 | 0.550916 | 0.375301 | 1.737128 | |
| 8/21/2021 6:20 | 0.552702 | 0.376517 | 1.751115 | |
| 8/21/2021 6:25 | 0.556594 | 0.379169 | 1.781826 | |
| 8/21/2021 6:30 | 0.557077 | 0.379498 | 1.78566 | |
| 8/21/2021 6:35 | 0.572085 | 0.389722 | 1.907202 | |
| 8/21/2021 6:40 | 0.640175 | 0.436107 | 2.519332 | |
| 8/21/2021 6:45 | 0.599093 | 0.40812 | 2.137975 | |
| 8/21/2021 6:50 | 0.596539 | 0.40638 | 2.115479 | |
| 8/21/2021 6:55 | 0.51908 | 0.353613 | 1.498873 | |
| 8/21/2021 7:00 | 0.566686 | 0.386043 | 1.862927 | |
| 8/21/2021 7:05 | 0.548822 | 0.373874 | 1.720816 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/21/2021 7:10 | 0.550188 | 0.374805 | 1.731451 |
| 8/21/2021 7:15 | 0.552947 | 0.376684 | 1.75304 |
| 8/21/2021 7:20 | 0.563036 | 0.383557 | 1.833351 |
| 8/21/2021 7:25 | 0.603351 | 0.411021 | 2.175787 |
| 8/21/2021 7:30 | 0.572192 | 0.389794 | 1.908081 |
| 8/21/2021 7:35 | 0.56744 | 0.386557 | 1.869075 |
| 8/21/2021 7:40 | 0.563652 | 0.383977 | 1.838321 |
| 8/21/2021 7:45 | 0.557761 | 0.379963 | 1.791089 |
| 8/21/2021 7:50 | 0.553193 | 0.376852 | 1.754969 |
| 8/21/2021 7:55 | 0.556938 | 0.379403 | 1.784549 |
| 8/21/2021 8:00 | 0.565442 | 0.385197 | 1.852821 |
| 8/21/2021 8:05 | 0.569001 | 0.387621 | 1.881837 |
| 8/21/2021 8:10 | 0.607239 | 0.41367 | 2.210659 |
| 8/21/2021 8:15 | 0.588868 | 0.401155 | 2.048766 |
| 8/21/2021 8:20 | 0.577913 | 0.393692 | 1.95568 |
| 8/21/2021 8:25 | 0.568908 | 0.387557 | 1.881076 |
| 8/21/2021 8:30 | 0.565983 | 0.385565 | 1.857212 |
| 8/21/2021 8:35 | 0.570577 | 0.388694 | 1.894772 |
| 8/21/2021 8:40 | 0.614861 | 0.418862 | 2.279977 |
| 8/21/2021 8:45 | 0.630452 | 0.429483 | 2.425722 |
| 8/21/2021 8:50 | 0.647281 | 0.440948 | 2.589074 |
| 8/21/2021 8:55 | 0.616409 | 0.419916 | 2.294205 |
| 8/21/2021 9:00 | 0.629365 | 0.428743 | 2.415388 |
| 8/21/2021 9:05 | 0.780654 | 0.531805 | 4.113114 |
| 8/21/2021 9:10 | 0.643837 | 0.438601 | 2.55513 |
| 8/21/2021 9:15 | 0.599177 | 0.408178 | 2.138717 |
| 8/21/2021 9:20 | 0.568105 | 0.38701 | 1.874506 |
| 8/21/2021 9:25 | 0.568376 | 0.387195 | 1.87672 |
| 8/21/2021 9:30 | 0.57436 | 0.391271 | 1.926036 |
| 8/21/2021 9:35 | 0.574951 | 0.391674 | 1.930955 |
| 8/21/2021 9:40 | 0.568309 | 0.387149 | 1.876173 |
| 8/21/2021 9:45 | 0.570935 | 0.388938 | 1.897719 |
| 8/21/2021 9:50 | 0.569556 | 0.387999 | 1.886383 |
| 8/21/2021 9:55 | 0.595038 | 0.405358 | 2.102327 |
| 8/21/2021 10:00 | 0.592378 | 0.403546 | 2.079141 |
| 8/21/2021 10:05 | 0.587957 | 0.400534 | 2.040933 |

| Site Name | Albany | Albany | Albany | |
|----------------------|-------------|-------------|-------------|---|
| Isco Quantity | Level | Velocity | Flow Rate | |
| Label | 350 Level | 350 Velocit | Flow Rate | |
| Units | in | ft/s | gpm | |
| Resolution | | 0 | 0 | 0 |
| Significant Digits | | 0 | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M | |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C | |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/21/2021 10:10 | 0.593774 | 0.404497 | 2.091291 |
| 8/21/2021 10:15 | 0.634447 | 0.432205 | 2.46393 |
| 8/21/2021 10:20 | 0.651466 | 0.443799 | 2.630672 |
| 8/21/2021 10:25 | 0.613652 | 0.418038 | 2.268896 |
| 8/21/2021 10:30 | 0.683305 | 0.465488 | 2.960099 |
| 8/21/2021 10:35 | 0.612763 | 0.417433 | 2.260767 |
| 8/21/2021 10:40 | 0.644935 | 0.439349 | 2.565922 |
| 8/21/2021 10:45 | 0.620125 | 0.422448 | 2.328589 |
| 8/21/2021 10:50 | 0.745478 | 0.507843 | 3.670663 |
| 8/21/2021 10:55 | 0.746259 | 0.508374 | 3.680159 |
| 8/21/2021 11:00 | 1.260676 | 0.402582 | 6.261071 |
| 8/21/2021 11:05 | 1.485716 | 0.475674 | 9.371645 |
| 8/21/2021 11:10 | 1.109615 | 0.475674 | 6.148697 |
| 8/21/2021 11:15 | 0.896691 | 0.615014 | 5.827453 |
| 8/21/2021 11:20 | 0.892232 | 0.611956 | 5.756355 |
| 8/21/2021 11:25 | 0.968181 | 0.664047 | 7.038136 |
| 8/21/2021 11:30 | 1.010006 | 0.664047 | 7.485838 |
| 8/21/2021 11:35 | 0.834924 | 0.57265 | 4.887763 |
| 8/21/2021 11:40 | 0.816753 | 0.560187 | 4.629644 |
| 8/21/2021 11:45 | 0.994249 | 0.681926 | 7.513215 |
| 8/21/2021 11:50 | 1.123858 | 0.681926 | 8.979552 |
| 8/21/2021 11:55 | 0.995942 | 0.683087 | 7.544694 |
| 8/21/2021 12:00 | 1.052512 | 0.683087 | 8.176909 |
| 8/21/2021 12:05 | 0.99593 | 0.683079 | 7.544464 |
| 8/21/2021 12:10 | 0.898397 | 0.616184 | 5.854792 |
| 8/21/2021 12:15 | 1.374008 | 0.616184 | 10.85018 |
| 8/21/2021 12:20 | 1.091045 | 0.616184 | 7.772023 |
| 8/21/2021 12:25 | 1.394153 | 0.462409 | 8.314764 |
| 8/21/2021 12:30 | 1.3702 | 0.462409 | 8.109921 |
| 8/21/2021 12:35 | 1.169466 | 0.462409 | 6.450708 |
| 8/21/2021 12:40 | 1.066847 | 0.326087 | 3.981018 |
| 8/21/2021 12:45 | 1.025508 | 0.190641 | 2.197326 |
| 8/21/2021 12:50 | 0.987619 | 0.672905 | 7.34185 |
| 8/21/2021 12:55 | 0.955862 | 0.651268 | 6.774882 |
| 8/21/2021 13:00 | 0.885757 | 0.603502 | 5.616672 |
| 8/21/2021 13:05 | 0.857465 | 0.584226 | 5.184984 |

| Site Name | Albany | Albany | Albany | |
|----------------------|-------------|-------------|-------------|---|
| Isco Quantity | Level | Velocity | Flow Rate | |
| Label | 350 Level | 350 Velocit | Flow Rate | |
| Units | in | ft/s | gpm | |
| Resolution | | 0 | 0 | 0 |
| Significant Digits | | 0 | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M | |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C | |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/21/2021 13:10 | 1.104155 | 0.584226 | 7.497941 |
| 8/21/2021 13:15 | 1.034333 | 0.584226 | 6.818348 |
| 8/21/2021 13:20 | 0.853382 | 0.581444 | 5.124361 |
| 8/21/2021 13:25 | 0.917994 | 0.625467 | 6.133459 |
| 8/21/2021 13:30 | 1.53743 | 0.625467 | 12.94201 |
| 8/21/2021 13:35 | 0.984701 | 0.670917 | 7.288629 |
| 8/21/2021 13:40 | 0.753721 | 0.513541 | 3.772297 |
| 8/21/2021 13:45 | 1.011267 | 0.282907 | 3.195033 |
| 8/21/2021 13:50 | 0.943927 | 0.647603 | 6.614303 |
| 8/21/2021 13:55 | 0.865541 | 0.593824 | 5.343001 |
| 8/21/2021 14:00 | 0.988743 | 0.67835 | 7.413531 |
| 8/21/2021 14:05 | 1.103524 | 0.67835 | 8.69869 |
| 8/21/2021 14:10 | 0.837453 | 0.574554 | 4.92579 |
| 8/21/2021 14:15 | 1.012193 | 0.574554 | 6.497429 |
| 8/21/2021 14:20 | 0.943319 | 0.647185 | 6.603825 |
| 8/21/2021 14:25 | 1.170448 | 0.647185 | 9.039383 |
| 8/21/2021 14:30 | 1.094101 | 0.647185 | 8.196292 |
| 8/21/2021 14:35 | 0.876706 | 0.601484 | 5.51439 |
| 8/21/2021 14:40 | 0.80877 | 0.554875 | 4.520181 |
| 8/21/2021 14:45 | 1.948257 | 0.554875 | 16.07489 |
| 8/21/2021 14:50 | 1.247614 | 0.158425 | 2.427046 |
| 8/21/2021 14:55 | 0.99391 | 0.67555 | 7.439265 |
| 8/21/2021 15:00 | 1.215061 | 0.445663 | 6.57129 |
| 8/21/2021 15:05 | 1.093171 | 0.336702 | 4.258899 |
| 8/21/2021 15:10 | 1.102137 | 0.336702 | 4.309755 |
| 8/21/2021 15:15 | 1.021136 | 0.336702 | 3.856752 |
| 8/21/2021 15:20 | 1.366505 | 0.336702 | 5.882301 |
| 8/21/2021 15:25 | 0.793112 | 0.546321 | 4.324696 |
| 8/21/2021 15:30 | 0.726762 | 0.500616 | 3.485711 |
| 8/21/2021 15:35 | 0.742927 | 0.511751 | 3.680325 |
| 8/21/2021 15:40 | 1.096918 | 0.511751 | 6.505351 |
| 8/21/2021 15:45 | 0.948475 | 0.65334 | 6.719897 |
| 8/21/2021 15:50 | 0.8366 | 0.576277 | 4.933196 |
| 8/21/2021 15:55 | 0.841371 | 0.579563 | 5.002826 |
| 8/21/2021 16:00 | 0.954622 | 0.657574 | 6.827536 |
| 8/21/2021 16:05 | 0.915204 | 0.630422 | 6.154607 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/21/2021 16:10 | 1.061705 | 0.210231 | 2.548622 |
| 8/21/2021 16:15 | 1.015692 | 0.26184 | 2.975979 |
| 8/21/2021 16:20 | 1.071833 | 0.26184 | 3.218413 |
| 8/21/2021 16:25 | 1.154441 | 0.26184 | 3.584876 |
| 8/21/2021 16:30 | 1.700167 | 0.26184 | 6.254622 |
| 8/21/2021 16:35 | 1.655136 | 0.26184 | 6.020023 |
| 8/21/2021 16:40 | 1.605919 | 0.26184 | 5.766268 |
| 8/21/2021 16:45 | 1.605585 | 0.26184 | 5.764557 |
| 8/21/2021 16:50 | 1.695274 | 0.26184 | 6.229021 |
| 8/21/2021 16:55 | 1.927839 | 0.26184 | 7.473722 |
| 8/21/2021 17:00 | 1.904828 | 0.150085 | 4.211921 |
| 8/21/2021 17:05 | 1.749335 | 0.150085 | 3.733412 |
| 8/21/2021 17:10 | 1.654178 | 0.150085 | 3.447805 |
| 8/21/2021 17:15 | 1.686889 | 0.150085 | 3.545334 |
| 8/21/2021 17:20 | 1.978538 | 0.150085 | 4.44351 |
| 8/21/2021 17:25 | 3.164315 | 0.150085 | 8.471699 |
| 8/21/2021 17:30 | 0.902517 | 0.588864 | 5.632767 |
| 8/21/2021 17:35 | 1.007446 | 0.588864 | 6.6138 |
| 8/21/2021 17:40 | 1.037556 | 0.588864 | 6.903688 |
| 8/21/2021 17:45 | 0.947042 | 0.617915 | 6.341524 |
| 8/21/2021 17:50 | 0.884853 | 0.577339 | 5.365162 |
| 8/21/2021 17:55 | 0.872291 | 0.569143 | 5.179482 |
| 8/21/2021 18:00 | 1.05674 | 0.217502 | 2.618842 |
| 8/21/2021 18:05 | 1.07087 | 0.217502 | 2.669938 |
| 8/21/2021 18:10 | 0.97809 | 0.635949 | 6.841206 |
| 8/21/2021 18:15 | 1.103187 | 0.635949 | 8.151367 |
| 8/21/2021 18:20 | 0.908063 | 0.590418 | 5.698431 |
| 8/21/2021 18:25 | 0.663975 | 0.431713 | 2.631745 |
| 8/21/2021 18:30 | 0.974658 | 0.633718 | 6.782342 |
| 8/21/2021 18:35 | 0.551404 | 0.35852 | 1.661632 |
| 8/21/2021 18:40 | 1.454453 | 0.35852 | 6.851211 |
| 8/21/2021 18:45 | 1.064449 | 0.35852 | 4.362678 |
| 8/21/2021 18:50 | 1.13556 | 0.35852 | 4.79249 |
| 8/21/2021 18:55 | 1.071565 | 0.35852 | 4.405159 |
| 8/21/2021 19:00 | 0.79839 | 0.519109 | 4.149467 |
| 8/21/2021 19:05 | 1.00731 | 0.519109 | 5.829199 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/21/2021 19:10 | 1.102083 | 0.519109 | 6.64408 |
| 8/21/2021 19:15 | 1.104796 | 0.519109 | 6.667855 |
| 8/21/2021 19:20 | 1.060559 | 0.519109 | 6.283257 |
| 8/21/2021 19:25 | 1.225671 | 0.519109 | 7.751171 |
| 8/21/2021 19:30 | 2.670149 | 0.519109 | 23.30185 |
| 8/21/2021 19:35 | 2.754629 | 0.146897 | 6.879863 |
| 8/21/2021 19:40 | 2.826977 | 0.146897 | 7.126328 |
| 8/21/2021 19:45 | 2.681618 | 0.146897 | 6.632609 |
| 8/21/2021 19:50 | 2.640543 | 0.146897 | 6.494197 |
| 8/21/2021 19:55 | 2.841884 | 0.146897 | 7.17728 |
| 8/21/2021 20:00 | 2.911535 | 0.146897 | 7.416084 |
| 8/21/2021 20:05 | 2.769207 | 0.146897 | 6.929414 |
| 8/21/2021 20:10 | 2.705538 | 0.146897 | 6.713445 |
| 8/21/2021 20:15 | 2.672076 | 0.146897 | 6.600411 |
| 8/21/2021 20:20 | 2.858374 | 0.146897 | 7.233711 |
| 8/21/2021 20:25 | 2.752717 | 0.146897 | 6.873371 |
| 8/21/2021 20:30 | 2.671288 | 0.146897 | 6.597754 |
| 8/21/2021 20:35 | 2.599391 | 0.146897 | 6.356043 |
| 8/21/2021 20:40 | 2.524332 | 0.146897 | 6.105469 |
| 8/21/2021 20:45 | 2.498136 | 0.146897 | 6.018463 |
| 8/21/2021 20:50 | 2.474946 | 0.146897 | 5.941638 |
| 8/21/2021 20:55 | 2.46687 | 0.146897 | 5.914928 |
| 8/21/2021 21:00 | 2.472964 | 0.146897 | 5.93508 |
| 8/21/2021 21:05 | 2.496149 | 0.146897 | 6.011872 |
| 8/21/2021 21:10 | 2.533678 | 0.146897 | 6.136569 |
| 8/21/2021 21:15 | 2.546153 | 0.146897 | 6.178124 |
| 8/21/2021 21:20 | 2.511248 | 0.146897 | 6.061982 |
| 8/21/2021 21:25 | 2.497155 | 0.146897 | 6.015208 |
| 8/21/2021 21:30 | 2.487788 | 0.146897 | 5.984159 |
| 8/21/2021 21:35 | 2.478954 | 0.146897 | 5.954901 |
| 8/21/2021 21:40 | 2.477205 | 0.146897 | 5.949114 |
| 8/21/2021 21:45 | 2.478436 | 0.146897 | 5.953186 |
| 8/21/2021 21:50 | 2.482791 | 0.146897 | 5.967606 |
| 8/21/2021 21:55 | 2.47921 | 0.146897 | 5.955749 |
| 8/21/2021 22:00 | 2.478974 | 0.146897 | 5.95497 |
| 8/21/2021 22:05 | 2.485382 | 0.146897 | 5.976186 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/21/2021 22:10 | 2.48185 | 0.146897 | 5.96449 |
| 8/21/2021 22:15 | 2.493779 | 0.146897 | 6.004014 |
| 8/21/2021 22:20 | 2.479799 | 0.146897 | 5.9577 |
| 8/21/2021 22:25 | 2.480244 | 0.146897 | 5.959173 |
| 8/21/2021 22:30 | 2.481563 | 0.146897 | 5.963538 |
| 8/21/2021 22:35 | 2.476546 | 0.146897 | 5.946933 |
| 8/21/2021 22:40 | 2.47707 | 0.146897 | 5.948665 |
| 8/21/2021 22:45 | 2.475707 | 0.146897 | 5.944154 |
| 8/21/2021 22:50 | 2.476627 | 0.146897 | 5.947199 |
| 8/21/2021 22:55 | 2.48098 | 0.146897 | 5.961608 |
| 8/21/2021 23:00 | 2.480497 | 0.146897 | 5.960009 |
| 8/21/2021 23:05 | 2.478983 | 0.146897 | 5.954997 |
| 8/21/2021 23:10 | 2.472748 | 0.146897 | 5.934367 |
| 8/21/2021 23:15 | 2.47385 | 0.146897 | 5.938012 |
| 8/21/2021 23:20 | 2.476986 | 0.146897 | 5.94839 |
| 8/21/2021 23:25 | 2.511882 | 0.146897 | 6.064087 |
| 8/21/2021 23:30 | 2.520259 | 0.146897 | 6.091925 |
| 8/21/2021 23:35 | 2.504802 | 0.146897 | 6.040581 |
| 8/21/2021 23:40 | 2.493794 | 0.146897 | 6.004064 |
| 8/21/2021 23:45 | 2.484842 | 0.146897 | 5.974399 |
| 8/21/2021 23:50 | 2.48481 | 0.146897 | 5.974291 |
| 8/21/2021 23:55 | 2.47788 | 0.146897 | 5.951346 |
| 8/22/2021 0:00 | 2.471611 | 0.146897 | 5.930604 |
| 8/22/2021 0:05 | 2.483523 | 0.146897 | 5.970031 |
| 8/22/2021 0:10 | 2.488846 | 0.146897 | 5.987662 |
| 8/22/2021 0:15 | 2.484767 | 0.146897 | 5.974148 |
| 8/22/2021 0:20 | 2.475693 | 0.146897 | 5.94411 |
| 8/22/2021 0:25 | 2.491215 | 0.146897 | 5.995514 |
| 8/22/2021 0:30 | 2.506822 | 0.146897 | 6.047284 |
| 8/22/2021 0:35 | 2.508758 | 0.146897 | 6.053713 |
| 8/22/2021 0:40 | 2.49743 | 0.146897 | 6.016119 |
| 8/22/2021 0:45 | 2.48903 | 0.146897 | 5.988272 |
| 8/22/2021 0:50 | 2.487715 | 0.146897 | 5.983916 |
| 8/22/2021 0:55 | 2.48232 | 0.146897 | 5.966044 |
| 8/22/2021 1:00 | 2.473667 | 0.146897 | 5.937406 |
| 8/22/2021 1:05 | 2.485596 | 0.146897 | 5.976895 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/22/2021 1:10 | 2.487319 | 0.146897 | 5.982604 |
| 8/22/2021 1:15 | 2.488258 | 0.146897 | 5.985713 |
| 8/22/2021 1:20 | 2.481072 | 0.146897 | 5.961914 |
| 8/22/2021 1:25 | 2.484134 | 0.146897 | 5.972054 |
| 8/22/2021 1:30 | 2.48494 | 0.146897 | 5.974723 |
| 8/22/2021 1:35 | 2.485564 | 0.146897 | 5.976789 |
| 8/22/2021 1:40 | 2.486393 | 0.146897 | 5.979537 |
| 8/22/2021 1:45 | 2.49535 | 0.146897 | 6.009222 |
| 8/22/2021 1:50 | 2.528119 | 0.146897 | 6.118065 |
| 8/22/2021 1:55 | 2.524357 | 0.146897 | 6.105551 |
| 8/22/2021 2:00 | 2.513795 | 0.146897 | 6.070443 |
| 8/22/2021 2:05 | 2.50624 | 0.146897 | 6.045355 |
| 8/22/2021 2:10 | 2.498088 | 0.146897 | 6.018303 |
| 8/22/2021 2:15 | 2.48672 | 0.146897 | 5.98062 |
| 8/22/2021 2:20 | 2.482196 | 0.146897 | 5.965637 |
| 8/22/2021 2:25 | 2.48442 | 0.146897 | 5.973002 |
| 8/22/2021 2:30 | 2.477247 | 0.146897 | 5.949251 |
| 8/22/2021 2:35 | 2.4791 | 0.146897 | 5.955385 |
| 8/22/2021 2:40 | 2.480769 | 0.146897 | 5.960911 |
| 8/22/2021 2:45 | 2.47792 | 0.146897 | 5.951479 |
| 8/22/2021 2:50 | 2.484632 | 0.146897 | 5.973701 |
| 8/22/2021 2:55 | 2.490353 | 0.146897 | 5.992656 |
| 8/22/2021 3:00 | 2.487933 | 0.146897 | 5.984637 |
| 8/22/2021 3:05 | 2.493168 | 0.146897 | 6.001988 |
| 8/22/2021 3:10 | 2.496116 | 0.146897 | 6.011761 |
| 8/22/2021 3:15 | 2.486788 | 0.146897 | 5.980843 |
| 8/22/2021 3:20 | 2.516477 | 0.146897 | 6.079353 |
| 8/22/2021 3:25 | 2.531812 | 0.146897 | 6.130355 |
| 8/22/2021 3:30 | 2.526919 | 0.146897 | 6.114072 |
| 8/22/2021 3:35 | 2.511549 | 0.146897 | 6.062982 |
| 8/22/2021 3:40 | 2.504652 | 0.146897 | 6.04008 |
| 8/22/2021 3:45 | 2.494956 | 0.146897 | 6.007915 |
| 8/22/2021 3:50 | 2.49608 | 0.146897 | 6.011642 |
| 8/22/2021 3:55 | 2.487043 | 0.146897 | 5.98169 |
| 8/22/2021 4:00 | 2.482555 | 0.146897 | 5.966824 |
| 8/22/2021 4:05 | 2.4896 | 0.146897 | 5.990162 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/22/2021 4:10 | 2.485248 | 0.146897 | 5.975742 |
| 8/22/2021 4:15 | 2.484169 | 0.146897 | 5.972168 |
| 8/22/2021 4:20 | 2.491654 | 0.146897 | 5.996969 |
| 8/22/2021 4:25 | 2.49208 | 0.146897 | 5.998383 |
| 8/22/2021 4:30 | 2.484165 | 0.146897 | 5.972156 |
| 8/22/2021 4:35 | 2.492789 | 0.146897 | 6.000732 |
| 8/22/2021 4:40 | 2.49387 | 0.146897 | 6.004315 |
| 8/22/2021 4:45 | 2.483512 | 0.146897 | 5.969994 |
| 8/22/2021 4:50 | 2.489707 | 0.146897 | 5.990516 |
| 8/22/2021 4:55 | 2.490509 | 0.146897 | 5.993173 |
| 8/22/2021 5:00 | 2.49103 | 0.146897 | 5.9949 |
| 8/22/2021 5:05 | 2.486014 | 0.146897 | 5.978282 |
| 8/22/2021 5:10 | 2.488931 | 0.146897 | 5.987946 |
| 8/22/2021 5:15 | 2.487752 | 0.146897 | 5.984037 |
| 8/22/2021 5:20 | 2.490507 | 0.146897 | 5.993167 |
| 8/22/2021 5:25 | 2.485891 | 0.146897 | 5.977874 |
| 8/22/2021 5:30 | 2.489561 | 0.146897 | 5.990031 |
| 8/22/2021 5:35 | 2.494364 | 0.146897 | 6.005954 |
| 8/22/2021 5:40 | 2.532808 | 0.146897 | 6.133672 |
| 8/22/2021 5:45 | 2.53895 | 0.146897 | 6.154123 |
| 8/22/2021 5:50 | 2.523492 | 0.146897 | 6.102676 |
| 8/22/2021 5:55 | 2.507506 | 0.146897 | 6.049557 |
| 8/22/2021 6:00 | 2.495423 | 0.146897 | 6.009465 |
| 8/22/2021 6:05 | 2.4915 | 0.146897 | 5.996458 |
| 8/22/2021 6:10 | 2.484151 | 0.146897 | 5.97211 |
| 8/22/2021 6:15 | 2.483908 | 0.146897 | 5.971304 |
| 8/22/2021 6:20 | 2.481992 | 0.146897 | 5.964958 |
| 8/22/2021 6:25 | 2.51142 | 0.146897 | 6.062553 |
| 8/22/2021 6:30 | 2.53363 | 0.146897 | 6.136407 |
| 8/22/2021 6:35 | 2.524809 | 0.146897 | 6.107056 |
| 8/22/2021 6:40 | 2.509508 | 0.146897 | 6.056203 |
| 8/22/2021 6:45 | 2.528063 | 0.146897 | 6.117881 |
| 8/22/2021 6:50 | 2.594656 | 0.146897 | 6.340183 |
| 8/22/2021 6:55 | 2.595491 | 0.146897 | 6.342978 |
| 8/22/2021 7:00 | 2.511631 | 0.146897 | 6.063256 |
| 8/22/2021 7:05 | 2.479248 | 0.146897 | 5.955877 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/22/2021 7:10 | 2.501703 | 0.146897 | 6.030295 |
| 8/22/2021 7:15 | 2.498075 | 0.146897 | 6.018259 |
| 8/22/2021 7:20 | 2.50314 | 0.146897 | 6.035064 |
| 8/22/2021 7:25 | 2.472258 | 0.146897 | 5.932747 |
| 8/22/2021 7:30 | 2.388346 | 0.146897 | 5.656464 |
| 8/22/2021 7:35 | 2.341279 | 0.146897 | 5.502659 |
| 8/22/2021 7:40 | 2.417955 | 0.146897 | 5.753657 |
| 8/22/2021 7:45 | 2.728857 | 0.146897 | 6.792412 |
| 8/22/2021 7:50 | 2.636419 | 0.146897 | 6.480328 |
| 8/22/2021 7:55 | 2.593693 | 0.146897 | 6.33696 |
| 8/22/2021 8:00 | 2.580221 | 0.146897 | 6.291871 |
| 8/22/2021 8:05 | 2.56385 | 0.146897 | 6.237164 |
| 8/22/2021 8:10 | 2.551872 | 0.146897 | 6.197192 |
| 8/22/2021 8:15 | 2.57215 | 0.146897 | 6.264888 |
| 8/22/2021 8:20 | 2.564984 | 0.146897 | 6.240949 |
| 8/22/2021 8:25 | 2.553726 | 0.146897 | 6.203376 |
| 8/22/2021 8:30 | 2.539326 | 0.146897 | 6.155374 |
| 8/22/2021 8:35 | 2.538594 | 0.146897 | 6.152935 |
| 8/22/2021 8:40 | 2.556576 | 0.146897 | 6.212882 |
| 8/22/2021 8:45 | 2.573452 | 0.146897 | 6.26924 |
| 8/22/2021 8:50 | 2.613325 | 0.146897 | 6.402764 |
| 8/22/2021 8:55 | 2.586946 | 0.146897 | 6.314372 |
| 8/22/2021 9:00 | 2.571776 | 0.146897 | 6.263639 |
| 8/22/2021 9:05 | 2.557757 | 0.146897 | 6.216824 |
| 8/22/2021 9:10 | 2.542179 | 0.146897 | 6.164881 |
| 8/22/2021 9:15 | 2.541908 | 0.146897 | 6.163978 |
| 8/22/2021 9:20 | 2.534581 | 0.146897 | 6.139573 |
| 8/22/2021 9:25 | 2.531741 | 0.146897 | 6.130119 |
| 8/22/2021 9:30 | 2.522422 | 0.146897 | 6.099116 |
| 8/22/2021 9:35 | 2.517305 | 0.146897 | 6.082108 |
| 8/22/2021 9:40 | 2.515852 | 0.146897 | 6.077278 |
| 8/22/2021 9:45 | 2.518126 | 0.146897 | 6.084835 |
| 8/22/2021 9:50 | 2.51563 | 0.146897 | 6.076539 |
| 8/22/2021 9:55 | 2.519104 | 0.146897 | 6.088087 |
| 8/22/2021 10:00 | 2.559063 | 0.146897 | 6.221182 |
| 8/22/2021 10:05 | 2.539721 | 0.146897 | 6.156692 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/22/2021 10:10 | 2.526228 | 0.146897 | 6.111775 |
| 8/22/2021 10:15 | 2.517818 | 0.146897 | 6.083812 |
| 8/22/2021 10:20 | 2.808072 | 0.146897 | 7.061791 |
| 8/22/2021 10:25 | 2.667507 | 0.146897 | 6.585004 |
| 8/22/2021 10:30 | 2.440572 | 0.146897 | 5.828116 |
| 8/22/2021 10:35 | 2.497834 | 0.146897 | 6.017461 |
| 8/22/2021 10:40 | 2.559953 | 0.146897 | 6.224154 |
| 8/22/2021 10:45 | 2.683371 | 0.146897 | 6.63853 |
| 8/22/2021 10:50 | 2.668677 | 0.146897 | 6.588947 |
| 8/22/2021 10:55 | 2.638218 | 0.146897 | 6.486378 |
| 8/22/2021 11:00 | 2.581039 | 0.102737 | 4.402328 |
| 8/22/2021 11:05 | 2.660816 | 0.102737 | 4.589651 |
| 8/22/2021 11:10 | 2.622602 | 0.102737 | 4.499747 |
| 8/22/2021 11:15 | 3.049331 | 0.102737 | 5.519376 |
| 8/22/2021 11:20 | 3.550188 | 0.102737 | 6.747681 |
| 8/22/2021 11:25 | 3.616268 | 0.102737 | 6.911204 |
| 8/22/2021 11:30 | 3.68693 | 0.102737 | 7.086271 |
| 8/22/2021 11:35 | 3.714296 | 0.102737 | 7.154116 |
| 8/22/2021 11:40 | 3.700822 | 0.102737 | 7.120708 |
| 8/22/2021 11:45 | 3.782988 | 0.102737 | 7.324495 |
| 8/22/2021 11:50 | 3.758582 | 0.102737 | 7.26395 |
| 8/22/2021 11:55 | 2.943633 | 0.102737 | 5.263905 |
| 8/22/2021 12:00 | 2.844876 | 0.102737 | 5.02681 |
| 8/22/2021 12:05 | 2.836385 | 0.102737 | 5.006501 |
| 8/22/2021 12:10 | 3.011988 | 0.102737 | 5.428931 |
| 8/22/2021 12:15 | 3.038998 | 0.102737 | 5.49433 |
| 8/22/2021 12:20 | 3.221898 | 0.102737 | 5.939729 |
| 8/22/2021 12:25 | 3.775229 | 0.102737 | 7.305246 |
| 8/22/2021 12:30 | 3.063545 | 0.102737 | 5.553855 |
| 8/22/2021 12:35 | 3.201447 | 0.102737 | 5.889725 |
| 8/22/2021 12:40 | 3.64545 | 0.102737 | 6.983479 |
| 8/22/2021 12:45 | 3.260645 | 0.102737 | 6.034591 |
| 8/22/2021 12:50 | 3.24018 | 0.102737 | 5.984469 |
| 8/22/2021 12:55 | 2.69778 | 0.102737 | 4.676907 |
| 8/22/2021 13:00 | 2.588174 | 0.102737 | 4.419025 |
| 8/22/2021 13:05 | 2.839984 | 0.102737 | 5.015107 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/22/2021 13:10 | 3.660515 | 0.102737 | 7.020805 |
| 8/22/2021 13:15 | 2.863027 | 0.102737 | 5.070263 |
| 8/22/2021 13:20 | 3.545676 | 0.102737 | 6.736524 |
| 8/22/2021 13:25 | 2.881917 | 0.102737 | 5.115544 |
| 8/22/2021 13:30 | 3.222435 | 0.102737 | 5.941042 |
| 8/22/2021 13:35 | 4.023808 | 0.102737 | 7.922024 |
| 8/22/2021 13:40 | 2.374158 | 0.102737 | 3.923534 |
| 8/22/2021 13:45 | 2.173817 | 0.102737 | 3.470845 |
| 8/22/2021 13:50 | 2.648178 | 0.102737 | 4.559884 |
| 8/22/2021 13:55 | 2.627326 | 0.102737 | 4.510844 |
| 8/22/2021 14:00 | 2.929354 | 0.102737 | 5.229526 |
| 8/22/2021 14:05 | 2.492965 | 0.102737 | 4.197203 |
| 8/22/2021 14:10 | 2.443238 | 0.102737 | 4.082219 |
| 8/22/2021 14:15 | 2.377539 | 0.102737 | 3.931271 |
| 8/22/2021 14:20 | 2.695899 | 0.102737 | 4.672459 |
| 8/22/2021 14:25 | 2.394798 | 0.102737 | 3.970815 |
| 8/22/2021 14:30 | 2.336595 | 0.102737 | 3.837783 |
| 8/22/2021 14:35 | 2.409579 | 0.102737 | 4.004745 |
| 8/22/2021 14:40 | 2.693187 | 0.102737 | 4.666049 |
| 8/22/2021 14:45 | 2.786913 | 0.130352 | 6.202441 |
| 8/22/2021 14:50 | 2.801539 | 0.130352 | 6.246666 |
| 8/22/2021 14:55 | 3.357633 | 0.130352 | 7.958782 |
| 8/22/2021 15:00 | 3.037683 | 0.231317 | 12.36361 |
| 8/22/2021 15:05 | 2.806614 | 0.231317 | 11.11233 |
| 8/22/2021 15:10 | 2.652729 | 0.231317 | 10.29095 |
| 8/22/2021 15:15 | 2.634011 | 0.231317 | 10.19178 |
| 8/22/2021 15:20 | 2.586565 | 0.231317 | 9.941191 |
| 8/22/2021 15:25 | 2.702582 | 0.231317 | 10.55588 |
| 8/22/2021 15:30 | 2.850792 | 0.231317 | 11.35 |
| 8/22/2021 15:35 | 2.743438 | 0.231317 | 10.77384 |
| 8/22/2021 15:40 | 3.067532 | 0.231317 | 12.52659 |
| 8/22/2021 15:45 | 2.997229 | 0.123993 | 6.509107 |
| 8/22/2021 15:50 | 3.21348 | 0.123993 | 7.143818 |
| 8/22/2021 15:55 | 3.407474 | 0.123993 | 7.718598 |
| 8/22/2021 16:00 | 3.189776 | 0.123993 | 7.0739 |
| 8/22/2021 16:05 | 2.982657 | 0.123993 | 6.466613 |

| | | | |
|----------------------|-------------|-------------|-------------|
| Site Name | Albany | Albany | Albany |
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/22/2021 16:10 | 2.917116 | 0.189203 | 9.576617 | |
| 8/22/2021 16:15 | 2.94407 | 0.195599 | 10.0239 | |
| 8/22/2021 16:20 | 2.739452 | 0.195599 | 9.09224 | |
| 8/22/2021 16:25 | 2.683433 | 0.195599 | 8.839776 | |
| 8/22/2021 16:30 | 2.574927 | 0.195599 | 8.354337 | |
| 8/22/2021 16:35 | 2.579879 | 0.195599 | 8.376385 | |
| 8/22/2021 16:40 | 2.52337 | 0.195599 | 8.125442 | |
| 8/22/2021 16:45 | 2.529034 | 0.105478 | 4.395231 | |
| 8/22/2021 16:50 | 2.540675 | 0.105478 | 4.423062 | |
| 8/22/2021 16:55 | 2.671051 | 0.105478 | 4.736907 | |
| 8/22/2021 17:00 | 2.716613 | 0.105478 | 4.847472 | |
| 8/22/2021 17:05 | 2.68855 | 0.105478 | 4.77932 | |
| 8/22/2021 17:10 | 3.332857 | 0.105478 | 6.377561 | |
| 8/22/2021 17:15 | 3.116544 | 0.2145 | 11.86462 | |
| 8/22/2021 17:20 | 2.982389 | 0.2145 | 11.1855 | |
| 8/22/2021 17:25 | 2.999901 | 0.2145 | 11.27384 | |
| 8/22/2021 17:30 | 2.899019 | 0.2145 | 10.76628 | |
| 8/22/2021 17:35 | 2.870214 | 0.2145 | 10.62198 | |
| 8/22/2021 17:40 | 2.869906 | 0.2145 | 10.62044 | |
| 8/22/2021 17:45 | 2.820618 | 0.2145 | 10.37424 | |
| 8/22/2021 17:50 | 2.801732 | 0.2145 | 10.28014 | |
| 8/22/2021 17:55 | 2.809263 | 0.2145 | 10.31765 | |
| 8/22/2021 18:00 | 2.827381 | 0.2145 | 10.40797 | |
| 8/22/2021 18:05 | 2.87749 | 0.2145 | 10.6584 | |
| 8/22/2021 18:10 | 2.91029 | 0.2145 | 10.82281 | |
| 8/22/2021 18:15 | 2.901571 | 0.2145 | 10.77907 | |
| 8/22/2021 18:20 | 2.970473 | 0.2145 | 11.12544 | |
| 8/22/2021 18:25 | 3.031523 | 0.2145 | 11.43361 | |
| 8/22/2021 18:30 | 3.062757 | 0.2145 | 11.59171 | |
| 8/22/2021 18:35 | 3.039463 | 0.2145 | 11.47377 | |
| 8/22/2021 18:40 | 3.010351 | 0.180762 | 9.545074 | |
| 8/22/2021 18:45 | 3.077653 | 0.190317 | 10.35181 | |
| 8/22/2021 18:50 | 3.129704 | 0.206191 | 11.46929 | |
| 8/22/2021 18:55 | 3.047262 | 0.206191 | 11.06723 | |
| 8/22/2021 19:00 | 3.014074 | 0.206191 | 10.9059 | |
| 8/22/2021 19:05 | 2.963735 | 0.206191 | 10.66182 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/22/2021 19:10 | 3.025703 | 0.206191 | 10.96239 |
| 8/22/2021 19:15 | 3.039332 | 0.206191 | 11.02865 |
| 8/22/2021 19:20 | 2.99664 | 0.247518 | 12.99022 |
| 8/22/2021 19:25 | 3.203056 | 0.248491 | 14.25509 |
| 8/22/2021 19:30 | 2.828303 | 0.173205 | 8.407944 |
| 8/22/2021 19:35 | 2.653224 | 0.15181 | 6.755509 |
| 8/22/2021 19:40 | 2.548166 | 0.15181 | 6.391694 |
| 8/22/2021 19:45 | 2.474732 | 0.15181 | 6.139631 |
| 8/22/2021 19:50 | 2.425335 | 0.15181 | 5.971182 |
| 8/22/2021 19:55 | 2.389392 | 0.15181 | 5.849195 |
| 8/22/2021 20:00 | 2.350715 | 0.15181 | 5.718497 |
| 8/22/2021 20:05 | 2.319688 | 0.15181 | 5.614088 |
| 8/22/2021 20:10 | 2.304367 | 0.15181 | 5.562677 |
| 8/22/2021 20:15 | 2.281264 | 0.15181 | 5.485339 |
| 8/22/2021 20:20 | 2.293768 | 0.15181 | 5.527169 |
| 8/22/2021 20:25 | 2.262811 | 0.15181 | 5.423732 |
| 8/22/2021 20:30 | 2.230132 | 0.15181 | 5.314992 |
| 8/22/2021 20:35 | 2.21167 | 0.15181 | 5.253769 |
| 8/22/2021 20:40 | 2.196734 | 0.15181 | 5.204353 |
| 8/22/2021 20:45 | 2.183635 | 0.15181 | 5.161094 |
| 8/22/2021 20:50 | 2.168165 | 0.15181 | 5.110109 |
| 8/22/2021 20:55 | 2.167716 | 0.15181 | 5.10863 |
| 8/22/2021 21:00 | 2.163124 | 0.15181 | 5.093518 |
| 8/22/2021 21:05 | 2.15594 | 0.15181 | 5.069898 |
| 8/22/2021 21:10 | 2.158062 | 0.15181 | 5.07687 |
| 8/22/2021 21:15 | 2.152647 | 0.15181 | 5.059075 |
| 8/22/2021 21:20 | 2.142958 | 0.15181 | 5.027269 |
| 8/22/2021 21:25 | 2.137023 | 0.15181 | 5.00781 |
| 8/22/2021 21:30 | 2.141356 | 0.15181 | 5.022017 |
| 8/22/2021 21:35 | 2.137549 | 0.15181 | 5.009535 |
| 8/22/2021 21:40 | 2.136212 | 0.15181 | 5.005152 |
| 8/22/2021 21:45 | 2.137674 | 0.15181 | 5.009945 |
| 8/22/2021 21:50 | 2.139723 | 0.15181 | 5.016661 |
| 8/22/2021 21:55 | 2.156216 | 0.15181 | 5.070804 |
| 8/22/2021 22:00 | 2.146394 | 0.15181 | 5.038546 |
| 8/22/2021 22:05 | 2.134863 | 0.15181 | 5.000732 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|---------|----------|
| 8/22/2021 22:10 | 2.133198 | 0.15181 | 4.995276 |
| 8/22/2021 22:15 | 2.127268 | 0.15181 | 4.97586 |
| 8/22/2021 22:20 | 2.122336 | 0.15181 | 4.959724 |
| 8/22/2021 22:25 | 2.124147 | 0.15181 | 4.965647 |
| 8/22/2021 22:30 | 2.122775 | 0.15181 | 4.961161 |
| 8/22/2021 22:35 | 2.122762 | 0.15181 | 4.961118 |
| 8/22/2021 22:40 | 2.120889 | 0.15181 | 4.954991 |
| 8/22/2021 22:45 | 2.116428 | 0.15181 | 4.940411 |
| 8/22/2021 22:50 | 2.117062 | 0.15181 | 4.94248 |
| 8/22/2021 22:55 | 2.113479 | 0.15181 | 4.930776 |
| 8/22/2021 23:00 | 2.114451 | 0.15181 | 4.933951 |
| 8/22/2021 23:05 | 2.119739 | 0.15181 | 4.951231 |
| 8/22/2021 23:10 | 2.11453 | 0.15181 | 4.934208 |
| 8/22/2021 23:15 | 2.108885 | 0.15181 | 4.915777 |
| 8/22/2021 23:20 | 2.112754 | 0.15181 | 4.928409 |
| 8/22/2021 23:25 | 2.116838 | 0.15181 | 4.941749 |
| 8/22/2021 23:30 | 2.121264 | 0.15181 | 4.956219 |
| 8/22/2021 23:35 | 2.111956 | 0.15181 | 4.925801 |
| 8/22/2021 23:40 | 2.110815 | 0.15181 | 4.922074 |
| 8/22/2021 23:45 | 2.114418 | 0.15181 | 4.933844 |
| 8/22/2021 23:50 | 2.105069 | 0.15181 | 4.903324 |
| 8/22/2021 23:55 | 2.106968 | 0.15181 | 4.909519 |
| 8/23/2021 0:00 | 2.108118 | 0.15181 | 4.913271 |
| 8/23/2021 0:05 | 2.107661 | 0.15181 | 4.911779 |
| 8/23/2021 0:10 | 2.106921 | 0.15181 | 4.909366 |
| 8/23/2021 0:15 | 2.114259 | 0.15181 | 4.933325 |
| 8/23/2021 0:20 | 2.137348 | 0.15181 | 5.008876 |
| 8/23/2021 0:25 | 2.128353 | 0.15181 | 4.979413 |
| 8/23/2021 0:30 | 2.120128 | 0.15181 | 4.952502 |
| 8/23/2021 0:35 | 2.116852 | 0.15181 | 4.941794 |
| 8/23/2021 0:40 | 2.111188 | 0.15181 | 4.923295 |
| 8/23/2021 0:45 | 2.108262 | 0.15181 | 4.913742 |
| 8/23/2021 0:50 | 2.112998 | 0.15181 | 4.929204 |
| 8/23/2021 0:55 | 2.112368 | 0.15181 | 4.927146 |
| 8/23/2021 1:00 | 2.127103 | 0.15181 | 4.97532 |
| 8/23/2021 1:05 | 2.13327 | 0.15181 | 4.995511 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|---------|----------|
| 8/23/2021 1:10 | 2.124024 | 0.15181 | 4.965246 |
| 8/23/2021 1:15 | 2.118629 | 0.15181 | 4.947604 |
| 8/23/2021 1:20 | 2.11391 | 0.15181 | 4.932185 |
| 8/23/2021 1:25 | 2.109694 | 0.15181 | 4.918415 |
| 8/23/2021 1:30 | 2.11096 | 0.15181 | 4.922548 |
| 8/23/2021 1:35 | 2.115211 | 0.15181 | 4.936432 |
| 8/23/2021 1:40 | 2.113003 | 0.15181 | 4.92922 |
| 8/23/2021 1:45 | 2.104253 | 0.15181 | 4.90066 |
| 8/23/2021 1:50 | 2.105158 | 0.15181 | 4.903612 |
| 8/23/2021 1:55 | 2.109845 | 0.15181 | 4.918909 |
| 8/23/2021 2:00 | 2.110935 | 0.15181 | 4.922466 |
| 8/23/2021 2:05 | 2.107137 | 0.15181 | 4.910072 |
| 8/23/2021 2:10 | 2.112274 | 0.15181 | 4.92684 |
| 8/23/2021 2:15 | 2.109491 | 0.15181 | 4.917755 |
| 8/23/2021 2:20 | 2.109782 | 0.15181 | 4.918705 |
| 8/23/2021 2:25 | 2.109097 | 0.15181 | 4.916466 |
| 8/23/2021 2:30 | 2.107852 | 0.15181 | 4.912404 |
| 8/23/2021 2:35 | 2.114987 | 0.15181 | 4.9357 |
| 8/23/2021 2:40 | 2.109076 | 0.15181 | 4.916398 |
| 8/23/2021 2:45 | 2.108294 | 0.15181 | 4.913847 |
| 8/23/2021 2:50 | 2.10863 | 0.15181 | 4.914944 |
| 8/23/2021 2:55 | 2.115434 | 0.15181 | 4.937161 |
| 8/23/2021 3:00 | 2.134764 | 0.15181 | 5.000406 |
| 8/23/2021 3:05 | 2.128654 | 0.15181 | 4.980398 |
| 8/23/2021 3:10 | 2.121949 | 0.15181 | 4.958458 |
| 8/23/2021 3:15 | 2.117322 | 0.15181 | 4.943332 |
| 8/23/2021 3:20 | 2.113527 | 0.15181 | 4.930932 |
| 8/23/2021 3:25 | 2.113261 | 0.15181 | 4.930062 |
| 8/23/2021 3:30 | 2.112187 | 0.15181 | 4.926557 |
| 8/23/2021 3:35 | 2.107726 | 0.15181 | 4.911993 |
| 8/23/2021 3:40 | 2.113272 | 0.15181 | 4.9301 |
| 8/23/2021 3:45 | 2.113794 | 0.15181 | 4.931803 |
| 8/23/2021 3:50 | 2.105122 | 0.15181 | 4.903494 |
| 8/23/2021 3:55 | 2.109107 | 0.15181 | 4.9165 |
| 8/23/2021 4:00 | 2.116464 | 0.15181 | 4.940528 |
| 8/23/2021 4:05 | 2.126153 | 0.15181 | 4.972211 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|---------|----------|
| 8/23/2021 4:10 | 2.13773 | 0.15181 | 5.010126 |
| 8/23/2021 4:15 | 2.126232 | 0.15181 | 4.97247 |
| 8/23/2021 4:20 | 2.11606 | 0.15181 | 4.939208 |
| 8/23/2021 4:25 | 2.114583 | 0.15181 | 4.934383 |
| 8/23/2021 4:30 | 2.113187 | 0.15181 | 4.929821 |
| 8/23/2021 4:35 | 2.108432 | 0.15181 | 4.914295 |
| 8/23/2021 4:40 | 2.104513 | 0.15181 | 4.90151 |
| 8/23/2021 4:45 | 2.107007 | 0.15181 | 4.909644 |
| 8/23/2021 4:50 | 2.107066 | 0.15181 | 4.909837 |
| 8/23/2021 4:55 | 2.112189 | 0.15181 | 4.926561 |
| 8/23/2021 5:00 | 2.110571 | 0.15181 | 4.921279 |
| 8/23/2021 5:05 | 2.105016 | 0.15181 | 4.90315 |
| 8/23/2021 5:10 | 2.106123 | 0.15181 | 4.906762 |
| 8/23/2021 5:15 | 2.114578 | 0.15181 | 4.934365 |
| 8/23/2021 5:20 | 2.110026 | 0.15181 | 4.919499 |
| 8/23/2021 5:25 | 2.103282 | 0.15181 | 4.897494 |
| 8/23/2021 5:30 | 2.114577 | 0.15181 | 4.934363 |
| 8/23/2021 5:35 | 2.107404 | 0.15181 | 4.910941 |
| 8/23/2021 5:40 | 2.106233 | 0.15181 | 4.90712 |
| 8/23/2021 5:45 | 2.109883 | 0.15181 | 4.919032 |
| 8/23/2021 5:50 | 2.109025 | 0.15181 | 4.916232 |
| 8/23/2021 5:55 | 2.103781 | 0.15181 | 4.899121 |
| 8/23/2021 6:00 | 2.105733 | 0.15181 | 4.905488 |
| 8/23/2021 6:05 | 2.108899 | 0.15181 | 4.91582 |
| 8/23/2021 6:10 | 2.109494 | 0.15181 | 4.917764 |
| 8/23/2021 6:15 | 2.102905 | 0.15181 | 4.896266 |
| 8/23/2021 6:20 | 2.10693 | 0.15181 | 4.909395 |
| 8/23/2021 6:25 | 2.099448 | 0.15181 | 4.884993 |
| 8/23/2021 6:30 | 2.113593 | 0.15181 | 4.931148 |
| 8/23/2021 6:35 | 2.105746 | 0.15181 | 4.90553 |
| 8/23/2021 6:40 | 2.110517 | 0.15181 | 4.921101 |
| 8/23/2021 6:45 | 2.120283 | 0.15181 | 4.953009 |
| 8/23/2021 6:50 | 2.132583 | 0.15181 | 4.993263 |
| 8/23/2021 6:55 | 2.122865 | 0.15181 | 4.961454 |
| 8/23/2021 7:00 | 2.111556 | 0.15181 | 4.924497 |
| 8/23/2021 7:05 | 2.113376 | 0.15181 | 4.930438 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/23/2021 7:10 | 2.125004 | 0.15181 | 4.968451 |
| 8/23/2021 7:15 | 2.130378 | 0.15181 | 4.986041 |
| 8/23/2021 7:20 | 2.216246 | 0.111403 | 3.866505 |
| 8/23/2021 7:25 | 2.129611 | 0.111403 | 3.657069 |
| 8/23/2021 7:30 | 2.11306 | 0.111403 | 3.617353 |
| 8/23/2021 7:35 | 2.1138 | 0.111403 | 3.619127 |
| 8/23/2021 7:40 | 2.106223 | 0.111403 | 3.600975 |
| 8/23/2021 7:45 | 2.144986 | 0.111403 | 3.694051 |
| 8/23/2021 7:50 | 2.132187 | 0.111403 | 3.663259 |
| 8/23/2021 7:55 | 2.112103 | 0.111403 | 3.61506 |
| 8/23/2021 8:00 | 2.164039 | 0.111403 | 3.739991 |
| 8/23/2021 8:05 | 2.092031 | 0.111403 | 3.56703 |
| 8/23/2021 8:10 | 2.085124 | 0.111403 | 3.550535 |
| 8/23/2021 8:15 | 2.08703 | 0.111403 | 3.555085 |
| 8/23/2021 8:20 | 2.098502 | 0.111403 | 3.582498 |
| 8/23/2021 8:25 | 2.081198 | 0.111403 | 3.541169 |
| 8/23/2021 8:30 | 2.08314 | 0.111403 | 3.545803 |
| 8/23/2021 8:35 | 2.20557 | 0.111403 | 3.840561 |
| 8/23/2021 8:40 | 2.234191 | 0.111403 | 3.910202 |
| 8/23/2021 8:45 | 2.187234 | 0.111403 | 3.796087 |
| 8/23/2021 8:50 | 2.129345 | 0.111403 | 3.656431 |
| 8/23/2021 8:55 | 2.107669 | 0.111403 | 3.604436 |
| 8/23/2021 9:00 | 2.154205 | 0.111403 | 3.716264 |
| 8/23/2021 9:05 | 2.168308 | 0.111403 | 3.750302 |
| 8/23/2021 9:10 | 2.143089 | 0.111403 | 3.689483 |
| 8/23/2021 9:15 | 2.363898 | 0.111403 | 4.229054 |
| 8/23/2021 9:20 | 2.274832 | 0.111403 | 4.009544 |
| 8/23/2021 9:25 | 2.309356 | 0.111403 | 4.094344 |
| 8/23/2021 9:30 | 2.682805 | 0.111403 | 5.033046 |
| 8/23/2021 9:35 | 2.484252 | 0.111403 | 4.529353 |
| 8/23/2021 9:40 | 2.412211 | 0.111403 | 4.349112 |
| 8/23/2021 9:45 | 2.345592 | 0.111403 | 4.183742 |
| 8/23/2021 9:50 | 2.297621 | 0.111403 | 4.065477 |
| 8/23/2021 9:55 | 2.394047 | 0.111403 | 4.303896 |
| 8/23/2021 10:00 | 2.299383 | 0.111403 | 4.069809 |
| 8/23/2021 10:05 | 2.213044 | 0.111403 | 3.85872 |

| | | | |
|----------------------|-------------|-------------|-------------|
| Site Name | Albany | Albany | Albany |
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/23/2021 10:10 | 2.290925 | 0.111403 | 4.049026 | |
| 8/23/2021 10:15 | 2.297964 | 0.111403 | 4.066322 | |
| 8/23/2021 10:20 | 2.232769 | 0.111403 | 3.906735 | |
| 8/23/2021 10:25 | 2.183476 | 0.111403 | 3.786986 | |
| 8/23/2021 10:30 | 2.387763 | 0.111403 | 4.288274 | |
| 8/23/2021 10:35 | 2.338301 | 0.111403 | 4.165722 | |
| 8/23/2021 10:40 | 2.279531 | 0.111403 | 4.021063 | |
| 8/23/2021 10:45 | 2.269067 | 0.111403 | 3.995421 | |
| 8/23/2021 10:50 | 2.318823 | 0.111403 | 4.117662 | |
| 8/23/2021 10:55 | 2.382139 | 0.111403 | 4.274303 | |
| 8/23/2021 11:00 | 2.352329 | 0.111403 | 4.200406 | |
| 8/23/2021 11:05 | 2.424785 | 0.111403 | 4.380468 | |
| 8/23/2021 11:10 | 2.293873 | 0.111403 | 4.056267 | |
| 8/23/2021 11:15 | 2.266735 | 0.111403 | 3.989709 | |
| 8/23/2021 11:20 | 2.243308 | 0.111403 | 3.932441 | |
| 8/23/2021 11:25 | 2.172756 | 0.111403 | 3.761051 | |
| 8/23/2021 11:30 | 2.365208 | 0.111403 | 4.2323 | |
| 8/23/2021 11:35 | 2.347232 | 0.111403 | 4.187797 | |
| 8/23/2021 11:40 | 2.319504 | 0.111403 | 4.11934 | |
| 8/23/2021 11:45 | 2.259631 | 0.111403 | 3.972325 | |
| 8/23/2021 11:50 | 2.36848 | 0.111403 | 4.240412 | |
| 8/23/2021 11:55 | 2.332868 | 0.111403 | 4.152306 | |
| 8/23/2021 12:00 | 2.978332 | 0.278791 | 14.51146 | |
| 8/23/2021 12:05 | 2.794327 | 0.225134 | 10.75107 | |
| 8/23/2021 12:10 | 2.871439 | 0.248653 | 12.32034 | |
| 8/23/2021 12:15 | 2.915184 | 0.196169 | 9.920348 | |
| 8/23/2021 12:20 | 2.933928 | 0.196169 | 10.00646 | |
| 8/23/2021 12:25 | 3.177774 | 0.196169 | 11.13563 | |
| 8/23/2021 12:30 | 3.033314 | 0.196169 | 10.46476 | |
| 8/23/2021 12:35 | 2.960486 | 0.149964 | 7.743008 | |
| 8/23/2021 12:40 | 2.953631 | 0.110271 | 5.67581 | |
| 8/23/2021 12:45 | 2.741152 | 0.110271 | 5.130176 | |
| 8/23/2021 12:50 | 2.654663 | 0.110271 | 4.910686 | |
| 8/23/2021 12:55 | 2.656268 | 0.110271 | 4.914745 | |
| 8/23/2021 13:00 | 2.66787 | 0.110271 | 4.944095 | |
| 8/23/2021 13:05 | 2.554811 | 0.110271 | 4.659416 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/23/2021 13:10 | 2.702257 | 0.152773 | 6.97045 |
| 8/23/2021 13:15 | 2.578005 | 0.152773 | 6.535847 |
| 8/23/2021 13:20 | 2.530034 | 0.152773 | 6.369422 |
| 8/23/2021 13:25 | 2.756942 | 0.152773 | 7.163237 |
| 8/23/2021 13:30 | 2.629897 | 0.152773 | 6.716749 |
| 8/23/2021 13:35 | 2.826631 | 0.152773 | 7.410161 |
| 8/23/2021 13:40 | 2.669214 | 0.152773 | 6.854397 |
| 8/23/2021 13:45 | 2.522418 | 0.152773 | 6.343075 |
| 8/23/2021 13:50 | 2.539836 | 0.152773 | 6.403364 |
| 8/23/2021 13:55 | 2.563165 | 0.152773 | 6.48428 |
| 8/23/2021 14:00 | 2.610958 | 0.152773 | 6.650622 |
| 8/23/2021 14:05 | 2.499248 | 0.152773 | 6.263042 |
| 8/23/2021 14:10 | 2.582848 | 0.152773 | 6.552692 |
| 8/23/2021 14:15 | 2.5245 | 0.152773 | 6.350274 |
| 8/23/2021 14:20 | 2.530333 | 0.152773 | 6.370457 |
| 8/23/2021 14:25 | 2.421108 | 0.152773 | 5.994593 |
| 8/23/2021 14:30 | 2.352931 | 0.152773 | 5.762288 |
| 8/23/2021 14:35 | 3.222417 | 0.245371 | 14.1892 |
| 8/23/2021 14:40 | 2.810184 | 0.245371 | 11.80782 |
| 8/23/2021 14:45 | 2.734185 | 0.245371 | 11.376 |
| 8/23/2021 14:50 | 2.737502 | 0.245371 | 11.39479 |
| 8/23/2021 14:55 | 2.758856 | 0.245371 | 11.51589 |
| 8/23/2021 15:00 | 2.749316 | 0.245371 | 11.46176 |
| 8/23/2021 15:05 | 2.762409 | 0.245371 | 11.53606 |
| 8/23/2021 15:10 | 2.708405 | 0.245371 | 11.23012 |
| 8/23/2021 15:15 | 2.634347 | 0.245371 | 10.81289 |
| 8/23/2021 15:20 | 2.693119 | 0.245371 | 11.14378 |
| 8/23/2021 15:25 | 2.678769 | 0.245371 | 11.06283 |
| 8/23/2021 15:30 | 2.68099 | 0.245371 | 11.07535 |
| 8/23/2021 15:35 | 2.656098 | 0.245371 | 10.93515 |
| 8/23/2021 15:40 | 2.479612 | 0.245371 | 9.950512 |
| 8/23/2021 15:45 | 2.486998 | 0.245371 | 9.99137 |
| 8/23/2021 15:50 | 2.396559 | 0.245371 | 9.493352 |
| 8/23/2021 15:55 | 2.409449 | 0.245371 | 9.564022 |
| 8/23/2021 16:00 | 2.520618 | 0.245371 | 10.17774 |
| 8/23/2021 16:05 | 2.421149 | 0.245371 | 9.628261 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/23/2021 16:10 | 2.371309 | 0.245371 | 9.355216 |
| 8/23/2021 16:15 | 2.417056 | 0.245371 | 9.605783 |
| 8/23/2021 16:20 | 2.455253 | 0.245371 | 9.815992 |
| 8/23/2021 16:25 | 2.44143 | 0.245371 | 9.739817 |
| 8/23/2021 16:30 | 2.313287 | 0.245371 | 9.039359 |
| 8/23/2021 16:35 | 2.312412 | 0.245371 | 9.034614 |
| 8/23/2021 16:40 | 2.244206 | 0.245371 | 8.666266 |
| 8/23/2021 16:45 | 2.333534 | 0.245371 | 9.149327 |
| 8/23/2021 16:50 | 2.32723 | 0.245371 | 9.115058 |
| 8/23/2021 16:55 | 2.472961 | 0.245371 | 9.913745 |
| 8/23/2021 17:00 | 2.487793 | 0.245371 | 9.995766 |
| 8/23/2021 17:05 | 2.361774 | 0.245371 | 9.303157 |
| 8/23/2021 17:10 | 2.297186 | 0.245371 | 8.952108 |
| 8/23/2021 17:15 | 2.357234 | 0.245371 | 9.278389 |
| 8/23/2021 17:20 | 2.327073 | 0.245371 | 9.114206 |
| 8/23/2021 17:25 | 2.271076 | 0.245371 | 8.810992 |
| 8/23/2021 17:30 | 2.224748 | 0.245371 | 8.561781 |
| 8/23/2021 17:35 | 2.290465 | 0.245371 | 8.915736 |
| 8/23/2021 17:40 | 2.255109 | 0.245371 | 8.724933 |
| 8/23/2021 17:45 | 2.212569 | 0.245371 | 8.496521 |
| 8/23/2021 17:50 | 2.16245 | 0.245371 | 8.229111 |
| 8/23/2021 17:55 | 2.862863 | 0.245371 | 12.10863 |
| 8/23/2021 18:00 | 2.590165 | 0.245371 | 10.56532 |
| 8/23/2021 18:05 | 2.413318 | 0.245371 | 9.585256 |
| 8/23/2021 18:10 | 2.339749 | 0.245371 | 9.183135 |
| 8/23/2021 18:15 | 2.351399 | 0.245371 | 9.246582 |
| 8/23/2021 18:20 | 2.316969 | 0.245371 | 9.059335 |
| 8/23/2021 18:25 | 2.264752 | 0.245371 | 8.776882 |
| 8/23/2021 18:30 | 2.244054 | 0.245371 | 8.665447 |
| 8/23/2021 18:35 | 2.266398 | 0.245371 | 8.785759 |
| 8/23/2021 18:40 | 2.194154 | 0.245371 | 8.398053 |
| 8/23/2021 18:45 | 2.166775 | 0.245371 | 8.252113 |
| 8/23/2021 18:50 | 2.212588 | 0.245371 | 8.496623 |
| 8/23/2021 18:55 | 2.158971 | 0.245371 | 8.210616 |
| 8/23/2021 19:00 | 2.181021 | 0.245371 | 8.327982 |
| 8/23/2021 19:05 | 2.157879 | 0.245371 | 8.204812 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/23/2021 19:10 | 2.284996 | 0.245371 | 8.886165 |
| 8/23/2021 19:15 | 2.300806 | 0.245371 | 8.971705 |
| 8/23/2021 19:20 | 2.225348 | 0.245371 | 8.564998 |
| 8/23/2021 19:25 | 2.160526 | 0.245371 | 8.218884 |
| 8/23/2021 19:30 | 2.230765 | 0.245371 | 8.594065 |
| 8/23/2021 19:35 | 2.209954 | 0.245371 | 8.482525 |
| 8/23/2021 19:40 | 2.211798 | 0.245371 | 8.492396 |
| 8/23/2021 19:45 | 2.172126 | 0.245371 | 8.28059 |
| 8/23/2021 19:50 | 2.135149 | 0.245371 | 8.084235 |
| 8/23/2021 19:55 | 2.127708 | 0.245371 | 8.044847 |
| 8/23/2021 20:00 | 2.118601 | 0.245371 | 7.996703 |
| 8/23/2021 20:05 | 2.111985 | 0.245371 | 7.961765 |
| 8/23/2021 20:10 | 2.107769 | 0.245371 | 7.939517 |
| 8/23/2021 20:15 | 2.096443 | 0.245371 | 7.879826 |
| 8/23/2021 20:20 | 2.104413 | 0.245371 | 7.92182 |
| 8/23/2021 20:25 | 2.105673 | 0.245371 | 7.928464 |
| 8/23/2021 20:30 | 2.10121 | 0.245371 | 7.904935 |
| 8/23/2021 20:35 | 2.095967 | 0.245371 | 7.877317 |
| 8/23/2021 20:40 | 2.091421 | 0.245371 | 7.85339 |
| 8/23/2021 20:45 | 2.091415 | 0.245371 | 7.853359 |
| 8/23/2021 20:50 | 2.100419 | 0.245371 | 7.900772 |
| 8/23/2021 20:55 | 2.095627 | 0.245371 | 7.875528 |
| 8/23/2021 21:00 | 2.093456 | 0.245371 | 7.864102 |
| 8/23/2021 21:05 | 2.09664 | 0.245371 | 7.880862 |
| 8/23/2021 21:10 | 2.099469 | 0.245371 | 7.895765 |
| 8/23/2021 21:15 | 2.09256 | 0.245371 | 7.859384 |
| 8/23/2021 21:20 | 2.091543 | 0.245371 | 7.85403 |
| 8/23/2021 21:25 | 2.093298 | 0.245371 | 7.863269 |
| 8/23/2021 21:30 | 2.10019 | 0.245371 | 7.89956 |
| 8/23/2021 21:35 | 2.091961 | 0.245371 | 7.856231 |
| 8/23/2021 21:40 | 2.092142 | 0.245371 | 7.857183 |
| 8/23/2021 21:45 | 2.093772 | 0.245371 | 7.865761 |
| 8/23/2021 21:50 | 2.095676 | 0.245371 | 7.875787 |
| 8/23/2021 21:55 | 2.095153 | 0.245371 | 7.873034 |
| 8/23/2021 22:00 | 2.087575 | 0.245371 | 7.833157 |
| 8/23/2021 22:05 | 2.08669 | 0.245371 | 7.828505 |

| | | | |
|----------------------|-------------|-------------|-------------|
| Site Name | Albany | Albany | Albany |
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/23/2021 22:10 | 2.096015 | 0.245371 | 7.877573 |
| 8/23/2021 22:15 | 2.087793 | 0.245371 | 7.834302 |
| 8/23/2021 22:20 | 2.09189 | 0.245371 | 7.855858 |
| 8/23/2021 22:25 | 2.092012 | 0.245371 | 7.856499 |
| 8/23/2021 22:30 | 2.086432 | 0.245371 | 7.827147 |
| 8/23/2021 22:35 | 2.087631 | 0.245371 | 7.833452 |
| 8/23/2021 22:40 | 2.09268 | 0.245371 | 7.860015 |
| 8/23/2021 22:45 | 2.115378 | 0.245371 | 7.979678 |
| 8/23/2021 22:50 | 2.106441 | 0.245371 | 7.932517 |
| 8/23/2021 22:55 | 2.096397 | 0.245371 | 7.879586 |
| 8/23/2021 23:00 | 2.102053 | 0.245371 | 7.909382 |
| 8/23/2021 23:05 | 2.09418 | 0.245371 | 7.867908 |
| 8/23/2021 23:10 | 2.092156 | 0.245371 | 7.857255 |
| 8/23/2021 23:15 | 2.093173 | 0.245371 | 7.86261 |
| 8/23/2021 23:20 | 2.095139 | 0.245371 | 7.872958 |
| 8/23/2021 23:25 | 2.089376 | 0.245371 | 7.842633 |
| 8/23/2021 23:30 | 2.087481 | 0.245371 | 7.832663 |
| 8/23/2021 23:35 | 2.09165 | 0.245371 | 7.854593 |
| 8/23/2021 23:40 | 2.093317 | 0.245371 | 7.86337 |
| 8/23/2021 23:45 | 2.089631 | 0.245371 | 7.84397 |
| 8/23/2021 23:50 | 2.092646 | 0.245371 | 7.859838 |
| 8/23/2021 23:55 | 2.083166 | 0.245371 | 7.809981 |
| 8/24/2021 0:00 | 2.094343 | 0.245371 | 7.868769 |
| 8/24/2021 0:05 | 2.095261 | 0.245371 | 7.873601 |
| 8/24/2021 0:10 | 2.094825 | 0.245371 | 7.871307 |
| 8/24/2021 0:15 | 2.092008 | 0.245371 | 7.856481 |
| 8/24/2021 0:20 | 2.092884 | 0.245371 | 7.861088 |
| 8/24/2021 0:25 | 2.08966 | 0.245371 | 7.844123 |
| 8/24/2021 0:30 | 2.083567 | 0.245371 | 7.812085 |
| 8/24/2021 0:35 | 2.089906 | 0.245371 | 7.845418 |
| 8/24/2021 0:40 | 2.085298 | 0.245371 | 7.821184 |
| 8/24/2021 0:45 | 2.091232 | 0.245371 | 7.852394 |
| 8/24/2021 0:50 | 2.086486 | 0.245371 | 7.82743 |
| 8/24/2021 0:55 | 2.087629 | 0.245371 | 7.833442 |
| 8/24/2021 1:00 | 2.093486 | 0.245371 | 7.864256 |
| 8/24/2021 1:05 | 2.096078 | 0.245371 | 7.877902 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/24/2021 1:10 | 2.094187 | 0.245371 | 7.867946 |
| 8/24/2021 1:15 | 2.092895 | 0.245371 | 7.861149 |
| 8/24/2021 1:20 | 2.093988 | 0.245371 | 7.866899 |
| 8/24/2021 1:25 | 2.108781 | 0.245371 | 7.944857 |
| 8/24/2021 1:30 | 2.121215 | 0.245371 | 8.010514 |
| 8/24/2021 1:35 | 2.118126 | 0.245371 | 7.994194 |
| 8/24/2021 1:40 | 2.11534 | 0.245371 | 7.979479 |
| 8/24/2021 1:45 | 2.100216 | 0.245371 | 7.899702 |
| 8/24/2021 1:50 | 2.099934 | 0.245371 | 7.898216 |
| 8/24/2021 1:55 | 2.096572 | 0.245371 | 7.880505 |
| 8/24/2021 2:00 | 2.095684 | 0.245371 | 7.875829 |
| 8/24/2021 2:05 | 2.092443 | 0.245371 | 7.85877 |
| 8/24/2021 2:10 | 2.099178 | 0.245371 | 7.894232 |
| 8/24/2021 2:15 | 2.094754 | 0.245371 | 7.870932 |
| 8/24/2021 2:20 | 2.097617 | 0.245371 | 7.886011 |
| 8/24/2021 2:25 | 2.099599 | 0.245371 | 7.896447 |
| 8/24/2021 2:30 | 2.098652 | 0.245371 | 7.89146 |
| 8/24/2021 2:35 | 2.094291 | 0.245371 | 7.868495 |
| 8/24/2021 2:40 | 2.094944 | 0.245371 | 7.871934 |
| 8/24/2021 2:45 | 2.103048 | 0.245371 | 7.914625 |
| 8/24/2021 2:50 | 2.092392 | 0.245371 | 7.8585 |
| 8/24/2021 2:55 | 2.099716 | 0.245371 | 7.897065 |
| 8/24/2021 3:00 | 2.092419 | 0.245371 | 7.858643 |
| 8/24/2021 3:05 | 2.098169 | 0.245371 | 7.888918 |
| 8/24/2021 3:10 | 2.097405 | 0.245371 | 7.884892 |
| 8/24/2021 3:15 | 2.091444 | 0.245371 | 7.85351 |
| 8/24/2021 3:20 | 2.095537 | 0.245371 | 7.875055 |
| 8/24/2021 3:25 | 2.098127 | 0.245371 | 7.888696 |
| 8/24/2021 3:30 | 2.098201 | 0.245371 | 7.889082 |
| 8/24/2021 3:35 | 2.094913 | 0.245371 | 7.871769 |
| 8/24/2021 3:40 | 2.099222 | 0.245371 | 7.89446 |
| 8/24/2021 3:45 | 2.102165 | 0.245371 | 7.909973 |
| 8/24/2021 3:50 | 2.090655 | 0.245371 | 7.849361 |
| 8/24/2021 3:55 | 2.107812 | 0.245371 | 7.939746 |
| 8/24/2021 4:00 | 2.119262 | 0.245371 | 8.000192 |
| 8/24/2021 4:05 | 2.115356 | 0.245371 | 7.979561 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/24/2021 4:10 | 2.105471 | 0.245371 | 7.927399 | |
| 8/24/2021 4:15 | 2.110627 | 0.245371 | 7.954597 | |
| 8/24/2021 4:20 | 2.121104 | 0.245371 | 8.009929 | |
| 8/24/2021 4:25 | 2.119103 | 0.245371 | 7.999351 | |
| 8/24/2021 4:30 | 2.11182 | 0.245371 | 7.960895 | |
| 8/24/2021 4:35 | 2.111515 | 0.245371 | 7.959286 | |
| 8/24/2021 4:40 | 2.104121 | 0.245371 | 7.92028 | |
| 8/24/2021 4:45 | 2.095099 | 0.245371 | 7.87275 | |
| 8/24/2021 4:50 | 2.109872 | 0.245371 | 7.950615 | |
| 8/24/2021 4:55 | 2.124945 | 0.245371 | 8.030232 | |
| 8/24/2021 5:00 | 2.123451 | 0.245371 | 8.022336 | |
| 8/24/2021 5:05 | 2.116252 | 0.245371 | 7.984292 | |
| 8/24/2021 5:10 | 2.100956 | 0.245371 | 7.9036 | |
| 8/24/2021 5:15 | 2.099653 | 0.245371 | 7.896733 | |
| 8/24/2021 5:20 | 2.097596 | 0.245371 | 7.885898 | |
| 8/24/2021 5:25 | 2.09631 | 0.245371 | 7.879124 | |
| 8/24/2021 5:30 | 2.096021 | 0.245371 | 7.877604 | |
| 8/24/2021 5:35 | 2.102857 | 0.245371 | 7.91362 | |
| 8/24/2021 5:40 | 2.102235 | 0.245371 | 7.910341 | |
| 8/24/2021 5:45 | 2.10393 | 0.245371 | 7.919272 | |
| 8/24/2021 5:50 | 2.10072 | 0.245371 | 7.902355 | |
| 8/24/2021 5:55 | 2.098336 | 0.245371 | 7.889795 | |
| 8/24/2021 6:00 | 2.097844 | 0.245371 | 7.887206 | |
| 8/24/2021 6:05 | 2.09689 | 0.245371 | 7.882178 | |
| 8/24/2021 6:10 | 2.102779 | 0.245371 | 7.913209 | |
| 8/24/2021 6:15 | 2.093878 | 0.245371 | 7.86632 | |
| 8/24/2021 6:20 | 2.09936 | 0.245371 | 7.895189 | |
| 8/24/2021 6:25 | 2.095857 | 0.245371 | 7.876739 | |
| 8/24/2021 6:30 | 2.099203 | 0.245371 | 7.89436 | |
| 8/24/2021 6:35 | 2.101435 | 0.245371 | 7.906122 | |
| 8/24/2021 6:40 | 2.101577 | 0.245371 | 7.906873 | |
| 8/24/2021 6:45 | 2.09818 | 0.245371 | 7.888974 | |
| 8/24/2021 6:50 | 2.100463 | 0.245371 | 7.901 | |
| 8/24/2021 6:55 | 2.09904 | 0.245371 | 7.893503 | |
| 8/24/2021 7:00 | 2.095971 | 0.245371 | 7.877339 | |
| 8/24/2021 7:05 | 2.09537 | 0.245371 | 7.874176 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/24/2021 7:10 | 2.096172 | 0.245371 | 7.878398 | |
| 8/24/2021 7:15 | 2.101465 | 0.245371 | 7.90628 | |
| 8/24/2021 7:20 | 2.095348 | 0.245371 | 7.874059 | |
| 8/24/2021 7:25 | 2.103147 | 0.245371 | 7.915148 | |
| 8/24/2021 7:30 | 2.107967 | 0.245371 | 7.940564 | |
| 8/24/2021 7:35 | 2.100829 | 0.245371 | 7.90293 | |
| 8/24/2021 7:40 | 2.099015 | 0.245371 | 7.893371 | |
| 8/24/2021 7:45 | 2.097986 | 0.245371 | 7.887955 | |
| 8/24/2021 7:50 | 2.106083 | 0.245371 | 7.930625 | |
| 8/24/2021 7:55 | 2.10185 | 0.245371 | 7.908309 | |
| 8/24/2021 8:00 | 2.104211 | 0.245371 | 7.920756 | |
| 8/24/2021 8:05 | 2.102431 | 0.245371 | 7.911371 | |
| 8/24/2021 8:10 | 2.096273 | 0.245371 | 7.87893 | |
| 8/24/2021 8:15 | 2.094303 | 0.245371 | 7.868557 | |
| 8/24/2021 8:20 | 2.102139 | 0.245371 | 7.909834 | |
| 8/24/2021 8:25 | 2.128849 | 0.245371 | 8.050886 | |
| 8/24/2021 8:30 | 2.114779 | 0.245371 | 7.976515 | |
| 8/24/2021 8:35 | 2.757441 | 0.234543 | 11.00003 | |
| 8/24/2021 8:40 | 2.535755 | 0.234543 | 9.809031 | |
| 8/24/2021 8:45 | 2.39757 | 0.234543 | 9.079723 | |
| 8/24/2021 8:50 | 2.327737 | 0.234543 | 8.715461 | |
| 8/24/2021 8:55 | 2.296362 | 0.234543 | 8.552805 | |
| 8/24/2021 9:00 | 2.219251 | 0.234543 | 8.155801 | |
| 8/24/2021 9:05 | 2.214095 | 0.234543 | 8.1294 | |
| 8/24/2021 9:10 | 2.159169 | 0.234543 | 7.849301 | |
| 8/24/2021 9:15 | 2.13329 | 0.234543 | 7.718083 | |
| 8/24/2021 9:20 | 2.212662 | 0.234543 | 8.122064 | |
| 8/24/2021 9:25 | 2.208401 | 0.234543 | 8.100262 | |
| 8/24/2021 9:30 | 2.21717 | 0.234543 | 8.145138 | |
| 8/24/2021 9:35 | 2.177888 | 0.234543 | 7.944523 | |
| 8/24/2021 9:40 | 2.167184 | 0.234543 | 7.890045 | |
| 8/24/2021 9:45 | 2.148952 | 0.234543 | 7.79744 | |
| 8/24/2021 9:50 | 2.180045 | 0.234543 | 7.955511 | |
| 8/24/2021 9:55 | 2.202572 | 0.234543 | 8.070459 | |
| 8/24/2021 10:00 | 2.223871 | 0.234543 | 8.179472 | |
| 8/24/2021 10:05 | 2.201609 | 0.234543 | 8.065539 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/24/2021 10:10 | 2.2079 | 0.234543 | 8.097698 |
| 8/24/2021 10:15 | 2.215656 | 0.148303 | 5.145316 |
| 8/24/2021 10:20 | 2.195768 | 0.148303 | 5.081019 |
| 8/24/2021 10:25 | 2.161064 | 0.148303 | 4.969246 |
| 8/24/2021 10:30 | 2.165434 | 0.148303 | 4.983292 |
| 8/24/2021 10:35 | 2.162907 | 0.148303 | 4.97517 |
| 8/24/2021 10:40 | 2.156757 | 0.148303 | 4.955413 |
| 8/24/2021 10:45 | 2.147039 | 0.148303 | 4.92423 |
| 8/24/2021 10:50 | 2.150957 | 0.148303 | 4.936796 |
| 8/24/2021 10:55 | 2.204915 | 0.148303 | 5.110568 |
| 8/24/2021 11:00 | 2.166531 | 0.148303 | 4.986819 |
| 8/24/2021 11:05 | 2.173068 | 0.148303 | 5.007848 |
| 8/24/2021 11:10 | 2.737246 | 0.308061 | 14.30424 |
| 8/24/2021 11:15 | 2.67063 | 0.308061 | 13.8317 |
| 8/24/2021 11:20 | 2.578251 | 0.308061 | 13.18107 |
| 8/24/2021 11:25 | 2.498304 | 0.308061 | 12.62267 |
| 8/24/2021 11:30 | 2.427007 | 0.308061 | 12.12862 |
| 8/24/2021 11:35 | 2.261525 | 0.308061 | 10.99747 |
| 8/24/2021 11:40 | 2.36716 | 0.308061 | 11.71695 |
| 8/24/2021 11:45 | 2.427778 | 0.308061 | 12.13395 |
| 8/24/2021 11:50 | 2.369803 | 0.308061 | 11.73507 |
| 8/24/2021 11:55 | 2.447358 | 0.315575 | 12.5685 |
| 8/24/2021 12:00 | 2.483795 | 0.315575 | 12.82723 |
| 8/24/2021 12:05 | 2.711571 | 0.315575 | 14.46622 |
| 8/24/2021 12:10 | 3.103614 | 0.205512 | 11.30455 |
| 8/24/2021 12:15 | 2.323905 | 0.205512 | 7.619254 |
| 8/24/2021 12:20 | 2.625766 | 0.205512 | 9.016077 |
| 8/24/2021 12:25 | 2.447295 | 0.205512 | 8.184715 |
| 8/24/2021 12:30 | 2.469388 | 0.205512 | 8.286799 |
| 8/24/2021 12:35 | 2.418846 | 0.205512 | 8.053626 |
| 8/24/2021 12:40 | 3.144366 | 0.205512 | 11.50302 |
| 8/24/2021 12:45 | 3.404265 | 0.205512 | 12.7774 |
| 8/24/2021 12:50 | 3.503382 | 0.05963 | 3.849319 |
| 8/24/2021 12:55 | 3.780189 | 0.05963 | 4.247227 |
| 8/24/2021 13:00 | 2.798617 | 0.211487 | 10.12043 |
| 8/24/2021 13:05 | 2.734371 | 0.269153 | 12.47974 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/24/2021 13:10 | 3.098652 | 0.056309 | 3.090745 |
| 8/24/2021 13:15 | 2.394556 | 0.056309 | 2.176057 |
| 8/24/2021 13:20 | 2.808974 | 0.056309 | 2.708125 |
| 8/24/2021 13:25 | 3.779373 | 0.056309 | 4.009559 |
| 8/24/2021 13:30 | 2.55572 | 0.056309 | 2.380446 |
| 8/24/2021 13:35 | 2.42085 | 0.056309 | 2.209157 |
| 8/24/2021 13:40 | 2.373024 | 0.056309 | 2.149024 |
| 8/24/2021 13:45 | 2.274713 | 0.056309 | 2.026488 |
| 8/24/2021 13:50 | 2.334917 | 0.056309 | 2.101352 |
| 8/24/2021 13:55 | 2.34404 | 0.056309 | 2.112745 |
| 8/24/2021 14:00 | 2.322213 | 0.056309 | 2.085508 |
| 8/24/2021 14:05 | 2.334311 | 0.056309 | 2.100595 |
| 8/24/2021 14:10 | 2.181763 | 0.056309 | 1.912048 |
| 8/24/2021 14:15 | 2.265717 | 0.056309 | 2.015351 |
| 8/24/2021 14:20 | 2.852295 | 0.056309 | 2.764869 |
| 8/24/2021 14:25 | 3.148932 | 0.056309 | 3.157838 |
| 8/24/2021 14:30 | 3.482133 | 0.056309 | 3.606161 |
| 8/24/2021 14:35 | 3.490432 | 0.056309 | 3.617392 |
| 8/24/2021 14:40 | 3.797266 | 0.056309 | 4.033891 |
| 8/24/2021 14:45 | 2.435164 | 0.056309 | 2.227218 |
| 8/24/2021 14:50 | 2.386696 | 0.056309 | 2.166181 |
| 8/24/2021 14:55 | 2.485137 | 0.056309 | 2.290498 |
| 8/24/2021 15:00 | 2.43249 | 0.056309 | 2.223843 |
| 8/24/2021 15:05 | 2.198782 | 0.056309 | 1.932894 |
| 8/24/2021 15:10 | 2.309939 | 0.056309 | 2.070223 |
| 8/24/2021 15:15 | 2.969263 | 0.056309 | 2.918956 |
| 8/24/2021 15:20 | 3.633783 | 0.056309 | 3.811728 |
| 8/24/2021 15:25 | 2.276407 | 0.056309 | 2.028587 |
| 8/24/2021 15:30 | 2.372708 | 0.056309 | 2.148628 |
| 8/24/2021 15:35 | 2.997981 | 0.056309 | 2.956971 |
| 8/24/2021 15:40 | 2.566156 | 0.056309 | 2.393799 |
| 8/24/2021 15:45 | 2.44945 | 0.056309 | 2.245273 |
| 8/24/2021 15:50 | 3.068179 | 0.056309 | 3.050171 |
| 8/24/2021 15:55 | 2.632224 | 0.056309 | 2.478652 |
| 8/24/2021 16:00 | 2.990824 | 0.214851 | 11.24638 |
| 8/24/2021 16:05 | 2.799744 | 0.214851 | 10.28703 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/24/2021 16:10 | 2.513601 | 0.214851 | 8.877679 |
| 8/24/2021 16:15 | 2.416167 | 0.214851 | 8.406691 |
| 8/24/2021 16:20 | 2.52928 | 0.214851 | 8.953927 |
| 8/24/2021 16:25 | 2.412569 | 0.214851 | 8.389394 |
| 8/24/2021 16:30 | 2.417627 | 0.214851 | 8.413713 |
| 8/24/2021 16:35 | 2.297982 | 0.214851 | 7.842373 |
| 8/24/2021 16:40 | 2.280657 | 0.214851 | 7.76033 |
| 8/24/2021 16:45 | 2.222074 | 0.214851 | 7.484272 |
| 8/24/2021 16:50 | 2.352347 | 0.214851 | 8.100967 |
| 8/24/2021 16:55 | 3.077072 | 0.214851 | 11.68333 |
| 8/24/2021 17:00 | 2.441726 | 0.214851 | 8.529757 |
| 8/24/2021 17:05 | 2.221686 | 0.214851 | 7.482451 |
| 8/24/2021 17:10 | 2.154493 | 0.214851 | 7.168508 |
| 8/24/2021 17:15 | 2.310991 | 0.214851 | 7.904094 |
| 8/24/2021 17:20 | 2.230342 | 0.214851 | 7.523105 |
| 8/24/2021 17:25 | 2.189872 | 0.214851 | 7.333444 |
| 8/24/2021 17:30 | 2.175329 | 0.214851 | 7.265548 |
| 8/24/2021 17:35 | 2.233817 | 0.214851 | 7.539436 |
| 8/24/2021 17:40 | 2.22634 | 0.214851 | 7.504302 |
| 8/24/2021 17:45 | 2.211265 | 0.214851 | 7.433568 |
| 8/24/2021 17:50 | 2.335458 | 0.214851 | 8.02045 |
| 8/24/2021 17:55 | 2.922181 | 0.214851 | 10.90029 |
| 8/24/2021 18:00 | 3.356765 | 0.214851 | 13.11349 |
| 8/24/2021 18:05 | 3.634416 | 0.214851 | 14.54723 |
| 8/24/2021 18:10 | 2.278559 | 0.214851 | 7.750406 |
| 8/24/2021 18:15 | 2.330226 | 0.214851 | 7.99554 |
| 8/24/2021 18:20 | 2.443162 | 0.214851 | 8.536683 |
| 8/24/2021 18:25 | 2.414809 | 0.214851 | 8.400167 |
| 8/24/2021 18:30 | 2.227693 | 0.214851 | 7.510656 |
| 8/24/2021 18:35 | 2.432259 | 0.214851 | 8.484133 |
| 8/24/2021 18:40 | 2.183885 | 0.214851 | 7.305477 |
| 8/24/2021 18:45 | 2.162297 | 0.214851 | 7.204822 |
| 8/24/2021 18:50 | 2.143204 | 0.214851 | 7.116055 |
| 8/24/2021 18:55 | 2.153662 | 0.214851 | 7.164646 |
| 8/24/2021 19:00 | 2.114282 | 0.214851 | 6.98206 |
| 8/24/2021 19:05 | 2.109479 | 0.214851 | 6.959862 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/24/2021 19:10 | 2.151781 | 0.214851 | 7.155899 |
| 8/24/2021 19:15 | 2.175042 | 0.214851 | 7.264208 |
| 8/24/2021 19:20 | 2.233365 | 0.214851 | 7.537311 |
| 8/24/2021 19:25 | 2.179596 | 0.214851 | 7.285455 |
| 8/24/2021 19:30 | 2.176095 | 0.214851 | 7.26912 |
| 8/24/2021 19:35 | 2.125286 | 0.214851 | 7.032973 |
| 8/24/2021 19:40 | 2.124677 | 0.214851 | 7.030154 |
| 8/24/2021 19:45 | 2.082609 | 0.214851 | 6.835974 |
| 8/24/2021 19:50 | 2.301652 | 0.214851 | 7.859776 |
| 8/24/2021 19:55 | 2.310492 | 0.214851 | 7.901724 |
| 8/24/2021 20:00 | 2.186503 | 0.214851 | 7.317703 |
| 8/24/2021 20:05 | 2.268285 | 0.214851 | 7.701856 |
| 8/24/2021 20:10 | 2.196246 | 0.214851 | 7.363247 |
| 8/24/2021 20:15 | 2.192434 | 0.214851 | 7.34542 |
| 8/24/2021 20:20 | 2.305398 | 0.214851 | 7.877546 |
| 8/24/2021 20:25 | 2.226446 | 0.214851 | 7.504802 |
| 8/24/2021 20:30 | 2.100633 | 0.214851 | 6.919019 |
| 8/24/2021 20:35 | 2.075069 | 0.214851 | 6.8013 |
| 8/24/2021 20:40 | 2.084352 | 0.214851 | 6.843993 |
| 8/24/2021 20:45 | 2.072599 | 0.214851 | 6.78995 |
| 8/24/2021 20:50 | 2.05705 | 0.214851 | 6.718599 |
| 8/24/2021 20:55 | 2.059937 | 0.214851 | 6.731831 |
| 8/24/2021 21:00 | 2.059563 | 0.214851 | 6.730119 |
| 8/24/2021 21:05 | 2.05463 | 0.214851 | 6.707508 |
| 8/24/2021 21:10 | 2.057849 | 0.214851 | 6.722262 |
| 8/24/2021 21:15 | 2.051395 | 0.214851 | 6.69269 |
| 8/24/2021 21:20 | 2.05533 | 0.214851 | 6.710716 |
| 8/24/2021 21:25 | 2.04884 | 0.214851 | 6.680992 |
| 8/24/2021 21:30 | 2.057969 | 0.214851 | 6.722812 |
| 8/24/2021 21:35 | 2.05701 | 0.214851 | 6.718415 |
| 8/24/2021 21:40 | 2.054515 | 0.214851 | 6.706979 |
| 8/24/2021 21:45 | 2.055966 | 0.214851 | 6.713629 |
| 8/24/2021 21:50 | 2.052968 | 0.214851 | 6.699894 |
| 8/24/2021 21:55 | 2.052778 | 0.214851 | 6.699026 |
| 8/24/2021 22:00 | 2.055065 | 0.214851 | 6.709503 |
| 8/24/2021 22:05 | 2.053784 | 0.214851 | 6.703631 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/24/2021 22:10 | 2.053954 | 0.214851 | 6.704412 |
| 8/24/2021 22:15 | 2.051937 | 0.214851 | 6.695174 |
| 8/24/2021 22:20 | 2.051341 | 0.214851 | 6.692443 |
| 8/24/2021 22:25 | 2.052022 | 0.214851 | 6.695563 |
| 8/24/2021 22:30 | 2.054593 | 0.214851 | 6.707337 |
| 8/24/2021 22:35 | 2.073572 | 0.214851 | 6.794421 |
| 8/24/2021 22:40 | 2.075341 | 0.214851 | 6.802551 |
| 8/24/2021 22:45 | 2.064532 | 0.214851 | 6.75291 |
| 8/24/2021 22:50 | 2.061786 | 0.214851 | 6.740312 |
| 8/24/2021 22:55 | 2.057988 | 0.214851 | 6.722898 |
| 8/24/2021 23:00 | 2.056072 | 0.214851 | 6.714114 |
| 8/24/2021 23:05 | 2.052213 | 0.214851 | 6.696436 |
| 8/24/2021 23:10 | 2.053441 | 0.214851 | 6.702061 |
| 8/24/2021 23:15 | 2.053198 | 0.214851 | 6.700946 |
| 8/24/2021 23:20 | 2.04906 | 0.214851 | 6.681999 |
| 8/24/2021 23:25 | 2.053545 | 0.214851 | 6.702535 |
| 8/24/2021 23:30 | 2.066232 | 0.214851 | 6.76071 |
| 8/24/2021 23:35 | 2.072135 | 0.214851 | 6.787816 |
| 8/24/2021 23:40 | 2.067973 | 0.214851 | 6.768702 |
| 8/24/2021 23:45 | 2.060499 | 0.214851 | 6.734407 |
| 8/24/2021 23:50 | 2.053703 | 0.214851 | 6.703261 |
| 8/24/2021 23:55 | 2.055103 | 0.214851 | 6.709677 |
| 8/25/2021 0:00 | 2.053513 | 0.214851 | 6.702391 |
| 8/25/2021 0:00 | 2.053513 | 0.214851 | 6.702391 |
| 8/25/2021 0:05 | 2.055133 | 0.214851 | 6.709813 |
| 8/25/2021 0:10 | 2.049373 | 0.214851 | 6.683435 |
| 8/25/2021 0:15 | 2.052295 | 0.214851 | 6.696812 |
| 8/25/2021 0:20 | 2.048084 | 0.214851 | 6.677532 |
| 8/25/2021 0:25 | 2.05233 | 0.214851 | 6.696973 |
| 8/25/2021 0:30 | 2.047165 | 0.214851 | 6.673324 |
| 8/25/2021 0:35 | 2.050209 | 0.214851 | 6.687261 |
| 8/25/2021 0:40 | 2.052495 | 0.214851 | 6.697727 |
| 8/25/2021 0:45 | 2.055149 | 0.214851 | 6.709885 |
| 8/25/2021 0:50 | 2.057447 | 0.214851 | 6.720418 |
| 8/25/2021 0:55 | 2.053351 | 0.214851 | 6.70165 |
| 8/25/2021 1:00 | 2.053588 | 0.214851 | 6.702735 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/25/2021 1:05 | 2.052697 | 0.214851 | 6.698653 | |
| 8/25/2021 1:10 | 2.064324 | 0.214851 | 6.751958 | |
| 8/25/2021 1:15 | 2.069206 | 0.214851 | 6.774365 | |
| 8/25/2021 1:20 | 2.066769 | 0.214851 | 6.763178 | |
| 8/25/2021 1:25 | 2.065684 | 0.214851 | 6.758198 | |
| 8/25/2021 1:30 | 2.061127 | 0.214851 | 6.737292 | |
| 8/25/2021 1:35 | 2.059888 | 0.214851 | 6.73161 | |
| 8/25/2021 1:40 | 2.053738 | 0.214851 | 6.70342 | |
| 8/25/2021 1:45 | 2.05023 | 0.214851 | 6.687356 | |
| 8/25/2021 1:50 | 2.050022 | 0.214851 | 6.686404 | |
| 8/25/2021 1:55 | 2.073102 | 0.214851 | 6.79226 | |
| 8/25/2021 2:00 | 2.081447 | 0.214851 | 6.830629 | |
| 8/25/2021 2:05 | 2.078048 | 0.214851 | 6.814994 | |
| 8/25/2021 2:10 | 2.066305 | 0.214851 | 6.761045 | |
| 8/25/2021 2:15 | 2.062228 | 0.214851 | 6.74234 | |
| 8/25/2021 2:20 | 2.057058 | 0.214851 | 6.718634 | |
| 8/25/2021 2:25 | 2.052525 | 0.214851 | 6.697865 | |
| 8/25/2021 2:30 | 2.054329 | 0.214851 | 6.706129 | |
| 8/25/2021 2:35 | 2.050889 | 0.214851 | 6.690372 | |
| 8/25/2021 2:40 | 2.05012 | 0.214851 | 6.686851 | |
| 8/25/2021 2:45 | 2.046953 | 0.214851 | 6.672358 | |
| 8/25/2021 2:50 | 2.047693 | 0.214851 | 6.675744 | |
| 8/25/2021 2:55 | 2.05139 | 0.214851 | 6.692667 | |
| 8/25/2021 3:00 | 2.06104 | 0.214851 | 6.736891 | |
| 8/25/2021 3:05 | 2.082671 | 0.214851 | 6.836259 | |
| 8/25/2021 3:10 | 2.076415 | 0.214851 | 6.807484 | |
| 8/25/2021 3:15 | 2.060745 | 0.214851 | 6.735539 | |
| 8/25/2021 3:20 | 2.056837 | 0.214851 | 6.717621 | |
| 8/25/2021 3:25 | 2.054423 | 0.214851 | 6.706558 | |
| 8/25/2021 3:30 | 2.051603 | 0.214851 | 6.693643 | |
| 8/25/2021 3:35 | 2.052687 | 0.214851 | 6.698608 | |
| 8/25/2021 3:40 | 2.059222 | 0.214851 | 6.728554 | |
| 8/25/2021 3:45 | 2.058862 | 0.214851 | 6.726904 | |
| 8/25/2021 3:50 | 2.052305 | 0.214851 | 6.696858 | |
| 8/25/2021 3:55 | 2.042891 | 0.214851 | 6.653775 | |
| 8/25/2021 4:00 | 2.054038 | 0.214851 | 6.704795 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/25/2021 4:05 | 2.053645 | 0.214851 | 6.702994 | |
| 8/25/2021 4:10 | 2.058221 | 0.214851 | 6.723967 | |
| 8/25/2021 4:15 | 2.06172 | 0.214851 | 6.74001 | |
| 8/25/2021 4:20 | 2.055138 | 0.214851 | 6.709836 | |
| 8/25/2021 4:25 | 2.050275 | 0.214851 | 6.687563 | |
| 8/25/2021 4:30 | 2.062613 | 0.214851 | 6.744108 | |
| 8/25/2021 4:35 | 2.051125 | 0.214851 | 6.691456 | |
| 8/25/2021 4:40 | 2.057312 | 0.214851 | 6.719796 | |
| 8/25/2021 4:45 | 2.075955 | 0.214851 | 6.805372 | |
| 8/25/2021 4:50 | 2.066056 | 0.214851 | 6.759902 | |
| 8/25/2021 4:55 | 2.062354 | 0.214851 | 6.742916 | |
| 8/25/2021 5:00 | 2.064718 | 0.214851 | 6.753763 | |
| 8/25/2021 5:05 | 2.064697 | 0.214851 | 6.753667 | |
| 8/25/2021 5:10 | 2.064319 | 0.214851 | 6.751933 | |
| 8/25/2021 5:15 | 2.055903 | 0.214851 | 6.71334 | |
| 8/25/2021 5:20 | 2.048567 | 0.214851 | 6.679745 | |
| 8/25/2021 5:25 | 2.050113 | 0.214851 | 6.686822 | |
| 8/25/2021 5:30 | 2.052396 | 0.214851 | 6.697274 | |
| 8/25/2021 5:35 | 2.058622 | 0.214851 | 6.725803 | |
| 8/25/2021 5:40 | 2.061513 | 0.214851 | 6.73906 | |
| 8/25/2021 5:45 | 2.080874 | 0.214851 | 6.82799 | |
| 8/25/2021 5:50 | 2.076559 | 0.214851 | 6.808149 | |
| 8/25/2021 5:55 | 2.072115 | 0.214851 | 6.787726 | |
| 8/25/2021 6:00 | 2.060743 | 0.214851 | 6.735527 | |
| 8/25/2021 6:05 | 2.051463 | 0.214851 | 6.693 | |
| 8/25/2021 6:10 | 2.061059 | 0.214851 | 6.736976 | |
| 8/25/2021 6:15 | 2.050334 | 0.214851 | 6.687834 | |
| 8/25/2021 6:20 | 2.04931 | 0.214851 | 6.683144 | |
| 8/25/2021 6:25 | 2.047248 | 0.214851 | 6.673705 | |
| 8/25/2021 6:30 | 2.054034 | 0.214851 | 6.704778 | |
| 8/25/2021 6:35 | 2.051082 | 0.214851 | 6.691257 | |
| 8/25/2021 6:40 | 2.904317 | 0.214851 | 10.81048 | |
| 8/25/2021 6:45 | 2.525332 | 0.214851 | 8.934716 | |
| 8/25/2021 6:50 | 2.346645 | 0.214851 | 8.073767 | |
| 8/25/2021 6:55 | 2.323633 | 0.214851 | 7.964174 | |
| 8/25/2021 7:00 | 2.214035 | 0.214851 | 7.446559 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/25/2021 7:05 | 2.152638 | 0.214851 | 7.159883 |
| 8/25/2021 7:10 | 2.122999 | 0.214851 | 7.022386 |
| 8/25/2021 7:15 | 2.099082 | 0.214851 | 6.911866 |
| 8/25/2021 7:20 | 2.084354 | 0.214851 | 6.844004 |
| 8/25/2021 7:25 | 2.073303 | 0.214851 | 6.793184 |
| 8/25/2021 7:30 | 2.089143 | 0.214851 | 6.866054 |
| 8/25/2021 7:35 | 2.079919 | 0.214851 | 6.823599 |
| 8/25/2021 7:40 | 2.069806 | 0.214851 | 6.777119 |
| 8/25/2021 7:45 | 2.050216 | 0.214851 | 6.687294 |
| 8/25/2021 7:50 | 2.05035 | 0.214851 | 6.687907 |
| 8/25/2021 7:55 | 2.044761 | 0.214851 | 6.662328 |
| 8/25/2021 8:00 | 2.047002 | 0.214851 | 6.672581 |
| 8/25/2021 8:05 | 2.050552 | 0.214851 | 6.688829 |
| 8/25/2021 8:10 | 2.04526 | 0.214851 | 6.664608 |
| 8/25/2021 8:15 | 2.038129 | 0.214851 | 6.632003 |
| 8/25/2021 8:20 | 2.040998 | 0.214851 | 6.645119 |
| 8/25/2021 8:25 | 2.046165 | 0.214851 | 6.66875 |
| 8/25/2021 8:30 | 2.077439 | 0.214851 | 6.812192 |
| 8/25/2021 8:35 | 2.084212 | 0.214851 | 6.843348 |
| 8/25/2021 8:40 | 2.115042 | 0.214851 | 6.985573 |
| 8/25/2021 8:45 | 2.073971 | 0.214851 | 6.796253 |
| 8/25/2021 8:50 | 2.072202 | 0.214851 | 6.788123 |
| 8/25/2021 8:55 | 2.071502 | 0.214851 | 6.784911 |
| 8/25/2021 9:00 | 2.12824 | 0.214851 | 7.046654 |
| 8/25/2021 9:05 | 2.163034 | 0.214851 | 7.208253 |
| 8/25/2021 9:10 | 2.120797 | 0.214851 | 7.012192 |
| 8/25/2021 9:15 | 2.142915 | 0.214851 | 7.114712 |
| 8/25/2021 9:20 | 2.08745 | 0.214851 | 6.858257 |
| 8/25/2021 9:25 | 2.180926 | 0.214851 | 7.291663 |
| 8/25/2021 9:30 | 2.228803 | 0.214851 | 7.515874 |
| 8/25/2021 9:35 | 2.148217 | 0.214851 | 7.139337 |
| 8/25/2021 9:40 | 2.112657 | 0.214851 | 6.974545 |
| 8/25/2021 9:45 | 2.058214 | 0.214851 | 6.723934 |
| 8/25/2021 9:50 | 2.051992 | 0.214851 | 6.695423 |
| 8/25/2021 9:55 | 2.060325 | 0.214851 | 6.73361 |
| 8/25/2021 10:00 | 2.112314 | 0.214851 | 6.972959 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/25/2021 10:05 | 2.495507 | 0.214851 | 8.789841 |
| 8/25/2021 10:10 | 2.612307 | 0.214851 | 9.359676 |
| 8/25/2021 10:15 | 2.412741 | 0.214851 | 8.390223 |
| 8/25/2021 10:20 | 2.329731 | 0.214851 | 7.993182 |
| 8/25/2021 10:25 | 2.305763 | 0.214851 | 7.879281 |
| 8/25/2021 10:30 | 2.273118 | 0.214851 | 7.72469 |
| 8/25/2021 10:35 | 2.258885 | 0.214851 | 7.657488 |
| 8/25/2021 10:40 | 2.271952 | 0.214851 | 7.719177 |
| 8/25/2021 10:45 | 2.246687 | 0.214851 | 7.599998 |
| 8/25/2021 10:50 | 2.456488 | 0.214851 | 8.600999 |
| 8/25/2021 10:55 | 2.379443 | 0.214851 | 8.230492 |
| 8/25/2021 11:00 | 2.160564 | 0.214851 | 7.196755 |
| 8/25/2021 11:05 | 2.167189 | 0.214851 | 7.227601 |
| 8/25/2021 11:10 | 2.169789 | 0.214851 | 7.239717 |
| 8/25/2021 11:15 | 2.28431 | 0.214851 | 7.777613 |
| 8/25/2021 11:20 | 2.28992 | 0.214851 | 7.804172 |
| 8/25/2021 11:25 | 2.202706 | 0.214851 | 7.393476 |
| 8/25/2021 11:30 | 2.166081 | 0.214851 | 7.22244 |
| 8/25/2021 11:35 | 2.156965 | 0.214851 | 7.180006 |
| 8/25/2021 11:40 | 2.233418 | 0.214851 | 7.537561 |
| 8/25/2021 11:45 | 2.193245 | 0.214851 | 7.349211 |
| 8/25/2021 11:50 | 2.153865 | 0.214851 | 7.165588 |
| 8/25/2021 11:55 | 2.155399 | 0.214851 | 7.172721 |
| 8/25/2021 12:00 | 2.305834 | 0.214851 | 7.879613 |
| 8/25/2021 12:05 | 2.284849 | 0.214851 | 7.780164 |
| 8/25/2021 12:10 | 2.22029 | 0.214851 | 7.475898 |
| 8/25/2021 12:15 | 2.347842 | 0.214851 | 8.079474 |
| 8/25/2021 12:20 | 2.517136 | 0.214851 | 8.894858 |
| 8/25/2021 12:25 | 2.536371 | 0.214851 | 8.988448 |
| 8/25/2021 12:30 | 2.216119 | 0.214851 | 7.456327 |
| 8/25/2021 12:35 | 2.230664 | 0.214851 | 7.524618 |
| 8/25/2021 12:40 | 2.726818 | 0.214851 | 9.924468 |
| 8/25/2021 12:45 | 2.302762 | 0.214851 | 7.865041 |
| 8/25/2021 12:50 | 2.285861 | 0.214851 | 7.784954 |
| 8/25/2021 12:55 | 2.310572 | 0.214851 | 7.902106 |
| 8/25/2021 13:00 | 2.209201 | 0.214851 | 7.423899 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/25/2021 13:05 | 2.249212 | 0.214851 | 7.611891 |
| 8/25/2021 13:10 | 2.905682 | 0.382931 | 19.27988 |
| 8/25/2021 13:15 | 2.564687 | 0.382931 | 16.26637 |
| 8/25/2021 13:20 | 2.378763 | 0.382931 | 14.6635 |
| 8/25/2021 13:25 | 2.308766 | 0.382931 | 14.06874 |
| 8/25/2021 13:30 | 2.438444 | 0.382931 | 15.17449 |
| 8/25/2021 13:35 | 2.331739 | 0.382931 | 14.26338 |
| 8/25/2021 13:40 | 2.236086 | 0.382931 | 13.45664 |
| 8/25/2021 13:45 | 2.228604 | 0.382931 | 13.39396 |
| 8/25/2021 13:50 | 2.274134 | 0.382931 | 13.77636 |
| 8/25/2021 13:53 | | | |
| 8/25/2021 13:55 | 2.43952 | 0.382931 | 15.18388 |
| 8/25/2021 14:00 | 2.392804 | 0.382931 | 14.78461 |
| 8/25/2021 14:05 | 2.178469 | 0.382931 | 12.97558 |
| 8/25/2021 14:10 | 2.126189 | 0.382931 | 12.54241 |
| 8/25/2021 14:15 | 2.565152 | 0.205745 | 8.741927 |
| 8/25/2021 14:20 | 2.431485 | 0.205745 | 8.120985 |
| 8/25/2021 14:25 | 2.345181 | 0.205745 | 7.724892 |
| 8/25/2021 14:30 | 2.248371 | 0.205745 | 7.285486 |
| 8/25/2021 14:35 | 2.447263 | 0.205745 | 8.193819 |
| 8/25/2021 14:40 | 2.641676 | 0.205745 | 9.101174 |
| 8/25/2021 14:45 | 2.403198 | 0.205745 | 7.990727 |
| 8/25/2021 14:50 | 2.267058 | 0.205745 | 7.369882 |
| 8/25/2021 14:55 | 2.238504 | 0.205745 | 7.241003 |
| 8/25/2021 15:00 | 2.295632 | 0.205745 | 7.499328 |
| 8/25/2021 15:05 | 2.335197 | 0.205745 | 7.679333 |
| 8/25/2021 15:10 | 2.408455 | 0.205745 | 8.014904 |
| 8/25/2021 15:15 | 2.204022 | 0.205745 | 7.086023 |
| 8/25/2021 15:20 | 2.179113 | 0.205745 | 6.974519 |
| 8/25/2021 15:25 | 2.207576 | 0.205745 | 7.101963 |
| 8/25/2021 15:30 | 2.265265 | 0.205745 | 7.361777 |
| 8/25/2021 15:35 | 2.203137 | 0.205745 | 7.082055 |
| 8/25/2021 15:40 | 2.269848 | 0.205745 | 7.382497 |
| 8/25/2021 15:45 | 2.554855 | 0.205745 | 8.693784 |
| 8/25/2021 15:50 | 2.51407 | 0.205745 | 8.503602 |
| 8/25/2021 15:55 | 2.356474 | 0.205745 | 7.776495 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/25/2021 16:00 | 2.456351 | 0.205745 | 8.235829 |
| 8/25/2021 16:05 | 2.179201 | 0.205745 | 6.974911 |
| 8/25/2021 16:10 | 2.179498 | 0.205745 | 6.976237 |
| 8/25/2021 16:15 | 2.136678 | 0.205745 | 6.785457 |
| 8/25/2021 16:20 | 2.225518 | 0.087335 | 3.048853 |
| 8/25/2021 16:25 | 2.872348 | 0.096168 | 4.766998 |
| 8/25/2021 16:30 | 2.598555 | 0.096168 | 4.159248 |
| 8/25/2021 16:35 | 2.436831 | 0.096168 | 3.807393 |
| 8/25/2021 16:40 | 2.325041 | 0.096168 | 3.567793 |
| 8/25/2021 16:45 | 2.266741 | 0.096168 | 3.444118 |
| 8/25/2021 16:50 | 2.534829 | 0.096168 | 4.019904 |
| 8/25/2021 16:55 | 2.288957 | 0.096168 | 3.491139 |
| 8/25/2021 17:00 | 2.260098 | 0.096168 | 3.430083 |
| 8/25/2021 17:05 | 2.27305 | 0.096168 | 3.457457 |
| 8/25/2021 17:10 | 2.237019 | 0.096168 | 3.381422 |
| 8/25/2021 17:15 | 2.236822 | 0.096168 | 3.381008 |
| 8/25/2021 17:20 | 2.342221 | 0.096168 | 3.604409 |
| 8/25/2021 17:25 | 2.354113 | 0.096168 | 3.629799 |
| 8/25/2021 17:30 | 2.152172 | 0.096168 | 3.203823 |
| 8/25/2021 17:35 | 2.090012 | 0.096168 | 3.075065 |
| 8/25/2021 17:40 | 2.072769 | 0.096168 | 3.039558 |
| 8/25/2021 17:45 | 2.163668 | 0.096168 | 3.227764 |
| 8/25/2021 17:50 | 2.283649 | 0.096168 | 3.479892 |
| 8/25/2021 17:55 | 2.423208 | 0.096168 | 3.778029 |
| 8/25/2021 18:00 | 2.386722 | 0.096168 | 3.699608 |
| 8/25/2021 18:05 | 2.314232 | 0.096168 | 3.544795 |
| 8/25/2021 18:10 | 2.163442 | 0.096168 | 3.227294 |
| 8/25/2021 18:15 | 2.171307 | 0.096168 | 3.243694 |
| 8/25/2021 18:20 | 3.010056 | 0.096168 | 5.077451 |
| 8/25/2021 18:25 | 2.195296 | 0.096168 | 3.293829 |
| 8/25/2021 18:30 | 2.244748 | 0.096168 | 3.397703 |
| 8/25/2021 18:35 | 2.233094 | 0.096168 | 3.373161 |
| 8/25/2021 18:40 | 2.195401 | 0.096168 | 3.29405 |
| 8/25/2021 18:45 | 2.307258 | 0.096168 | 3.529973 |
| 8/25/2021 18:50 | 2.24457 | 0.096168 | 3.397327 |
| 8/25/2021 18:55 | 2.122905 | 0.096168 | 3.143053 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/25/2021 19:00 | 2.113561 | 0.096168 | 3.123706 |
| 8/25/2021 19:05 | 2.439902 | 0.096168 | 3.814018 |
| 8/25/2021 19:10 | 2.599508 | 0.096168 | 4.161338 |
| 8/25/2021 19:15 | 2.887049 | 0.077939 | 3.890166 |
| 8/25/2021 19:20 | 2.454307 | 0.077939 | 3.116286 |
| 8/25/2021 19:25 | 2.40385 | 0.077939 | 3.028153 |
| 8/25/2021 19:30 | 2.230022 | 0.077939 | 2.728544 |
| 8/25/2021 19:35 | 2.082993 | 0.077939 | 2.480465 |
| 8/25/2021 19:40 | 2.081322 | 0.077939 | 2.477677 |
| 8/25/2021 19:45 | 2.067862 | 0.077939 | 2.455238 |
| 8/25/2021 19:50 | 2.158134 | 0.077939 | 2.606599 |
| 8/25/2021 19:55 | 2.104137 | 0.077939 | 2.515817 |
| 8/25/2021 20:00 | 2.473205 | 0.077939 | 3.149422 |
| 8/25/2021 20:05 | 2.495003 | 0.077939 | 3.187726 |
| 8/25/2021 20:10 | 2.229221 | 0.077939 | 2.727179 |
| 8/25/2021 20:15 | 2.272635 | 0.077939 | 2.801388 |
| 8/25/2021 20:20 | 2.103035 | 0.077939 | 2.513972 |
| 8/25/2021 20:25 | 2.073109 | 0.077939 | 2.463978 |
| 8/25/2021 20:30 | 2.043282 | 0.077939 | 2.414378 |
| 8/25/2021 20:35 | 2.152501 | 0.077939 | 2.597096 |
| 8/25/2021 20:40 | 2.152558 | 0.077939 | 2.597193 |
| 8/25/2021 20:45 | 2.047255 | 0.077939 | 2.420973 |
| 8/25/2021 20:50 | 2.048282 | 0.077939 | 2.422677 |
| 8/25/2021 20:55 | 2.049378 | 0.077939 | 2.424497 |
| 8/25/2021 21:00 | 2.030668 | 0.077939 | 2.393472 |
| 8/25/2021 21:05 | 2.026269 | 0.077939 | 2.386191 |
| 8/25/2021 21:10 | 2.078412 | 0.077939 | 2.472821 |
| 8/25/2021 21:15 | 2.074779 | 0.077939 | 2.466762 |
| 8/25/2021 21:20 | 2.066952 | 0.077939 | 2.453722 |
| 8/25/2021 21:25 | 2.078889 | 0.077939 | 2.473617 |
| 8/25/2021 21:30 | 2.071093 | 0.077939 | 2.460619 |
| 8/25/2021 21:35 | 2.072682 | 0.077939 | 2.463268 |
| 8/25/2021 21:40 | 2.070585 | 0.077939 | 2.459773 |
| 8/25/2021 21:45 | 2.072669 | 0.077939 | 2.463246 |
| 8/25/2021 21:50 | 2.071104 | 0.077939 | 2.460637 |
| 8/25/2021 21:55 | 2.070927 | 0.077939 | 2.460342 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/25/2021 22:00 | 2.067477 | 0.077939 | 2.454597 |
| 8/25/2021 22:05 | 2.071924 | 0.077939 | 2.462004 |
| 8/25/2021 22:10 | 2.073191 | 0.077939 | 2.464116 |
| 8/25/2021 22:15 | 2.065976 | 0.077939 | 2.452096 |
| 8/25/2021 22:20 | 2.070622 | 0.077939 | 2.459834 |
| 8/25/2021 22:25 | 2.070835 | 0.077939 | 2.46019 |
| 8/25/2021 22:30 | 2.070768 | 0.077939 | 2.460078 |
| 8/25/2021 22:35 | 2.069637 | 0.077939 | 2.458193 |
| 8/25/2021 22:40 | 2.064622 | 0.077939 | 2.449842 |
| 8/25/2021 22:45 | 2.065277 | 0.077939 | 2.450932 |
| 8/25/2021 22:50 | 2.063215 | 0.077939 | 2.447501 |
| 8/25/2021 22:55 | 2.06527 | 0.077939 | 2.450921 |
| 8/25/2021 23:00 | 2.065383 | 0.077939 | 2.451109 |
| 8/25/2021 23:05 | 2.059508 | 0.077939 | 2.441333 |
| 8/25/2021 23:10 | 2.063994 | 0.077939 | 2.448796 |
| 8/25/2021 23:15 | 2.063919 | 0.077939 | 2.448672 |
| 8/25/2021 23:20 | 2.062989 | 0.077939 | 2.447124 |
| 8/25/2021 23:25 | 2.064925 | 0.077939 | 2.450346 |
| 8/25/2021 23:30 | 2.062412 | 0.077939 | 2.446164 |
| 8/25/2021 23:35 | 2.057047 | 0.077939 | 2.43724 |
| 8/25/2021 23:40 | 2.061907 | 0.077939 | 2.445324 |
| 8/25/2021 23:45 | 2.072647 | 0.077939 | 2.463208 |
| 8/25/2021 23:50 | 2.082016 | 0.077939 | 2.478835 |
| 8/25/2021 23:55 | 2.07737 | 0.077939 | 2.471083 |
| 8/26/2021 0:00 | 2.068807 | 0.077939 | 2.456811 |
| 8/26/2021 0:05 | 2.068745 | 0.077939 | 2.456708 |
| 8/26/2021 0:10 | 2.064841 | 0.077939 | 2.450207 |
| 8/26/2021 0:15 | 2.070843 | 0.077939 | 2.460203 |
| 8/26/2021 0:20 | 2.085781 | 0.077939 | 2.485121 |
| 8/26/2021 0:25 | 2.088505 | 0.077939 | 2.48967 |
| 8/26/2021 0:30 | 2.075208 | 0.077939 | 2.467479 |
| 8/26/2021 0:35 | 2.069423 | 0.077939 | 2.457837 |
| 8/26/2021 0:40 | 2.067661 | 0.077939 | 2.454902 |
| 8/26/2021 0:45 | 2.064529 | 0.077939 | 2.449687 |
| 8/26/2021 0:50 | 2.059782 | 0.077939 | 2.441789 |
| 8/26/2021 0:55 | 2.064802 | 0.077939 | 2.450142 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/26/2021 1:00 | 2.061038 | 0.077939 | 2.443879 |
| 8/26/2021 1:05 | 2.057272 | 0.077939 | 2.437615 |
| 8/26/2021 1:10 | 2.065456 | 0.077939 | 2.451232 |
| 8/26/2021 1:15 | 2.057817 | 0.077939 | 2.43852 |
| 8/26/2021 1:20 | 2.059492 | 0.077939 | 2.441307 |
| 8/26/2021 1:25 | 2.059746 | 0.077939 | 2.44173 |
| 8/26/2021 1:30 | 2.065926 | 0.077939 | 2.452014 |
| 8/26/2021 1:35 | 2.067927 | 0.077939 | 2.455345 |
| 8/26/2021 1:40 | 2.061777 | 0.077939 | 2.445108 |
| 8/26/2021 1:45 | 2.06561 | 0.077939 | 2.451487 |
| 8/26/2021 1:50 | 2.06446 | 0.077939 | 2.449572 |
| 8/26/2021 1:55 | 2.06014 | 0.077939 | 2.442385 |
| 8/26/2021 2:00 | 2.06681 | 0.077939 | 2.453486 |
| 8/26/2021 2:05 | 2.070589 | 0.077939 | 2.45978 |
| 8/26/2021 2:10 | 2.063804 | 0.077939 | 2.44848 |
| 8/26/2021 2:15 | 2.053515 | 0.077939 | 2.43137 |
| 8/26/2021 2:20 | 2.057836 | 0.077939 | 2.438552 |
| 8/26/2021 2:25 | 2.058983 | 0.077939 | 2.44046 |
| 8/26/2021 2:30 | 2.062411 | 0.077939 | 2.446164 |
| 8/26/2021 2:35 | 2.0637 | 0.077939 | 2.448308 |
| 8/26/2021 2:40 | 2.063878 | 0.077939 | 2.448603 |
| 8/26/2021 2:45 | 2.065748 | 0.077939 | 2.451717 |
| 8/26/2021 2:50 | 2.057221 | 0.077939 | 2.43753 |
| 8/26/2021 2:55 | 2.064727 | 0.077939 | 2.450018 |
| 8/26/2021 3:00 | 2.057616 | 0.077939 | 2.438187 |
| 8/26/2021 3:05 | 2.064633 | 0.077939 | 2.449861 |
| 8/26/2021 3:10 | 2.063668 | 0.077939 | 2.448254 |
| 8/26/2021 3:15 | 2.069294 | 0.077939 | 2.457622 |
| 8/26/2021 3:20 | 2.061739 | 0.077939 | 2.445045 |
| 8/26/2021 3:25 | 2.046061 | 0.077939 | 2.41899 |
| 8/26/2021 3:30 | 2.064382 | 0.077939 | 2.449443 |
| 8/26/2021 3:35 | 2.104687 | 0.077939 | 2.516738 |
| 8/26/2021 3:40 | 2.084887 | 0.077939 | 2.483627 |
| 8/26/2021 3:45 | 2.078465 | 0.077939 | 2.47291 |
| 8/26/2021 3:50 | 2.0742 | 0.077939 | 2.465798 |
| 8/26/2021 3:55 | 2.068556 | 0.077939 | 2.456393 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/26/2021 4:00 | 2.067351 | 0.077939 | 2.454386 | |
| 8/26/2021 4:05 | 2.066542 | 0.077939 | 2.453039 | |
| 8/26/2021 4:10 | 2.061787 | 0.077939 | 2.445124 | |
| 8/26/2021 4:15 | 2.070172 | 0.077939 | 2.459085 | |
| 8/26/2021 4:20 | 2.060923 | 0.077939 | 2.443686 | |
| 8/26/2021 4:25 | 2.062658 | 0.077939 | 2.446574 | |
| 8/26/2021 4:30 | 2.063481 | 0.077939 | 2.447943 | |
| 8/26/2021 4:35 | 2.066217 | 0.077939 | 2.452498 | |
| 8/26/2021 4:40 | 2.066472 | 0.077939 | 2.452922 | |
| 8/26/2021 4:45 | 2.072051 | 0.077939 | 2.462215 | |
| 8/26/2021 4:50 | 2.07832 | 0.077939 | 2.472667 | |
| 8/26/2021 4:55 | 2.085159 | 0.077939 | 2.484083 | |
| 8/26/2021 5:00 | 2.071333 | 0.077939 | 2.461019 | |
| 8/26/2021 5:05 | 2.076902 | 0.077939 | 2.470303 | |
| 8/26/2021 5:10 | 2.075221 | 0.077939 | 2.467501 | |
| 8/26/2021 5:15 | 2.07046 | 0.077939 | 2.459565 | |
| 8/26/2021 5:20 | 2.065478 | 0.077939 | 2.451267 | |
| 8/26/2021 5:25 | 2.068459 | 0.077939 | 2.456231 | |
| 8/26/2021 5:30 | 2.066824 | 0.077939 | 2.453508 | |
| 8/26/2021 5:35 | 2.065292 | 0.077939 | 2.450959 | |
| 8/26/2021 5:40 | 2.080187 | 0.077939 | 2.475783 | |
| 8/26/2021 5:45 | 2.097845 | 0.077939 | 2.505285 | |
| 8/26/2021 5:50 | 2.084966 | 0.077939 | 2.48376 | |
| 8/26/2021 5:55 | 2.081604 | 0.077939 | 2.478147 | |
| 8/26/2021 6:00 | 2.081266 | 0.077939 | 2.477583 | |
| 8/26/2021 6:05 | 2.063914 | 0.077939 | 2.448664 | |
| 8/26/2021 6:10 | 2.075866 | 0.077939 | 2.468576 | |
| 8/26/2021 6:15 | 2.061515 | 0.077939 | 2.444672 | |
| 8/26/2021 6:20 | 2.068018 | 0.077939 | 2.455498 | |
| 8/26/2021 6:25 | 2.079862 | 0.077939 | 2.47524 | |
| 8/26/2021 6:30 | 2.085891 | 0.077939 | 2.485305 | |
| 8/26/2021 6:35 | 2.096216 | 0.077939 | 2.502561 | |
| 8/26/2021 6:40 | 2.087256 | 0.077939 | 2.487585 | |
| 8/26/2021 6:45 | 2.077624 | 0.077939 | 2.471507 | |
| 8/26/2021 6:50 | 2.073647 | 0.077939 | 2.464875 | |
| 8/26/2021 6:55 | 2.066008 | 0.077939 | 2.45215 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/26/2021 7:00 | 2.068461 | 0.077939 | 2.456235 | |
| 8/26/2021 7:05 | 2.122759 | 0.077939 | 2.547045 | |
| 8/26/2021 7:10 | 2.434112 | 0.077939 | 3.080952 | |
| 8/26/2021 7:15 | 2.58565 | 0.120027 | 5.155827 | |
| 8/26/2021 7:20 | 2.413575 | 0.120027 | 4.689455 | |
| 8/26/2021 7:25 | 2.316295 | 0.120027 | 4.429713 | |
| 8/26/2021 7:30 | 2.253425 | 0.120027 | 4.263487 | |
| 8/26/2021 7:35 | 2.196843 | 0.120027 | 4.115053 | |
| 8/26/2021 7:40 | 2.160309 | 0.120027 | 4.019817 | |
| 8/26/2021 7:45 | 2.136341 | 0.120027 | 3.957607 | |
| 8/26/2021 7:50 | 2.114634 | 0.120027 | 3.901449 | |
| 8/26/2021 7:55 | 2.115086 | 0.120027 | 3.902619 | |
| 8/26/2021 8:00 | 2.100714 | 0.120027 | 3.865534 | |
| 8/26/2021 8:05 | 2.08805 | 0.120027 | 3.832922 | |
| 8/26/2021 8:10 | 2.09478 | 0.120027 | 3.850246 | |
| 8/26/2021 8:15 | 2.085526 | 0.120027 | 3.82643 | |
| 8/26/2021 8:20 | 2.086089 | 0.120027 | 3.827878 | |
| 8/26/2021 8:25 | 2.079031 | 0.120027 | 3.809735 | |
| 8/26/2021 8:30 | 2.080964 | 0.120027 | 3.814703 | |
| 8/26/2021 8:35 | 2.077895 | 0.120027 | 3.806817 | |
| 8/26/2021 8:40 | 2.07883 | 0.120027 | 3.809218 | |
| 8/26/2021 8:45 | 2.074319 | 0.120027 | 3.797634 | |
| 8/26/2021 8:50 | 2.079952 | 0.120027 | 3.812103 | |
| 8/26/2021 8:55 | 2.427324 | 0.120027 | 4.726402 | |
| 8/26/2021 9:00 | 2.157134 | 0.081677 | 2.729816 | |
| 8/26/2021 9:05 | 2.175531 | 0.081677 | 2.762393 | |
| 8/26/2021 9:10 | 2.220222 | 0.081677 | 2.84188 | |
| 8/26/2021 9:15 | 2.155944 | 0.081677 | 2.727711 | |
| 8/26/2021 9:20 | 2.114365 | 0.081677 | 2.654411 | |
| 8/26/2021 9:25 | 2.154281 | 0.081677 | 2.724771 | |
| 8/26/2021 9:30 | 2.135905 | 0.081677 | 2.69233 | |
| 8/26/2021 9:35 | 2.092247 | 0.081677 | 2.615602 | |
| 8/26/2021 9:40 | 2.221458 | 0.081677 | 2.844085 | |
| 8/26/2021 9:45 | 2.178725 | 0.081677 | 2.768057 | |
| 8/26/2021 9:50 | 2.157967 | 0.081677 | 2.731288 | |
| 8/26/2021 9:55 | 2.203824 | 0.081677 | 2.812657 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/26/2021 10:00 | 2.255074 | 0.081677 | 2.904201 |
| 8/26/2021 10:05 | 2.187528 | 0.081677 | 2.783683 |
| 8/26/2021 10:10 | 2.168667 | 0.081677 | 2.750227 |
| 8/26/2021 10:15 | 2.144172 | 0.081677 | 2.706914 |
| 8/26/2021 10:20 | 2.127238 | 0.081677 | 2.677058 |
| 8/26/2021 10:25 | 2.156555 | 0.081677 | 2.728791 |
| 8/26/2021 10:30 | 2.178074 | 0.081677 | 2.766903 |
| 8/26/2021 10:35 | 2.220702 | 0.081677 | 2.842736 |
| 8/26/2021 10:40 | 2.244519 | 0.081677 | 2.885296 |
| 8/26/2021 10:45 | 2.245492 | 0.081677 | 2.887037 |
| 8/26/2021 10:50 | 2.175989 | 0.081677 | 2.763205 |
| 8/26/2021 10:55 | 2.131611 | 0.081677 | 2.68476 |
| 8/26/2021 11:00 | 2.947127 | 0.249097 | 12.78338 |
| 8/26/2021 11:05 | 2.588584 | 0.249097 | 10.71677 |
| 8/26/2021 11:10 | 2.508186 | 0.180406 | 7.432315 |
| 8/26/2021 11:15 | 2.499435 | 0.180406 | 7.396647 |
| 8/26/2021 11:20 | 2.445261 | 0.180406 | 7.176577 |
| 8/26/2021 11:25 | 2.397138 | 0.180406 | 6.982184 |
| 8/26/2021 11:30 | 2.309798 | 0.180406 | 6.632151 |
| 8/26/2021 11:35 | 2.300533 | 0.180406 | 6.595234 |
| 8/26/2021 11:40 | 2.746494 | 0.180406 | 8.41533 |
| 8/26/2021 11:45 | 2.49615 | 0.180406 | 7.383264 |
| 8/26/2021 11:50 | 2.387656 | 0.180406 | 6.944009 |
| 8/26/2021 11:55 | 2.284942 | 0.180406 | 6.533213 |
| 8/26/2021 12:00 | 2.304065 | 0.180406 | 6.609302 |
| 8/26/2021 12:05 | 2.314709 | 0.057198 | 2.108952 |
| 8/26/2021 12:10 | 2.601592 | 0.057198 | 2.477771 |
| 8/26/2021 12:15 | 2.377958 | 0.057198 | 2.189252 |
| 8/26/2021 12:20 | 2.643152 | 0.057198 | 2.532111 |
| 8/26/2021 12:25 | 2.712369 | 0.057198 | 2.623065 |
| 8/26/2021 12:30 | 2.408586 | 0.057198 | 2.228354 |
| 8/26/2021 12:35 | 2.368583 | 0.057198 | 2.177312 |
| 8/26/2021 12:40 | 2.286028 | 0.057198 | 2.072743 |
| 8/26/2021 12:45 | 2.424453 | 0.057198 | 2.248665 |
| 8/26/2021 12:50 | 2.595837 | 0.057198 | 2.470263 |
| 8/26/2021 12:55 | 2.374373 | 0.057198 | 2.184685 |

| Site Name | Albany | Albany | Albany | |
|----------------------|-------------|-------------|-------------|---|
| Isco Quantity | Level | Velocity | Flow Rate | |
| Label | 350 Level | 350 Velocit | Flow Rate | |
| Units | in | ft/s | gpm | |
| Resolution | | 0 | 0 | 0 |
| Significant Digits | | 0 | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M | |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C | |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/26/2021 13:00 | 2.274701 | 0.057198 | 2.05848 |
| 8/26/2021 13:05 | 2.238661 | 0.057198 | 2.013235 |
| 8/26/2021 13:10 | 2.296247 | 0.057198 | 2.08563 |
| 8/26/2021 13:15 | 2.786499 | 0.057198 | 2.72107 |
| 8/26/2021 13:20 | 2.763911 | 0.057198 | 2.691144 |
| 8/26/2021 13:25 | 2.368701 | 0.057198 | 2.177462 |
| 8/26/2021 13:27 | | | |
| 8/26/2021 13:30 | 2.29296 | 0.057198 | 2.07945 |
| 8/26/2021 13:35 | 2.38222 | 0.057198 | 2.194685 |
| 8/26/2021 13:40 | 2.361888 | 0.057198 | 2.168793 |
| 8/26/2021 13:45 | 2.410078 | 0.057198 | 2.230263 |
| 8/26/2021 13:50 | 2.2998 | 0.057198 | 2.090114 |
| 8/26/2021 13:55 | 2.210341 | 0.057198 | 1.977834 |
| 8/26/2021 14:00 | 2.247569 | 0.057198 | 2.024399 |
| 8/26/2021 14:05 | 2.994811 | 0.173488 | 9.097508 |
| 8/26/2021 14:10 | 2.627316 | 0.173488 | 7.617265 |
| 8/26/2021 14:15 | 2.51083 | 0.173488 | 7.157681 |
| 8/26/2021 14:20 | 2.40448 | 0.173488 | 6.742899 |
| 8/26/2021 14:25 | 2.546985 | 0.173488 | 7.299765 |
| 8/26/2021 14:30 | 2.617367 | 0.173488 | 7.577813 |
| 8/26/2021 14:35 | 2.571682 | 0.173488 | 7.397115 |
| 8/26/2021 14:40 | 2.3386 | 0.173488 | 6.488445 |
| 8/26/2021 14:45 | 2.534497 | 0.173488 | 7.250629 |
| 8/26/2021 14:50 | 2.276223 | 0.173488 | 6.249388 |
| 8/26/2021 14:55 | 2.389872 | 0.173488 | 6.686306 |
| 8/26/2021 15:00 | 2.38582 | 0.173488 | 6.670627 |
| 8/26/2021 15:05 | 2.30022 | 0.173488 | 6.341131 |
| 8/26/2021 15:10 | 2.410343 | 0.173488 | 6.76564 |
| 8/26/2021 15:15 | 2.965834 | 0.072075 | 3.730445 |
| 8/26/2021 15:20 | 2.205964 | 0.072075 | 2.485372 |
| 8/26/2021 15:25 | 2.136643 | 0.072075 | 2.376977 |
| 8/26/2021 15:30 | 2.176524 | 0.072075 | 2.439209 |
| 8/26/2021 15:35 | 2.599982 | 0.097777 | 4.231996 |
| 8/26/2021 15:40 | 2.947693 | 0.097777 | 5.019075 |
| 8/26/2021 15:45 | 2.635888 | 0.097777 | 4.312213 |
| 8/26/2021 15:50 | 2.348864 | 0.097777 | 3.679109 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/26/2021 15:55 | 2.298394 | 0.097777 | 3.569879 |
| 8/26/2021 16:00 | 2.29836 | 0.097777 | 3.569804 |
| 8/26/2021 16:05 | 2.350983 | 0.097777 | 3.683711 |
| 8/26/2021 16:10 | 2.834683 | 0.097777 | 4.760916 |
| 8/26/2021 16:15 | 2.718467 | 0.097777 | 4.497698 |
| 8/26/2021 16:20 | 2.563269 | 0.097777 | 4.150257 |
| 8/26/2021 16:25 | 2.443301 | 0.097777 | 3.885268 |
| 8/26/2021 16:30 | 2.434374 | 0.120429 | 4.761266 |
| 8/26/2021 16:35 | 2.32154 | 0.120429 | 4.458524 |
| 8/26/2021 16:40 | 2.34185 | 0.120429 | 4.51272 |
| 8/26/2021 16:45 | 2.314531 | 0.120429 | 4.439854 |
| 8/26/2021 16:50 | 2.254042 | 0.120429 | 4.2794 |
| 8/26/2021 16:55 | 2.238926 | 0.120429 | 4.239497 |
| 8/26/2021 17:00 | 2.279085 | 0.120429 | 4.345679 |
| 8/26/2021 17:05 | 2.279367 | 0.120429 | 4.346425 |
| 8/26/2021 17:10 | 2.232739 | 0.120429 | 4.223188 |
| 8/26/2021 17:15 | 2.216993 | 0.120429 | 4.181744 |
| 8/26/2021 17:20 | 2.233466 | 0.120429 | 4.225106 |
| 8/26/2021 17:25 | 2.269736 | 0.120429 | 4.32091 |
| 8/26/2021 17:30 | 2.239033 | 0.120429 | 4.23978 |
| 8/26/2021 17:35 | 2.204886 | 0.120429 | 4.149935 |
| 8/26/2021 17:40 | 2.156828 | 0.120429 | 4.024205 |
| 8/26/2021 17:45 | 2.143768 | 0.120429 | 3.990182 |
| 8/26/2021 17:50 | 2.191549 | 0.120429 | 4.11496 |
| 8/26/2021 17:55 | 2.185869 | 0.120429 | 4.100083 |
| 8/26/2021 18:00 | 2.192762 | 0.120429 | 4.118139 |
| 8/26/2021 18:05 | 2.182614 | 0.120429 | 4.091561 |
| 8/26/2021 18:10 | 2.191835 | 0.120429 | 4.115707 |
| 8/26/2021 18:15 | 2.17617 | 0.120429 | 4.074707 |
| 8/26/2021 18:20 | 2.205083 | 0.120429 | 4.150453 |
| 8/26/2021 18:25 | 2.226973 | 0.120429 | 4.208001 |
| 8/26/2021 18:30 | 2.187479 | 0.120429 | 4.104298 |
| 8/26/2021 18:35 | 2.177587 | 0.120429 | 4.078411 |
| 8/26/2021 18:40 | 2.140486 | 0.120429 | 3.981643 |
| 8/26/2021 18:45 | 2.116795 | 0.120429 | 3.920119 |
| 8/26/2021 18:50 | 2.124254 | 0.120429 | 3.939466 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/26/2021 18:55 | 2.16 | 0.120429 | 4.032477 |
| 8/26/2021 19:00 | 2.187505 | 0.120429 | 4.104367 |
| 8/26/2021 19:05 | 2.145235 | 0.120429 | 3.993999 |
| 8/26/2021 19:10 | 2.120727 | 0.120429 | 3.930317 |
| 8/26/2021 19:15 | 2.109876 | 0.120429 | 3.902192 |
| 8/26/2021 19:20 | 2.108221 | 0.120429 | 3.897907 |
| 8/26/2021 19:25 | 2.108463 | 0.120429 | 3.898533 |
| 8/26/2021 19:30 | 2.109615 | 0.120429 | 3.901517 |
| 8/26/2021 19:35 | 2.112273 | 0.120429 | 3.908402 |
| 8/26/2021 19:40 | 2.110886 | 0.120429 | 3.904808 |
| 8/26/2021 19:45 | 2.128519 | 0.120429 | 3.950539 |
| 8/26/2021 19:50 | 2.162348 | 0.120429 | 4.038601 |
| 8/26/2021 19:55 | 2.158365 | 0.120429 | 4.028211 |
| 8/26/2021 20:00 | 2.131628 | 0.120429 | 3.958615 |
| 8/26/2021 20:05 | 2.116485 | 0.120429 | 3.919315 |
| 8/26/2021 20:10 | 2.123204 | 0.120429 | 3.936743 |
| 8/26/2021 20:15 | 2.117675 | 0.120429 | 3.922401 |
| 8/26/2021 20:20 | 2.116614 | 0.120429 | 3.91965 |
| 8/26/2021 20:25 | 2.105046 | 0.120429 | 3.889687 |
| 8/26/2021 20:30 | 2.116017 | 0.120429 | 3.918103 |
| 8/26/2021 20:35 | 2.103572 | 0.120429 | 3.885874 |
| 8/26/2021 20:40 | 2.104802 | 0.120429 | 3.889058 |
| 8/26/2021 20:45 | 2.111898 | 0.120429 | 3.90743 |
| 8/26/2021 20:50 | 2.109116 | 0.120429 | 3.900224 |
| 8/26/2021 20:55 | 2.128245 | 0.120429 | 3.949827 |
| 8/26/2021 21:00 | 2.122658 | 0.120429 | 3.935326 |
| 8/26/2021 21:05 | 2.105884 | 0.120429 | 3.891857 |
| 8/26/2021 21:10 | 2.115119 | 0.120429 | 3.915776 |
| 8/26/2021 21:15 | 2.098944 | 0.120429 | 3.873905 |
| 8/26/2021 21:20 | 2.098328 | 0.120429 | 3.87231 |
| 8/26/2021 21:25 | 2.097114 | 0.120429 | 3.869174 |
| 8/26/2021 21:30 | 2.0867 | 0.120429 | 3.842277 |
| 8/26/2021 21:35 | 2.107578 | 0.120429 | 3.896241 |
| 8/26/2021 21:40 | 2.095754 | 0.120429 | 3.865659 |
| 8/26/2021 21:45 | 2.093398 | 0.120429 | 3.85957 |
| 8/26/2021 21:50 | 2.095668 | 0.120429 | 3.865437 |

| | | | |
|----------------------|-------------|-------------|-------------|
| Site Name | Albany | Albany | Albany |
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/26/2021 21:55 | 2.099449 | 0.120429 | 3.875209 | |
| 8/26/2021 22:00 | 2.105961 | 0.120429 | 3.892057 | |
| 8/26/2021 22:05 | 2.123817 | 0.120429 | 3.938333 | |
| 8/26/2021 22:10 | 2.123149 | 0.120429 | 3.936598 | |
| 8/26/2021 22:15 | 2.105723 | 0.120429 | 3.89144 | |
| 8/26/2021 22:20 | 2.104208 | 0.120429 | 3.887519 | |
| 8/26/2021 22:25 | 2.094463 | 0.120429 | 3.862322 | |
| 8/26/2021 22:30 | 2.093685 | 0.120429 | 3.860311 | |
| 8/26/2021 22:35 | 2.096983 | 0.120429 | 3.868835 | |
| 8/26/2021 22:40 | 2.09898 | 0.120429 | 3.873997 | |
| 8/26/2021 22:45 | 2.098456 | 0.120429 | 3.872644 | |
| 8/26/2021 22:50 | 2.096062 | 0.120429 | 3.866455 | |
| 8/26/2021 22:55 | 2.092866 | 0.120429 | 3.858198 | |
| 8/26/2021 23:00 | 2.094207 | 0.120429 | 3.861662 | |
| 8/26/2021 23:05 | 2.097309 | 0.120429 | 3.869678 | |
| 8/26/2021 23:10 | 2.096158 | 0.120429 | 3.866703 | |
| 8/26/2021 23:15 | 2.101675 | 0.120429 | 3.880967 | |
| 8/26/2021 23:20 | 2.098673 | 0.120429 | 3.873204 | |
| 8/26/2021 23:25 | 2.101227 | 0.120429 | 3.879809 | |
| 8/26/2021 23:30 | 2.095928 | 0.120429 | 3.866107 | |
| 8/26/2021 23:35 | 2.093849 | 0.120429 | 3.860736 | |
| 8/26/2021 23:40 | 2.09691 | 0.120429 | 3.868647 | |
| 8/26/2021 23:45 | 2.096054 | 0.120429 | 3.866434 | |
| 8/26/2021 23:50 | 2.098765 | 0.120429 | 3.873443 | |
| 8/26/2021 23:55 | 2.097066 | 0.120429 | 3.869049 | |
| 8/27/2021 0:00 | 2.095577 | 0.120429 | 3.8652 | |
| 8/27/2021 0:05 | 2.0965 | 0.120429 | 3.867585 | |
| 8/27/2021 0:10 | 2.099904 | 0.120429 | 3.876388 | |
| 8/27/2021 0:15 | 2.102572 | 0.120429 | 3.883288 | |
| 8/27/2021 0:20 | 2.103309 | 0.120429 | 3.885194 | |
| 8/27/2021 0:25 | 2.103506 | 0.120429 | 3.885703 | |
| 8/27/2021 0:30 | 2.104815 | 0.120429 | 3.88909 | |
| 8/27/2021 0:35 | 2.100806 | 0.120429 | 3.87872 | |
| 8/27/2021 0:40 | 2.106648 | 0.120429 | 3.893836 | |
| 8/27/2021 0:45 | 2.124546 | 0.120429 | 3.940224 | |
| 8/27/2021 0:50 | 2.117788 | 0.120429 | 3.922695 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/27/2021 0:55 | 2.108427 | 0.120429 | 3.89844 |
| 8/27/2021 1:00 | 2.105258 | 0.120429 | 3.890238 |
| 8/27/2021 1:05 | 2.112271 | 0.120429 | 3.908396 |
| 8/27/2021 1:10 | 2.123509 | 0.120429 | 3.937534 |
| 8/27/2021 1:15 | 2.114309 | 0.120429 | 3.913676 |
| 8/27/2021 1:20 | 2.11151 | 0.120429 | 3.906424 |
| 8/27/2021 1:25 | 2.109014 | 0.120429 | 3.89996 |
| 8/27/2021 1:30 | 2.104667 | 0.120429 | 3.888708 |
| 8/27/2021 1:35 | 2.101161 | 0.120429 | 3.879638 |
| 8/27/2021 1:40 | 2.103318 | 0.120429 | 3.885216 |
| 8/27/2021 1:45 | 2.099589 | 0.120429 | 3.875571 |
| 8/27/2021 1:50 | 2.098942 | 0.120429 | 3.873899 |
| 8/27/2021 1:55 | 2.104171 | 0.120429 | 3.887424 |
| 8/27/2021 2:00 | 2.105876 | 0.120429 | 3.891837 |
| 8/27/2021 2:05 | 2.102458 | 0.120429 | 3.882991 |
| 8/27/2021 2:10 | 2.110653 | 0.120429 | 3.904205 |
| 8/27/2021 2:15 | 2.109207 | 0.120429 | 3.900458 |
| 8/27/2021 2:20 | 2.103216 | 0.120429 | 3.884953 |
| 8/27/2021 2:25 | 2.104893 | 0.120429 | 3.889292 |
| 8/27/2021 2:30 | 2.101718 | 0.120429 | 3.881079 |
| 8/27/2021 2:35 | 2.099293 | 0.120429 | 3.874806 |
| 8/27/2021 2:40 | 2.102936 | 0.120429 | 3.884229 |
| 8/27/2021 2:45 | 2.103296 | 0.120429 | 3.88516 |
| 8/27/2021 2:50 | 2.106029 | 0.120429 | 3.892232 |
| 8/27/2021 2:55 | 2.115039 | 0.120429 | 3.915568 |
| 8/27/2021 3:00 | 2.100651 | 0.120429 | 3.878318 |
| 8/27/2021 3:05 | 2.107055 | 0.120429 | 3.894888 |
| 8/27/2021 3:10 | 2.10645 | 0.120429 | 3.893322 |
| 8/27/2021 3:15 | 2.107555 | 0.120429 | 3.896184 |
| 8/27/2021 3:20 | 2.11449 | 0.120429 | 3.914145 |
| 8/27/2021 3:25 | 2.129428 | 0.120429 | 3.9529 |
| 8/27/2021 3:30 | 2.13138 | 0.120429 | 3.957969 |
| 8/27/2021 3:35 | 2.120798 | 0.120429 | 3.9305 |
| 8/27/2021 3:40 | 2.111488 | 0.120429 | 3.906368 |
| 8/27/2021 3:45 | 2.110695 | 0.120429 | 3.904314 |
| 8/27/2021 3:50 | 2.112827 | 0.120429 | 3.909837 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/27/2021 3:55 | 2.104223 | 0.120429 | 3.88756 | |
| 8/27/2021 4:00 | 2.109673 | 0.120429 | 3.901666 | |
| 8/27/2021 4:05 | 2.108729 | 0.120429 | 3.899222 | |
| 8/27/2021 4:10 | 2.107616 | 0.120429 | 3.89634 | |
| 8/27/2021 4:15 | 2.116814 | 0.120429 | 3.920169 | |
| 8/27/2021 4:20 | 2.141375 | 0.120429 | 3.983956 | |
| 8/27/2021 4:25 | 2.144624 | 0.120429 | 3.99241 | |
| 8/27/2021 4:30 | 2.139586 | 0.120429 | 3.979302 | |
| 8/27/2021 4:35 | 2.738425 | 0.249696 | 11.60094 | |
| 8/27/2021 4:40 | 2.706736 | 0.249696 | 11.41846 | |
| 8/27/2021 4:45 | 2.422723 | 0.249696 | 9.806764 | |
| 8/27/2021 4:50 | 2.331343 | 0.249696 | 9.298456 | |
| 8/27/2021 4:55 | 2.262985 | 0.249696 | 8.921884 | |
| 8/27/2021 5:00 | 2.225328 | 0.249696 | 8.715845 | |
| 8/27/2021 5:05 | 2.196414 | 0.249696 | 8.558351 | |
| 8/27/2021 5:10 | 2.168748 | 0.249696 | 8.408238 | |
| 8/27/2021 5:15 | 2.14769 | 0.249696 | 8.294367 | |
| 8/27/2021 5:20 | 2.141534 | 0.249696 | 8.261146 | |
| 8/27/2021 5:25 | 2.13472 | 0.249696 | 8.224409 | |
| 8/27/2021 5:30 | 2.136999 | 0.249696 | 8.236692 | |
| 8/27/2021 5:35 | 2.122365 | 0.249696 | 8.157883 | |
| 8/27/2021 5:40 | 2.13406 | 0.249696 | 8.220847 | |
| 8/27/2021 5:45 | 2.151346 | 0.249696 | 8.314115 | |
| 8/27/2021 5:50 | 2.135087 | 0.249696 | 8.226388 | |
| 8/27/2021 5:55 | 2.127886 | 0.249696 | 8.187598 | |
| 8/27/2021 6:00 | 2.118821 | 0.249696 | 8.138827 | |
| 8/27/2021 6:05 | 2.101838 | 0.249696 | 8.047625 | |
| 8/27/2021 6:10 | 2.245747 | 0.094463 | 3.339528 | |
| 8/27/2021 6:15 | 2.135426 | 0.126656 | 4.173672 | |
| 8/27/2021 6:20 | 2.120917 | 0.126656 | 4.13405 | |
| 8/27/2021 6:25 | 2.125121 | 0.126656 | 4.145521 | |
| 8/27/2021 6:30 | 2.115172 | 0.126656 | 4.118384 | |
| 8/27/2021 6:35 | 2.10672 | 0.126656 | 4.095359 | |
| 8/27/2021 6:40 | 2.128958 | 0.126656 | 4.155999 | |
| 8/27/2021 6:45 | 2.150224 | 0.126656 | 4.214171 | |
| 8/27/2021 6:50 | 2.135551 | 0.126656 | 4.174013 | |

| | | | |
|----------------------|-------------|-------------|-------------|
| Site Name | Albany | Albany | Albany |
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/27/2021 6:55 | 2.116324 | 0.126656 | 4.121522 | |
| 8/27/2021 7:00 | 2.109434 | 0.126656 | 4.102749 | |
| 8/27/2021 7:05 | 2.108279 | 0.126656 | 4.099604 | |
| 8/27/2021 7:10 | 2.120869 | 0.126656 | 4.133919 | |
| 8/27/2021 7:15 | 2.130288 | 0.126656 | 4.159632 | |
| 8/27/2021 7:20 | 2.137147 | 0.126656 | 4.178378 | |
| 8/27/2021 7:25 | 2.124496 | 0.126656 | 4.143815 | |
| 8/27/2021 7:30 | 2.124356 | 0.126656 | 4.143434 | |
| 8/27/2021 7:35 | 2.105018 | 0.126656 | 4.090725 | |
| 8/27/2021 7:40 | 2.114834 | 0.126656 | 4.117462 | |
| 8/27/2021 7:45 | 2.107592 | 0.126656 | 4.097733 | |
| 8/27/2021 7:50 | 2.108613 | 0.126656 | 4.100512 | |
| 8/27/2021 7:55 | 2.107089 | 0.126656 | 4.096363 | |
| 8/27/2021 8:00 | 2.111251 | 0.126656 | 4.107697 | |
| 8/27/2021 8:05 | 2.107226 | 0.126656 | 4.096736 | |
| 8/27/2021 8:10 | 2.108197 | 0.126656 | 4.099381 | |
| 8/27/2021 8:15 | 2.107728 | 0.126656 | 4.098102 | |
| 8/27/2021 8:20 | 2.112318 | 0.126656 | 4.110604 | |
| 8/27/2021 8:25 | 2.111192 | 0.126656 | 4.10952 | |
| 8/27/2021 8:30 | 2.115867 | 0.126656 | 4.120278 | |
| 8/27/2021 8:35 | 2.111032 | 0.126656 | 4.107102 | |
| 8/27/2021 8:40 | 2.101409 | 0.126656 | 4.080906 | |
| 8/27/2021 8:45 | 2.114424 | 0.126656 | 4.116345 | |
| 8/27/2021 8:50 | 2.09423 | 0.126656 | 4.061388 | |
| 8/27/2021 8:55 | 2.110614 | 0.126656 | 4.105962 | |
| 8/27/2021 9:00 | 2.123629 | 0.126656 | 4.141448 | |
| 8/27/2021 9:05 | 2.214771 | 0.126656 | 4.391815 | |
| 8/27/2021 9:10 | 2.196792 | 0.126656 | 4.342175 | |
| 8/27/2021 9:15 | 2.159321 | 0.126656 | 4.23911 | |
| 8/27/2021 9:20 | 2.138288 | 0.126656 | 4.181497 | |
| 8/27/2021 9:25 | 2.123589 | 0.126656 | 4.141339 | |
| 8/27/2021 9:30 | 2.130831 | 0.126656 | 4.161115 | |
| 8/27/2021 9:35 | 2.289253 | 0.126656 | 4.598736 | |
| 8/27/2021 9:40 | 2.277334 | 0.126656 | 4.565488 | |
| 8/27/2021 9:45 | 2.299948 | 0.126656 | 4.62861 | |
| 8/27/2021 9:50 | 2.302615 | 0.126656 | 4.636069 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/27/2021 9:55 | 2.449793 | 0.126656 | 5.051273 |
| 8/27/2021 10:00 | 2.416009 | 0.126656 | 4.955338 |
| 8/27/2021 10:05 | 2.501323 | 0.126656 | 5.198288 |
| 8/27/2021 10:10 | 2.474108 | 0.035911 | 1.451827 |
| 8/27/2021 10:15 | 2.375562 | 0.035911 | 1.372558 |
| 8/27/2021 10:20 | 2.372446 | 0.035911 | 1.370066 |
| 8/27/2021 10:25 | 2.405085 | 0.035911 | 1.396213 |
| 8/27/2021 10:30 | 2.329291 | 0.035911 | 1.335648 |
| 8/27/2021 10:35 | 2.307023 | 0.035911 | 1.317959 |
| 8/27/2021 10:40 | 2.300341 | 0.035911 | 1.312661 |
| 8/27/2021 10:45 | 3.173983 | 0.26603 | 15.07738 |
| 8/27/2021 10:50 | 2.902228 | 0.26603 | 13.37263 |
| 8/27/2021 10:55 | 2.681561 | 0.26603 | 12.01132 |
| 8/27/2021 11:00 | 2.603137 | 0.046509 | 2.016352 |
| 8/27/2021 11:05 | 2.63929 | 0.046509 | 2.054784 |
| 8/27/2021 11:10 | 2.53995 | 0.046509 | 1.949501 |
| 8/27/2021 11:15 | 2.66279 | 0.046509 | 2.079833 |
| 8/27/2021 11:20 | 2.48772 | 0.046509 | 1.894564 |
| 8/27/2021 11:25 | 2.423336 | 0.046509 | 1.827259 |
| 8/27/2021 11:30 | 2.463623 | 0.046509 | 1.869318 |
| 8/27/2021 11:35 | 3.078673 | 0.046509 | 2.530846 |
| 8/27/2021 11:40 | 2.540546 | 0.046509 | 1.950131 |
| 8/27/2021 11:45 | 2.464165 | 0.046509 | 1.869886 |
| 8/27/2021 11:50 | 2.460695 | 0.046509 | 1.866255 |
| 8/27/2021 11:55 | 2.481888 | 0.046509 | 1.888448 |
| 8/27/2021 12:00 | 2.639229 | 0.09093 | 4.017234 |
| 8/27/2021 12:05 | 2.609802 | 0.085409 | 3.715824 |
| 8/27/2021 12:10 | 2.611381 | 0.085409 | 3.718903 |
| 8/27/2021 12:15 | 2.575517 | 0.085409 | 3.649075 |
| 8/27/2021 12:20 | 2.93305 | 0.085409 | 4.354885 |
| 8/27/2021 12:25 | 2.478638 | 0.085409 | 3.46169 |
| 8/27/2021 12:30 | 2.716095 | 0.085409 | 3.924107 |
| 8/27/2021 12:35 | 2.610379 | 0.085409 | 3.716948 |
| 8/27/2021 12:40 | 2.543743 | 0.085409 | 3.587414 |
| 8/27/2021 12:45 | 2.648613 | 0.085409 | 3.791644 |
| 8/27/2021 12:50 | 2.614918 | 0.085409 | 3.725803 |

| Site Name | Albany | Albany | Albany | |
|----------------------|-------------|-------------|-------------|---|
| Isco Quantity | Level | Velocity | Flow Rate | |
| Label | 350 Level | 350 Velocit | Flow Rate | |
| Units | in | ft/s | gpm | |
| Resolution | | 0 | 0 | 0 |
| Significant Digits | | 0 | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M | |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C | |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/27/2021 12:55 | 2.874359 | 0.085409 | 4.237666 |
| 8/27/2021 13:00 | 2.745233 | 0.085409 | 3.98154 |
| 8/27/2021 13:05 | 3.190385 | 0.085409 | 4.873869 |
| 8/27/2021 13:10 | 2.771772 | 0.085409 | 4.033972 |
| 8/27/2021 13:15 | 2.734603 | 0.085409 | 3.960571 |
| 8/27/2021 13:20 | 2.642636 | 0.085409 | 3.77995 |
| 8/27/2021 13:25 | 3.126314 | 0.085409 | 4.743964 |
| 8/27/2021 13:28 | | | |
| 8/27/2021 13:30 | 2.750712 | 0.085409 | 3.992354 |
| 8/27/2021 13:35 | 2.572371 | 0.085409 | 3.642961 |
| 8/27/2021 13:40 | 2.511417 | 0.085409 | 3.524884 |
| 8/27/2021 13:45 | 2.658458 | 0.085409 | 3.810919 |
| 8/27/2021 13:50 | 3.006691 | 0.085409 | 4.50261 |
| 8/27/2021 13:55 | 2.666668 | 0.085409 | 3.827007 |
| 8/27/2021 14:00 | 2.481734 | 0.085409 | 3.46765 |
| 8/27/2021 14:05 | 2.673428 | 0.085409 | 3.840262 |
| 8/27/2021 14:10 | 2.608243 | 0.085409 | 3.712784 |
| 8/27/2021 14:15 | 2.997129 | 0.085409 | 4.48339 |
| 8/27/2021 14:20 | 3.049962 | 0.085409 | 4.589726 |
| 8/27/2021 14:25 | 2.845867 | 0.085409 | 4.180934 |
| 8/27/2021 14:30 | 2.726413 | 0.085409 | 3.944429 |
| 8/27/2021 14:35 | 2.720127 | 0.085409 | 3.932046 |
| 8/27/2021 14:40 | 2.745937 | 0.085409 | 3.982929 |
| 8/27/2021 14:45 | 2.939049 | 0.085409 | 4.366893 |
| 8/27/2021 14:50 | 2.928632 | 0.154712 | 7.872565 |
| 8/27/2021 14:55 | 2.736582 | 0.154712 | 7.181375 |
| 8/27/2021 15:00 | 2.769153 | 0.154712 | 7.297882 |
| 8/27/2021 15:05 | 2.919141 | 0.154712 | 7.838179 |
| 8/27/2021 15:10 | 2.474745 | 0.154712 | 6.257049 |
| 8/27/2021 15:15 | 2.345596 | 0.154712 | 5.810237 |
| 8/27/2021 15:20 | 2.520651 | 0.154712 | 6.417403 |
| 8/27/2021 15:25 | 2.572471 | 0.154712 | 6.599329 |
| 8/27/2021 15:30 | 3.116672 | 0.154712 | 8.55802 |
| 8/27/2021 15:35 | 2.663953 | 0.154712 | 6.922723 |
| 8/27/2021 15:40 | 2.822574 | 0.154712 | 7.489626 |
| 8/27/2021 15:45 | 3.007906 | 0.154712 | 8.160597 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/27/2021 15:50 | 2.544065 | 0.154712 | 6.499486 |
| 8/27/2021 15:55 | 2.557342 | 0.154712 | 6.546118 |
| 8/27/2021 16:00 | 2.526581 | 0.154712 | 6.438176 |
| 8/27/2021 16:05 | 2.466987 | 0.154712 | 6.230026 |
| 8/27/2021 16:10 | 2.546998 | 0.154712 | 6.509782 |
| 8/27/2021 16:15 | 2.60654 | 0.154712 | 6.71944 |
| 8/27/2021 16:20 | 2.973515 | 0.154712 | 8.035463 |
| 8/27/2021 16:25 | 2.74216 | 0.154712 | 7.201304 |
| 8/27/2021 16:30 | 2.620279 | 0.154712 | 6.767986 |
| 8/27/2021 16:35 | 2.534317 | 0.154712 | 6.465288 |
| 8/27/2021 16:40 | 2.460082 | 0.154712 | 6.205992 |
| 8/27/2021 16:45 | 2.527438 | 0.154712 | 6.441177 |
| 8/27/2021 16:50 | 2.507565 | 0.154712 | 6.371614 |
| 8/27/2021 16:55 | 2.891632 | 0.154712 | 7.738642 |
| 8/27/2021 17:00 | 3.225422 | 0.154712 | 8.957665 |
| 8/27/2021 17:05 | 3.665915 | 0.154712 | 10.59283 |
| 8/27/2021 17:10 | 2.759354 | 0.154712 | 7.262801 |
| 8/27/2021 17:15 | 2.450249 | 0.154712 | 6.1718 |
| 8/27/2021 17:20 | 3.046157 | 0.154712 | 8.300081 |
| 8/27/2021 17:25 | 2.805195 | 0.170877 | 8.203204 |
| 8/27/2021 17:30 | 2.787029 | 0.170877 | 8.131186 |
| 8/27/2021 17:35 | 2.737562 | 0.170877 | 7.935604 |
| 8/27/2021 17:40 | 2.682795 | 0.170877 | 7.719997 |
| 8/27/2021 17:45 | 2.563232 | 0.170877 | 7.252973 |
| 8/27/2021 17:50 | 2.510834 | 0.170877 | 7.049993 |
| 8/27/2021 17:55 | 2.482428 | 0.170877 | 6.940412 |
| 8/27/2021 18:00 | 2.446798 | 0.170877 | 6.80343 |
| 8/27/2021 18:05 | 2.604146 | 0.170877 | 7.412199 |
| 8/27/2021 18:10 | 2.716051 | 0.170877 | 7.8508 |
| 8/27/2021 18:15 | 2.974508 | 0.170877 | 8.879051 |
| 8/27/2021 18:20 | 2.580095 | 0.170877 | 7.318524 |
| 8/27/2021 18:25 | 2.513441 | 0.170877 | 7.060067 |
| 8/27/2021 18:30 | 2.501978 | 0.170877 | 7.015794 |
| 8/27/2021 18:35 | 2.491021 | 0.170877 | 6.973527 |
| 8/27/2021 18:40 | 2.429519 | 0.170877 | 6.737194 |
| 8/27/2021 18:45 | 2.408294 | 0.170877 | 6.656002 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/27/2021 18:50 | 2.691923 | 0.170877 | 7.755861 |
| 8/27/2021 18:55 | 2.553354 | 0.170877 | 7.214627 |
| 8/27/2021 19:00 | 2.472528 | 0.170877 | 6.902299 |
| 8/27/2021 19:05 | 2.791212 | 0.170877 | 8.147761 |
| 8/27/2021 19:10 | 2.540912 | 0.170877 | 7.166379 |
| 8/27/2021 19:15 | 3.053361 | 0.170877 | 9.196391 |
| 8/27/2021 19:20 | 2.684659 | 0.170877 | 7.727323 |
| 8/27/2021 19:25 | 2.441406 | 0.170877 | 6.782747 |
| 8/27/2021 19:30 | 2.462774 | 0.170877 | 6.864785 |
| 8/27/2021 19:35 | 2.526387 | 0.170877 | 7.110129 |
| 8/27/2021 19:40 | 2.448009 | 0.170877 | 6.808077 |
| 8/27/2021 19:45 | 2.462512 | 0.170877 | 6.863777 |
| 8/27/2021 19:50 | 2.571412 | 0.170877 | 7.284755 |
| 8/27/2021 19:55 | 2.742239 | 0.170877 | 7.95406 |
| 8/27/2021 20:00 | 3.04638 | 0.170877 | 9.168234 |
| 8/27/2021 20:05 | 3.502878 | 0.170877 | 11.02863 |
| 8/27/2021 20:10 | 3.996574 | 0.170877 | 13.064 |
| 8/27/2021 20:15 | 2.739136 | 0.170877 | 7.941813 |
| 8/27/2021 20:20 | 3.135039 | 0.170877 | 9.526607 |
| 8/27/2021 20:25 | 2.493243 | 0.170877 | 6.982095 |
| 8/27/2021 20:30 | 2.57207 | 0.170877 | 7.287313 |
| 8/27/2021 20:35 | 2.5057 | 0.170877 | 7.030165 |
| 8/27/2021 20:40 | 2.370338 | 0.170877 | 6.511306 |
| 8/27/2021 20:45 | 2.31695 | 0.170877 | 6.308877 |
| 8/27/2021 20:50 | 2.335334 | 0.170877 | 6.378436 |
| 8/27/2021 20:55 | 2.338674 | 0.170877 | 6.391091 |
| 8/27/2021 21:00 | 2.330609 | 0.170877 | 6.360543 |
| 8/27/2021 21:05 | 2.321931 | 0.170877 | 6.327707 |
| 8/27/2021 21:10 | 2.329979 | 0.170877 | 6.35816 |
| 8/27/2021 21:15 | 2.325543 | 0.170877 | 6.341369 |
| 8/27/2021 21:20 | 2.328733 | 0.170877 | 6.35344 |
| 8/27/2021 21:25 | 2.331412 | 0.170877 | 6.363583 |
| 8/27/2021 21:30 | 2.323653 | 0.170877 | 6.33422 |
| 8/27/2021 21:35 | 2.322943 | 0.170877 | 6.331536 |
| 8/27/2021 21:40 | 2.323891 | 0.170877 | 6.335122 |
| 8/27/2021 21:45 | 2.324752 | 0.170877 | 6.338377 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/27/2021 21:50 | 2.322079 | 0.170877 | 6.328267 |
| 8/27/2021 21:55 | 2.324142 | 0.170877 | 6.336071 |
| 8/27/2021 22:00 | 2.322609 | 0.170877 | 6.330273 |
| 8/27/2021 22:05 | 2.318545 | 0.170877 | 6.314906 |
| 8/27/2021 22:10 | 2.320621 | 0.170877 | 6.322756 |
| 8/27/2021 22:15 | 2.321242 | 0.170877 | 6.325103 |
| 8/27/2021 22:20 | 2.320851 | 0.170877 | 6.323626 |
| 8/27/2021 22:25 | 2.319116 | 0.170877 | 6.317067 |
| 8/27/2021 22:30 | 2.343751 | 0.170877 | 6.410336 |
| 8/27/2021 22:35 | 2.335131 | 0.170877 | 6.377665 |
| 8/27/2021 22:40 | 2.327781 | 0.170877 | 6.34984 |
| 8/27/2021 22:45 | 2.3223 | 0.170877 | 6.329102 |
| 8/27/2021 22:50 | 2.314416 | 0.170877 | 6.2993 |
| 8/27/2021 22:55 | 2.310913 | 0.170877 | 6.286071 |
| 8/27/2021 23:00 | 2.305739 | 0.170877 | 6.266539 |
| 8/27/2021 23:05 | 2.306173 | 0.170877 | 6.268176 |
| 8/27/2021 23:10 | 2.304598 | 0.170877 | 6.262231 |
| 8/27/2021 23:15 | 2.305305 | 0.170877 | 6.2649 |
| 8/27/2021 23:20 | 2.300864 | 0.170877 | 6.248144 |
| 8/27/2021 23:25 | 2.302583 | 0.170877 | 6.25463 |
| 8/27/2021 23:30 | 2.306555 | 0.170877 | 6.269615 |
| 8/27/2021 23:35 | 2.306056 | 0.170877 | 6.267732 |
| 8/27/2021 23:40 | 2.304196 | 0.170877 | 6.260714 |
| 8/27/2021 23:45 | 2.311864 | 0.170877 | 6.289664 |
| 8/27/2021 23:50 | 2.330141 | 0.170877 | 6.358769 |
| 8/27/2021 23:55 | 2.322834 | 0.170877 | 6.331123 |
| 8/28/2021 0:00 | 2.31792 | 0.170877 | 6.312544 |
| 8/28/2021 0:05 | 2.307434 | 0.170877 | 6.272936 |
| 8/28/2021 0:10 | 2.316969 | 0.170877 | 6.308949 |
| 8/28/2021 0:15 | 2.309217 | 0.170877 | 6.279667 |
| 8/28/2021 0:20 | 2.318404 | 0.170877 | 6.314372 |
| 8/28/2021 0:25 | 2.316525 | 0.170877 | 6.30727 |
| 8/28/2021 0:30 | 2.316623 | 0.170877 | 6.30764 |
| 8/28/2021 0:35 | 2.314483 | 0.170877 | 6.299556 |
| 8/28/2021 0:40 | 2.307804 | 0.170877 | 6.274331 |
| 8/28/2021 0:45 | 2.304249 | 0.170877 | 6.260915 |

| | | | |
|----------------------|-------------|-------------|-------------|
| Site Name | Albany | Albany | Albany |
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/28/2021 0:50 | 2.305668 | 0.170877 | 6.266268 |
| 8/28/2021 0:55 | 2.308865 | 0.170877 | 6.278338 |
| 8/28/2021 1:00 | 2.309766 | 0.170877 | 6.281738 |
| 8/28/2021 1:05 | 2.301393 | 0.170877 | 6.250141 |
| 8/28/2021 1:10 | 2.305258 | 0.170877 | 6.264723 |
| 8/28/2021 1:15 | 2.313974 | 0.170877 | 6.297634 |
| 8/28/2021 1:20 | 2.303377 | 0.170877 | 6.257623 |
| 8/28/2021 1:25 | 2.303579 | 0.170877 | 6.258386 |
| 8/28/2021 1:30 | 2.303939 | 0.170877 | 6.259745 |
| 8/28/2021 1:35 | 2.30492 | 0.170877 | 6.263446 |
| 8/28/2021 1:40 | 2.312482 | 0.170877 | 6.291997 |
| 8/28/2021 1:45 | 2.30695 | 0.170877 | 6.271107 |
| 8/28/2021 1:50 | 2.322467 | 0.170877 | 6.329734 |
| 8/28/2021 1:55 | 2.333731 | 0.170877 | 6.372365 |
| 8/28/2021 2:00 | 2.327458 | 0.170877 | 6.348617 |
| 8/28/2021 2:05 | 2.315134 | 0.170877 | 6.302014 |
| 8/28/2021 2:10 | 2.312331 | 0.170877 | 6.291427 |
| 8/28/2021 2:15 | 2.30667 | 0.170877 | 6.27005 |
| 8/28/2021 2:20 | 2.31443 | 0.170877 | 6.299356 |
| 8/28/2021 2:25 | 2.305925 | 0.170877 | 6.267238 |
| 8/28/2021 2:30 | 2.298094 | 0.170877 | 6.237698 |
| 8/28/2021 2:35 | 2.297975 | 0.170877 | 6.237248 |
| 8/28/2021 2:40 | 2.296326 | 0.170877 | 6.231035 |
| 8/28/2021 2:45 | 2.29893 | 0.170877 | 6.240852 |
| 8/28/2021 2:50 | 2.299122 | 0.170877 | 6.241575 |
| 8/28/2021 2:55 | 2.295404 | 0.170877 | 6.227557 |
| 8/28/2021 3:00 | 2.292797 | 0.170877 | 6.217735 |
| 8/28/2021 3:05 | 2.292994 | 0.170877 | 6.218477 |
| 8/28/2021 3:10 | 2.302495 | 0.170877 | 6.254297 |
| 8/28/2021 3:15 | 2.301229 | 0.170877 | 6.249522 |
| 8/28/2021 3:20 | 2.300538 | 0.170877 | 6.246915 |
| 8/28/2021 3:25 | 2.303107 | 0.170877 | 6.256607 |
| 8/28/2021 3:30 | 2.298833 | 0.170877 | 6.240483 |
| 8/28/2021 3:35 | 2.302735 | 0.170877 | 6.255201 |
| 8/28/2021 3:40 | 2.302194 | 0.170877 | 6.25316 |
| 8/28/2021 3:45 | 2.299348 | 0.170877 | 6.242426 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/28/2021 3:50 | 2.296002 | 0.170877 | 6.229813 | |
| 8/28/2021 3:55 | 2.29595 | 0.170877 | 6.229615 | |
| 8/28/2021 4:00 | 2.29758 | 0.170877 | 6.235762 | |
| 8/28/2021 4:05 | 2.295221 | 0.170877 | 6.226868 | |
| 8/28/2021 4:10 | 2.299505 | 0.170877 | 6.24302 | |
| 8/28/2021 4:15 | 2.298782 | 0.170877 | 6.240293 | |
| 8/28/2021 4:20 | 2.301043 | 0.170877 | 6.248818 | |
| 8/28/2021 4:25 | 2.298641 | 0.170877 | 6.239762 | |
| 8/28/2021 4:30 | 2.29879 | 0.170877 | 6.240324 | |
| 8/28/2021 4:35 | 2.303681 | 0.170877 | 6.258769 | |
| 8/28/2021 4:40 | 2.29566 | 0.170877 | 6.228522 | |
| 8/28/2021 4:45 | 2.306681 | 0.170877 | 6.270092 | |
| 8/28/2021 4:50 | 2.296988 | 0.170877 | 6.233526 | |
| 8/28/2021 4:55 | 2.319689 | 0.170877 | 6.319231 | |
| 8/28/2021 5:00 | 2.328201 | 0.170877 | 6.351429 | |
| 8/28/2021 5:05 | 2.31538 | 0.170877 | 6.302946 | |
| 8/28/2021 5:10 | 2.30045 | 0.170877 | 6.246584 | |
| 8/28/2021 5:15 | 2.308901 | 0.170877 | 6.278471 | |
| 8/28/2021 5:20 | 2.299919 | 0.170877 | 6.24458 | |
| 8/28/2021 5:25 | 2.301607 | 0.170877 | 6.250948 | |
| 8/28/2021 5:30 | 2.304901 | 0.170877 | 6.263376 | |
| 8/28/2021 5:35 | 2.295546 | 0.170877 | 6.228092 | |
| 8/28/2021 5:40 | 2.302381 | 0.170877 | 6.253865 | |
| 8/28/2021 5:45 | 2.294757 | 0.170877 | 6.22512 | |
| 8/28/2021 5:50 | 2.299704 | 0.170877 | 6.243767 | |
| 8/28/2021 5:55 | 2.294224 | 0.170877 | 6.223111 | |
| 8/28/2021 6:00 | 2.298085 | 0.170877 | 6.237664 | |
| 8/28/2021 6:05 | 2.301461 | 0.170877 | 6.250396 | |
| 8/28/2021 6:10 | 2.302765 | 0.170877 | 6.255314 | |
| 8/28/2021 6:15 | 2.290971 | 0.170877 | 6.210853 | |
| 8/28/2021 6:20 | 2.295473 | 0.170877 | 6.227816 | |
| 8/28/2021 6:25 | 2.30083 | 0.170877 | 6.248014 | |
| 8/28/2021 6:30 | 2.300485 | 0.170877 | 6.246715 | |
| 8/28/2021 6:35 | 2.295733 | 0.170877 | 6.228798 | |
| 8/28/2021 6:40 | 2.294871 | 0.170877 | 6.225547 | |
| 8/28/2021 6:45 | 2.292406 | 0.170877 | 6.216259 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/28/2021 6:50 | 2.297248 | 0.170877 | 6.23451 |
| 8/28/2021 6:55 | 2.305016 | 0.170877 | 6.263807 |
| 8/28/2021 7:00 | 2.302326 | 0.170877 | 6.253661 |
| 8/28/2021 7:05 | 2.298372 | 0.170877 | 6.238746 |
| 8/28/2021 7:10 | 2.29907 | 0.170877 | 6.241377 |
| 8/28/2021 7:15 | 2.292982 | 0.170877 | 6.218428 |
| 8/28/2021 7:20 | 2.304723 | 0.170877 | 6.262702 |
| 8/28/2021 7:25 | 2.309498 | 0.170877 | 6.280728 |
| 8/28/2021 7:30 | 2.299115 | 0.170877 | 6.241549 |
| 8/28/2021 7:35 | 2.303365 | 0.170877 | 6.257579 |
| 8/28/2021 7:40 | 2.299427 | 0.170877 | 6.242723 |
| 8/28/2021 7:45 | 2.299684 | 0.170877 | 6.243696 |
| 8/28/2021 7:50 | 2.317114 | 0.170877 | 6.309498 |
| 8/28/2021 7:55 | 2.325698 | 0.170877 | 6.341956 |
| 8/28/2021 8:00 | 2.316848 | 0.170877 | 6.308491 |
| 8/28/2021 8:05 | 2.313147 | 0.170877 | 6.29451 |
| 8/28/2021 8:10 | 2.305113 | 0.170877 | 6.264176 |
| 8/28/2021 8:15 | 2.318456 | 0.170877 | 6.31457 |
| 8/28/2021 8:20 | 2.322369 | 0.170877 | 6.329364 |
| 8/28/2021 8:25 | 2.301851 | 0.170877 | 6.251866 |
| 8/28/2021 8:30 | 2.303507 | 0.170877 | 6.258115 |
| 8/28/2021 8:35 | 2.295053 | 0.170877 | 6.226236 |
| 8/28/2021 8:40 | 2.302905 | 0.170877 | 6.255844 |
| 8/28/2021 8:45 | 2.290775 | 0.170877 | 6.210116 |
| 8/28/2021 8:50 | 2.298902 | 0.170877 | 6.240746 |
| 8/28/2021 8:55 | 2.292616 | 0.170877 | 6.217052 |
| 8/28/2021 9:00 | 2.300396 | 0.170877 | 6.246378 |
| 8/28/2021 9:05 | 2.298835 | 0.170877 | 6.240492 |
| 8/28/2021 9:10 | 2.293459 | 0.170877 | 6.220227 |
| 8/28/2021 9:15 | 2.301986 | 0.170877 | 6.252375 |
| 8/28/2021 9:20 | 2.307287 | 0.170877 | 6.272381 |
| 8/28/2021 9:25 | 2.323019 | 0.170877 | 6.331824 |
| 8/28/2021 9:30 | 2.329347 | 0.170877 | 6.355766 |
| 8/28/2021 9:35 | 2.328709 | 0.170877 | 6.353353 |
| 8/28/2021 9:40 | 2.339099 | 0.170877 | 6.3927 |
| 8/28/2021 9:45 | 2.333843 | 0.170877 | 6.37279 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/28/2021 9:50 | 2.335508 | 0.170877 | 6.379095 |
| 8/28/2021 9:55 | 2.364691 | 0.170877 | 6.489835 |
| 8/28/2021 10:00 | 2.349581 | 0.170877 | 6.432449 |
| 8/28/2021 10:05 | 2.640151 | 0.170877 | 7.552834 |
| 8/28/2021 10:10 | 2.485791 | 0.170877 | 6.95337 |
| 8/28/2021 10:15 | 2.422392 | 0.170877 | 6.709909 |
| 8/28/2021 10:20 | 2.562337 | 0.170877 | 7.249498 |
| 8/28/2021 10:25 | 2.500234 | 0.170877 | 7.009065 |
| 8/28/2021 10:30 | 2.496837 | 0.170877 | 6.995955 |
| 8/28/2021 10:35 | 2.359892 | 0.170877 | 6.471596 |
| 8/28/2021 10:40 | 2.465938 | 0.170877 | 6.876948 |
| 8/28/2021 10:45 | 2.663325 | 0.170877 | 7.643596 |
| 8/28/2021 10:50 | 2.473717 | 0.170877 | 6.906875 |
| 8/28/2021 10:55 | 2.937525 | 0.283389 | 14.47941 |
| 8/28/2021 11:00 | 2.713643 | 0.283389 | 13.00433 |
| 8/28/2021 11:05 | 2.645719 | 0.283389 | 12.56204 |
| 8/28/2021 11:10 | 3.002463 | 0.283389 | 14.91164 |
| 8/28/2021 11:15 | 2.784042 | 0.283389 | 13.46544 |
| 8/28/2021 11:20 | 2.669997 | 0.283389 | 12.71982 |
| 8/28/2021 11:25 | 2.558851 | 0.283389 | 12.00039 |
| 8/28/2021 11:30 | 2.45543 | 0.283389 | 11.33802 |
| 8/28/2021 11:35 | 2.424086 | 0.283389 | 11.13872 |
| 8/28/2021 11:40 | 2.449759 | 0.283389 | 11.30191 |
| 8/28/2021 11:45 | 2.417569 | 0.283389 | 11.09737 |
| 8/28/2021 11:50 | 2.550405 | 0.283389 | 11.94603 |
| 8/28/2021 11:55 | 2.605037 | 0.283389 | 12.29843 |
| 8/28/2021 12:00 | 2.785747 | 0.174895 | 8.317152 |
| 8/28/2021 12:05 | 2.846579 | 0.174895 | 8.56437 |
| 8/28/2021 12:10 | 2.602268 | 0.174895 | 7.578965 |
| 8/28/2021 12:15 | 2.750961 | 0.174895 | 8.176313 |
| 8/28/2021 12:20 | 3.143575 | 0.174895 | 9.785987 |
| 8/28/2021 12:25 | 3.055479 | 0.174895 | 9.421343 |
| 8/28/2021 12:30 | 3.072295 | 0.174895 | 9.49081 |
| 8/28/2021 12:35 | 2.868564 | 0.174895 | 8.653989 |
| 8/28/2021 12:40 | 2.721665 | 0.174895 | 8.058009 |
| 8/28/2021 12:45 | 2.623032 | 0.174895 | 7.661902 |

| Site Name | Albany | Albany | Albany | |
|----------------------|-------------|-------------|-------------|---|
| Isco Quantity | Level | Velocity | Flow Rate | |
| Label | 350 Level | 350 Velocit | Flow Rate | |
| Units | in | ft/s | gpm | |
| Resolution | | 0 | 0 | 0 |
| Significant Digits | | 0 | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M | |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C | |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/28/2021 12:50 | 2.695152 | 0.174895 | 7.951199 |
| 8/28/2021 12:55 | 2.773206 | 0.174895 | 8.266334 |
| 8/28/2021 13:00 | 2.735969 | 0.174895 | 8.115738 |
| 8/28/2021 13:05 | 2.664148 | 0.174895 | 7.826604 |
| 8/28/2021 13:10 | 2.4859 | 0.174895 | 7.117273 |
| 8/28/2021 13:15 | 2.444405 | 0.174895 | 6.953984 |
| 8/28/2021 13:20 | 2.42127 | 0.174895 | 6.863267 |
| 8/28/2021 13:25 | 3.514957 | 0.174895 | 11.33871 |
| 8/28/2021 13:30 | 2.677561 | 0.174895 | 7.880463 |
| 8/28/2021 13:35 | 2.693372 | 0.174895 | 7.944033 |
| 8/28/2021 13:40 | 2.528807 | 0.174895 | 7.286877 |
| 8/28/2021 13:45 | 3.010314 | 0.174895 | 9.23509 |
| 8/28/2021 13:48 | | | |
| 8/28/2021 13:50 | 2.761525 | 0.048642 | 2.303877 |
| 8/28/2021 13:55 | 2.534611 | 0.048642 | 2.033037 |
| 8/28/2021 14:00 | 2.677946 | 0.048642 | 2.19216 |
| 8/28/2021 14:05 | 2.501104 | 0.048642 | 1.996161 |
| 8/28/2021 14:10 | 2.834585 | 0.048642 | 2.368357 |
| 8/28/2021 14:15 | 2.793962 | 0.048642 | 2.322449 |
| 8/28/2021 14:20 | 2.827401 | 0.048642 | 2.360227 |
| 8/28/2021 14:25 | 2.85411 | 0.048642 | 2.390472 |
| 8/28/2021 14:30 | 2.474989 | 0.048642 | 1.967508 |
| 8/28/2021 14:35 | 2.652717 | 0.048642 | 2.163998 |
| 8/28/2021 14:40 | 2.470724 | 0.048642 | 1.962837 |
| 8/28/2021 14:45 | 2.434774 | 0.048642 | 1.923543 |
| 8/28/2021 14:50 | 2.404663 | 0.048642 | 1.890754 |
| 8/28/2021 14:55 | 2.529712 | 0.048642 | 2.027637 |
| 8/28/2021 15:00 | 2.845485 | 0.048642 | 2.380699 |
| 8/28/2021 15:05 | 2.692127 | 0.048642 | 2.208017 |
| 8/28/2021 15:10 | 2.690884 | 0.048642 | 2.206626 |
| 8/28/2021 15:15 | 3.230926 | 0.048642 | 2.822702 |
| 8/28/2021 15:20 | 2.768661 | 0.048642 | 2.293929 |
| 8/28/2021 15:25 | 2.600234 | 0.048642 | 2.105619 |
| 8/28/2021 15:30 | 3.075603 | 0.048642 | 2.643405 |
| 8/28/2021 15:35 | 3.73906 | 0.048642 | 3.416287 |
| 8/28/2021 15:40 | 2.461991 | 0.048642 | 1.953277 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/28/2021 15:45 | 2.75864 | 0.048642 | 2.282649 |
| 8/28/2021 15:50 | 2.624573 | 0.048642 | 2.132657 |
| 8/28/2021 15:55 | 2.665538 | 0.048642 | 2.178301 |
| 8/28/2021 16:00 | 2.548971 | 0.048642 | 2.048879 |
| 8/28/2021 16:05 | 2.39307 | 0.048642 | 1.878159 |
| 8/28/2021 16:10 | 2.821317 | 0.048642 | 2.353347 |
| 8/28/2021 16:15 | 2.706862 | 0.048642 | 2.224514 |
| 8/28/2021 16:20 | 2.500437 | 0.048642 | 1.995428 |
| 8/28/2021 16:25 | 2.491657 | 0.048642 | 1.985786 |
| 8/28/2021 16:30 | 2.556473 | 0.048642 | 2.057165 |
| 8/28/2021 16:35 | 2.966583 | 0.048642 | 2.518461 |
| 8/28/2021 16:40 | 2.849627 | 0.048642 | 2.385392 |
| 8/28/2021 16:45 | 2.634768 | 0.048642 | 2.144 |
| 8/28/2021 16:50 | 2.502438 | 0.048642 | 1.997625 |
| 8/28/2021 16:55 | 2.635236 | 0.048642 | 2.144521 |
| 8/28/2021 17:00 | 2.575173 | 0.048642 | 2.077846 |
| 8/28/2021 17:05 | 2.439512 | 0.048642 | 1.928713 |
| 8/28/2021 17:10 | 2.378768 | 0.048642 | 1.862644 |
| 8/28/2021 17:15 | 2.701853 | 0.048642 | 2.218904 |
| 8/28/2021 17:20 | 2.519343 | 0.048642 | 2.016218 |
| 8/28/2021 17:25 | 2.578595 | 0.048642 | 2.081634 |
| 8/28/2021 17:30 | 2.423799 | 0.048642 | 1.91158 |
| 8/28/2021 17:35 | 2.614136 | 0.048642 | 2.121055 |
| 8/28/2021 17:40 | 2.524115 | 0.048642 | 2.021471 |
| 8/28/2021 17:45 | 2.452038 | 0.048642 | 1.942394 |
| 8/28/2021 17:50 | 2.632344 | 0.048642 | 2.141302 |
| 8/28/2021 17:55 | 3.416111 | 0.048642 | 3.038056 |
| 8/28/2021 18:00 | 2.451827 | 0.048642 | 1.942163 |
| 8/28/2021 18:05 | 2.405424 | 0.048642 | 1.891581 |
| 8/28/2021 18:10 | 2.400447 | 0.048642 | 1.886172 |
| 8/28/2021 18:15 | 2.393735 | 0.048642 | 1.878882 |
| 8/28/2021 18:20 | 2.352768 | 0.048642 | 1.834507 |
| 8/28/2021 18:25 | 2.391883 | 0.048642 | 1.876871 |
| 8/28/2021 18:30 | 2.43083 | 0.048642 | 1.919242 |
| 8/28/2021 18:35 | 2.892641 | 0.048642 | 2.434208 |
| 8/28/2021 18:40 | 3.196448 | 0.048642 | 2.782784 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/28/2021 18:45 | 2.478339 | 0.048642 | 1.971179 | |
| 8/28/2021 18:50 | 2.337559 | 0.048642 | 1.818088 | |
| 8/28/2021 18:55 | 2.458883 | 0.048642 | 1.949878 | |
| 8/28/2021 19:00 | 2.469455 | 0.048642 | 1.961447 | |
| 8/28/2021 19:05 | 2.531352 | 0.048642 | 2.029445 | |
| 8/28/2021 19:10 | 2.400446 | 0.048642 | 1.886171 | |
| 8/28/2021 19:15 | 2.388278 | 0.048642 | 1.872958 | |
| 8/28/2021 19:20 | 2.424872 | 0.048642 | 1.912748 | |
| 8/28/2021 19:25 | 2.489491 | 0.048642 | 1.983409 | |
| 8/28/2021 19:30 | 2.496304 | 0.048642 | 1.990888 | |
| 8/28/2021 19:35 | 2.394056 | 0.048642 | 1.87923 | |
| 8/28/2021 19:40 | 2.39861 | 0.048642 | 1.884176 | |
| 8/28/2021 19:45 | 2.383002 | 0.048642 | 1.867235 | |
| 8/28/2021 19:50 | 2.488179 | 0.048642 | 1.98197 | |
| 8/28/2021 19:55 | 3.088044 | 0.048642 | 2.657713 | |
| 8/28/2021 20:00 | 2.422883 | 0.048642 | 1.910581 | |
| 8/28/2021 20:05 | 2.295492 | 0.048642 | 1.772835 | |
| 8/28/2021 20:10 | 2.305183 | 0.048642 | 1.783239 | |
| 8/28/2021 20:15 | 2.338265 | 0.048642 | 1.81885 | |
| 8/28/2021 20:20 | 2.328069 | 0.048642 | 1.807859 | |
| 8/28/2021 20:25 | 2.295204 | 0.048642 | 1.772526 | |
| 8/28/2021 20:30 | 2.295181 | 0.048642 | 1.772501 | |
| 8/28/2021 20:35 | 2.427612 | 0.048642 | 1.915735 | |
| 8/28/2021 20:40 | 2.334684 | 0.048642 | 1.814989 | |
| 8/28/2021 20:45 | 2.407938 | 0.048642 | 1.894314 | |
| 8/28/2021 20:50 | 2.296712 | 0.048642 | 1.774144 | |
| 8/28/2021 20:55 | 2.266329 | 0.048642 | 1.741602 | |
| 8/28/2021 21:00 | 2.272199 | 0.048642 | 1.747879 | |
| 8/28/2021 21:05 | 2.258037 | 0.048642 | 1.732743 | |
| 8/28/2021 21:10 | 2.25772 | 0.048642 | 1.732405 | |
| 8/28/2021 21:15 | 2.262004 | 0.048642 | 1.736981 | |
| 8/28/2021 21:20 | 2.258465 | 0.048642 | 1.733201 | |
| 8/28/2021 21:25 | 2.260002 | 0.048642 | 1.734841 | |
| 8/28/2021 21:30 | 2.258708 | 0.048642 | 1.73346 | |
| 8/28/2021 21:35 | 2.258445 | 0.048642 | 1.733179 | |
| 8/28/2021 21:40 | 2.258576 | 0.048642 | 1.733319 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/28/2021 21:45 | 2.256922 | 0.048642 | 1.731553 |
| 8/28/2021 21:50 | 2.257691 | 0.048642 | 1.732373 |
| 8/28/2021 21:55 | 2.263043 | 0.048642 | 1.738091 |
| 8/28/2021 22:00 | 2.263841 | 0.048642 | 1.738943 |
| 8/28/2021 22:05 | 2.263757 | 0.048642 | 1.738853 |
| 8/28/2021 22:10 | 2.25729 | 0.048642 | 1.731945 |
| 8/28/2021 22:15 | 2.262253 | 0.048642 | 1.737247 |
| 8/28/2021 22:20 | 2.261269 | 0.048642 | 1.736195 |
| 8/28/2021 22:25 | 2.259203 | 0.048642 | 1.733988 |
| 8/28/2021 22:30 | 2.262756 | 0.048642 | 1.737783 |
| 8/28/2021 22:35 | 2.252286 | 0.048642 | 1.726605 |
| 8/28/2021 22:40 | 2.246362 | 0.048642 | 1.720287 |
| 8/28/2021 22:45 | 2.273658 | 0.048642 | 1.749441 |
| 8/28/2021 22:50 | 2.265963 | 0.048642 | 1.741211 |
| 8/28/2021 22:55 | 2.24813 | 0.048642 | 1.722171 |
| 8/28/2021 23:00 | 2.242517 | 0.048642 | 1.716187 |
| 8/28/2021 23:05 | 2.238518 | 0.048642 | 1.711928 |
| 8/28/2021 23:10 | 2.23853 | 0.048642 | 1.71194 |
| 8/28/2021 23:15 | 2.236562 | 0.048642 | 1.709845 |
| 8/28/2021 23:20 | 2.233666 | 0.048642 | 1.706762 |
| 8/28/2021 23:25 | 2.236172 | 0.048642 | 1.70943 |
| 8/28/2021 23:30 | 2.250242 | 0.048642 | 1.724424 |
| 8/28/2021 23:35 | 2.266027 | 0.048642 | 1.74128 |
| 8/28/2021 23:40 | 2.253011 | 0.048642 | 1.727379 |
| 8/28/2021 23:45 | 2.245121 | 0.048642 | 1.718963 |
| 8/28/2021 23:50 | 2.239088 | 0.048642 | 1.712535 |
| 8/28/2021 23:55 | 2.234352 | 0.048642 | 1.707492 |
| 8/29/2021 0:00 | 2.236189 | 0.048642 | 1.709447 |
| 8/29/2021 0:05 | 2.231522 | 0.048642 | 1.70448 |
| 8/29/2021 0:10 | 2.233303 | 0.048642 | 1.706375 |
| 8/29/2021 0:15 | 2.232588 | 0.048642 | 1.705614 |
| 8/29/2021 0:20 | 2.232997 | 0.048642 | 1.706049 |
| 8/29/2021 0:25 | 2.233552 | 0.048642 | 1.70664 |
| 8/29/2021 0:30 | 2.238799 | 0.048642 | 1.712226 |
| 8/29/2021 0:35 | 2.24394 | 0.048642 | 1.717704 |
| 8/29/2021 0:40 | 2.238769 | 0.048642 | 1.712195 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/29/2021 0:45 | 2.236163 | 0.048642 | 1.70942 |
| 8/29/2021 0:50 | 2.234187 | 0.048642 | 1.707316 |
| 8/29/2021 0:55 | 2.238362 | 0.048642 | 1.711761 |
| 8/29/2021 1:00 | 2.237293 | 0.048642 | 1.710623 |
| 8/29/2021 1:05 | 2.241801 | 0.048642 | 1.715425 |
| 8/29/2021 1:10 | 2.236988 | 0.048642 | 1.710298 |
| 8/29/2021 1:15 | 2.237843 | 0.048642 | 1.711209 |
| 8/29/2021 1:20 | 2.240633 | 0.048642 | 1.714181 |
| 8/29/2021 1:25 | 2.242754 | 0.048642 | 1.716441 |
| 8/29/2021 1:30 | 2.239871 | 0.048642 | 1.713368 |
| 8/29/2021 1:35 | 2.237713 | 0.048642 | 1.71107 |
| 8/29/2021 1:40 | 2.24403 | 0.048642 | 1.717801 |
| 8/29/2021 1:45 | 2.246217 | 0.048642 | 1.720132 |
| 8/29/2021 1:50 | 2.247281 | 0.048642 | 1.721266 |
| 8/29/2021 1:55 | 2.245693 | 0.048642 | 1.719573 |
| 8/29/2021 2:00 | 2.245067 | 0.048642 | 1.718906 |
| 8/29/2021 2:05 | 2.241691 | 0.048642 | 1.715307 |
| 8/29/2021 2:10 | 2.240764 | 0.048642 | 1.71432 |
| 8/29/2021 2:15 | 2.247845 | 0.048642 | 1.721868 |
| 8/29/2021 2:20 | 2.240717 | 0.048642 | 1.71427 |
| 8/29/2021 2:25 | 2.246564 | 0.048642 | 1.720502 |
| 8/29/2021 2:30 | 2.277586 | 0.048642 | 1.753644 |
| 8/29/2021 2:35 | 2.274527 | 0.048642 | 1.75037 |
| 8/29/2021 2:40 | 2.252224 | 0.048642 | 1.726539 |
| 8/29/2021 2:45 | 2.252866 | 0.048642 | 1.727224 |
| 8/29/2021 2:50 | 2.248666 | 0.048642 | 1.722743 |
| 8/29/2021 2:55 | 2.245137 | 0.048642 | 1.71898 |
| 8/29/2021 3:00 | 2.238628 | 0.048642 | 1.712044 |
| 8/29/2021 3:05 | 2.24298 | 0.048642 | 1.716681 |
| 8/29/2021 3:10 | 2.246083 | 0.048642 | 1.719989 |
| 8/29/2021 3:15 | 2.245062 | 0.048642 | 1.7189 |
| 8/29/2021 3:20 | 2.242303 | 0.048642 | 1.71596 |
| 8/29/2021 3:25 | 2.242714 | 0.048642 | 1.716398 |
| 8/29/2021 3:30 | 2.244717 | 0.048642 | 1.718533 |
| 8/29/2021 3:35 | 2.244602 | 0.048642 | 1.718411 |
| 8/29/2021 3:40 | 2.245551 | 0.048642 | 1.719421 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/29/2021 3:45 | 2.245632 | 0.048642 | 1.719508 |
| 8/29/2021 3:50 | 2.247958 | 0.048642 | 1.721988 |
| 8/29/2021 3:55 | 2.249742 | 0.048642 | 1.72389 |
| 8/29/2021 4:00 | 2.248945 | 0.048642 | 1.72304 |
| 8/29/2021 4:05 | 2.253715 | 0.048642 | 1.728129 |
| 8/29/2021 4:10 | 2.249151 | 0.048642 | 1.72326 |
| 8/29/2021 4:15 | 2.246603 | 0.048642 | 1.720543 |
| 8/29/2021 4:20 | 2.24704 | 0.048642 | 1.721009 |
| 8/29/2021 4:25 | 2.250427 | 0.048642 | 1.724621 |
| 8/29/2021 4:30 | 2.243431 | 0.048642 | 1.717162 |
| 8/29/2021 4:35 | 2.248236 | 0.048642 | 1.722284 |
| 8/29/2021 4:40 | 2.25376 | 0.048642 | 1.728177 |
| 8/29/2021 4:45 | 2.251095 | 0.048642 | 1.725334 |
| 8/29/2021 4:50 | 2.249721 | 0.048642 | 1.723868 |
| 8/29/2021 4:55 | 2.247931 | 0.048642 | 1.721959 |
| 8/29/2021 5:00 | 2.252528 | 0.048642 | 1.726863 |
| 8/29/2021 5:05 | 2.252817 | 0.048642 | 1.727171 |
| 8/29/2021 5:10 | 2.254102 | 0.048642 | 1.728543 |
| 8/29/2021 5:15 | 2.271396 | 0.048642 | 1.74702 |
| 8/29/2021 5:20 | 2.289823 | 0.048642 | 1.766754 |
| 8/29/2021 5:25 | 2.275859 | 0.048642 | 1.751795 |
| 8/29/2021 5:30 | 2.268666 | 0.048642 | 1.744101 |
| 8/29/2021 5:35 | 2.262366 | 0.048642 | 1.737367 |
| 8/29/2021 5:40 | 2.273802 | 0.048642 | 1.749595 |
| 8/29/2021 5:45 | 2.272394 | 0.048642 | 1.748088 |
| 8/29/2021 5:50 | 2.27035 | 0.048642 | 1.745901 |
| 8/29/2021 5:55 | 2.265741 | 0.048642 | 1.740973 |
| 8/29/2021 6:00 | 2.25177 | 0.048642 | 1.726054 |
| 8/29/2021 6:05 | 2.250155 | 0.048642 | 1.724331 |
| 8/29/2021 6:10 | 2.25525 | 0.048642 | 1.729768 |
| 8/29/2021 6:15 | 2.257042 | 0.048642 | 1.73168 |
| 8/29/2021 6:20 | 2.253407 | 0.048642 | 1.727801 |
| 8/29/2021 6:25 | 2.254115 | 0.048642 | 1.728556 |
| 8/29/2021 6:30 | 2.252981 | 0.048642 | 1.727347 |
| 8/29/2021 6:35 | 2.257011 | 0.048642 | 1.731648 |
| 8/29/2021 6:40 | 2.256687 | 0.048642 | 1.731302 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/29/2021 6:45 | 2.250727 | 0.048642 | 1.724941 | |
| 8/29/2021 6:50 | 2.25658 | 0.048642 | 1.731188 | |
| 8/29/2021 6:55 | 2.248483 | 0.048642 | 1.722548 | |
| 8/29/2021 7:00 | 2.254956 | 0.048642 | 1.729454 | |
| 8/29/2021 7:05 | 2.252081 | 0.048642 | 1.726385 | |
| 8/29/2021 7:10 | 2.284396 | 0.048642 | 1.760937 | |
| 8/29/2021 7:15 | 2.323085 | 0.048642 | 1.802491 | |
| 8/29/2021 7:20 | 2.281785 | 0.048642 | 1.75814 | |
| 8/29/2021 7:25 | 2.260264 | 0.048642 | 1.735122 | |
| 8/29/2021 7:30 | 2.257891 | 0.048642 | 1.732587 | |
| 8/29/2021 7:35 | 2.259708 | 0.048642 | 1.734528 | |
| 8/29/2021 7:40 | 2.248701 | 0.048642 | 1.722781 | |
| 8/29/2021 7:45 | 2.256258 | 0.048642 | 1.730844 | |
| 8/29/2021 7:50 | 2.292144 | 0.048642 | 1.769243 | |
| 8/29/2021 7:55 | 2.27639 | 0.048642 | 1.752364 | |
| 8/29/2021 8:00 | 2.257668 | 0.048642 | 1.732349 | |
| 8/29/2021 8:05 | 2.246469 | 0.048642 | 1.7204 | |
| 8/29/2021 8:10 | 2.201847 | 0.048642 | 1.672967 | |
| 8/29/2021 8:15 | 2.229119 | 0.048642 | 1.701923 | |
| 8/29/2021 8:20 | 2.349793 | 0.048642 | 1.831294 | |
| 8/29/2021 8:25 | 2.360808 | 0.048642 | 1.843199 | |
| 8/29/2021 8:30 | 2.572486 | 0.048642 | 2.074872 | |
| 8/29/2021 8:35 | 2.566254 | 0.048642 | 2.067978 | |
| 8/29/2021 8:40 | 2.279268 | 0.048642 | 1.755445 | |
| 8/29/2021 8:45 | 2.251656 | 0.048642 | 1.725933 | |
| 8/29/2021 8:50 | 2.253589 | 0.048642 | 1.727995 | |
| 8/29/2021 8:55 | 2.263284 | 0.048642 | 1.738348 | |
| 8/29/2021 9:00 | 2.259171 | 0.048642 | 1.733954 | |
| 8/29/2021 9:05 | 2.25269 | 0.048642 | 1.727036 | |
| 8/29/2021 9:10 | 2.280609 | 0.048642 | 1.756881 | |
| 8/29/2021 9:15 | 2.232918 | 0.048642 | 1.705965 | |
| 8/29/2021 9:20 | 2.257154 | 0.048642 | 1.7318 | |
| 8/29/2021 9:25 | 2.252866 | 0.048642 | 1.727224 | |
| 8/29/2021 9:30 | 2.247179 | 0.048642 | 1.721158 | |
| 8/29/2021 9:35 | 2.256859 | 0.048642 | 1.731485 | |
| 8/29/2021 9:40 | 2.412823 | 0.048642 | 1.899629 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/29/2021 9:45 | 2.484951 | 0.048642 | 1.978428 |
| 8/29/2021 9:50 | 2.348993 | 0.048642 | 1.830429 |
| 8/29/2021 9:55 | 2.31791 | 0.048642 | 1.796921 |
| 8/29/2021 10:00 | 2.413021 | 0.048642 | 1.899844 |
| 8/29/2021 10:05 | 2.334708 | 0.048642 | 1.815014 |
| 8/29/2021 10:10 | 2.273779 | 0.048642 | 1.74957 |
| 8/29/2021 10:15 | 2.256028 | 0.048642 | 1.730598 |
| 8/29/2021 10:20 | 2.25564 | 0.048642 | 1.730184 |
| 8/29/2021 10:25 | 2.325164 | 0.048642 | 1.80473 |
| 8/29/2021 10:30 | 2.368582 | 0.048642 | 1.851611 |
| 8/29/2021 10:35 | 2.3335 | 0.048642 | 1.813713 |
| 8/29/2021 10:40 | 2.288863 | 0.048642 | 1.765725 |
| 8/29/2021 10:45 | 2.273358 | 0.048642 | 1.749119 |
| 8/29/2021 10:50 | 2.257408 | 0.048642 | 1.732071 |
| 8/29/2021 10:55 | 2.309071 | 0.048642 | 1.787417 |
| 8/29/2021 11:00 | 2.328819 | 0.048642 | 1.808668 |
| 8/29/2021 11:05 | 2.30152 | 0.048642 | 1.779305 |
| 8/29/2021 11:10 | 2.387612 | 0.048642 | 1.872235 |
| 8/29/2021 11:15 | 2.818107 | 0.145998 | 7.052626 |
| 8/29/2021 11:20 | 2.495488 | 0.145998 | 5.972916 |
| 8/29/2021 11:25 | 2.667171 | 0.145998 | 6.543592 |
| 8/29/2021 11:30 | 3.464455 | 0.145998 | 9.288073 |
| 8/29/2021 11:35 | 2.722569 | 0.145998 | 6.729684 |
| 8/29/2021 11:40 | 3.037128 | 0.145998 | 7.801495 |
| 8/29/2021 11:45 | 2.48555 | 0.145998 | 5.940182 |
| 8/29/2021 11:50 | 2.338474 | 0.145998 | 5.459914 |
| 8/29/2021 11:55 | 2.517556 | 0.145998 | 6.045729 |
| 8/29/2021 12:00 | 2.529355 | 0.145998 | 6.084726 |
| 8/29/2021 12:05 | 2.569203 | 0.145998 | 6.216777 |
| 8/29/2021 12:10 | 2.502766 | 0.145998 | 5.996911 |
| 8/29/2021 12:15 | 2.800307 | 0.145998 | 6.992273 |
| 8/29/2021 12:20 | 2.6198 | 0.145998 | 6.385193 |
| 8/29/2021 12:25 | 2.496609 | 0.145998 | 5.976612 |
| 8/29/2021 12:30 | 2.622256 | 0.145998 | 6.393386 |
| 8/29/2021 12:35 | 2.68368 | 0.145998 | 6.598955 |
| 8/29/2021 12:40 | 3.153459 | 0.145998 | 8.203352 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/29/2021 12:45 | 2.865694 | 0.145998 | 7.214375 |
| 8/29/2021 12:50 | 2.666661 | 0.145998 | 6.541885 |
| 8/29/2021 12:55 | 2.845138 | 0.145998 | 7.144436 |
| 8/29/2021 13:00 | 2.585846 | 0.145998 | 6.272085 |
| 8/29/2021 13:05 | 2.483073 | 0.145998 | 5.932027 |
| 8/29/2021 13:10 | 2.577016 | 0.145998 | 6.242731 |
| 8/29/2021 13:15 | 2.582589 | 0.145998 | 6.261254 |
| 8/29/2021 13:20 | 2.890077 | 0.145998 | 7.297471 |
| 8/29/2021 13:25 | 2.686856 | 0.145998 | 6.609614 |
| 8/29/2021 13:28 | | | |
| 8/29/2021 13:30 | 2.849151 | 0.145998 | 7.21253 |
| 8/29/2021 13:35 | 2.679307 | 0.145998 | 6.584284 |
| 8/29/2021 13:40 | 2.69106 | 0.145998 | 6.623729 |
| 8/29/2021 13:45 | 2.634948 | 0.145998 | 6.43577 |
| 8/29/2021 13:50 | 2.770751 | 0.145998 | 6.892241 |
| 8/29/2021 13:55 | 2.499503 | 0.145998 | 5.986149 |
| 8/29/2021 14:00 | 2.565836 | 0.145998 | 6.205599 |
| 8/29/2021 14:05 | 2.921825 | 0.145998 | 7.405878 |
| 8/29/2021 14:10 | 2.814491 | 0.145998 | 7.04036 |
| 8/29/2021 14:15 | 2.818998 | 0.145998 | 7.055647 |
| 8/29/2021 14:20 | 3.118235 | 0.11997 | 6.640673 |
| 8/29/2021 14:25 | 2.917924 | 0.077497 | 3.924047 |
| 8/29/2021 14:30 | 2.653273 | 0.077497 | 3.448707 |
| 8/29/2021 14:35 | 2.630667 | 0.077497 | 3.408589 |
| 8/29/2021 14:40 | 2.740991 | 0.077497 | 3.605143 |
| 8/29/2021 14:45 | 2.629627 | 0.077497 | 3.406745 |
| 8/29/2021 14:50 | 3.144914 | 0.077497 | 4.338718 |
| 8/29/2021 14:55 | 2.848258 | 0.077497 | 3.797979 |
| 8/29/2021 15:00 | 2.498363 | 0.077497 | 3.175521 |
| 8/29/2021 15:05 | 2.60459 | 0.077497 | 3.362413 |
| 8/29/2021 15:10 | 2.773395 | 0.077497 | 3.663224 |
| 8/29/2021 15:15 | 2.996059 | 0.077497 | 4.06615 |
| 8/29/2021 15:20 | 2.600991 | 0.077497 | 3.356049 |
| 8/29/2021 15:25 | 2.630813 | 0.077497 | 3.408846 |
| 8/29/2021 15:30 | 2.685914 | 0.077497 | 3.50678 |
| 8/29/2021 15:35 | 2.66858 | 0.077497 | 3.475919 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/29/2021 15:40 | 2.696867 | 0.108532 | 4.938465 |
| 8/29/2021 15:45 | 2.943042 | 0.108532 | 5.559353 |
| 8/29/2021 15:50 | 2.606657 | 0.108532 | 4.714061 |
| 8/29/2021 15:55 | 3.363008 | 0.108532 | 6.640528 |
| 8/29/2021 16:00 | 2.876745 | 0.108532 | 5.391023 |
| 8/29/2021 16:05 | 2.649047 | 0.108532 | 4.81928 |
| 8/29/2021 16:10 | 2.442755 | 0.108532 | 4.311332 |
| 8/29/2021 16:15 | 2.540906 | 0.108532 | 4.551693 |
| 8/29/2021 16:20 | 3.000552 | 0.108532 | 5.705974 |
| 8/29/2021 16:25 | 2.436505 | 0.108532 | 4.296111 |
| 8/29/2021 16:30 | 2.835678 | 0.108532 | 5.287146 |
| 8/29/2021 16:35 | 3.313991 | 0.108532 | 6.513259 |
| 8/29/2021 16:40 | 2.530758 | 0.108532 | 4.526729 |
| 8/29/2021 16:45 | 2.866601 | 0.108532 | 5.365337 |
| 8/29/2021 16:50 | 2.608819 | 0.108532 | 4.719417 |
| 8/29/2021 16:55 | 2.962102 | 0.108532 | 5.607887 |
| 8/29/2021 17:00 | 3.89043 | 0.108532 | 8.019347 |
| 8/29/2021 17:05 | 3.368563 | 0.108532 | 6.654963 |
| 8/29/2021 17:10 | 2.87783 | 0.108532 | 5.393773 |
| 8/29/2021 17:15 | 2.772203 | 0.108532 | 5.12722 |
| 8/29/2021 17:20 | 2.566272 | 0.108532 | 4.614209 |
| 8/29/2021 17:25 | 2.860523 | 0.108532 | 5.349955 |
| 8/29/2021 17:30 | 2.576023 | 0.108532 | 4.638282 |
| 8/29/2021 17:35 | 2.380206 | 0.108532 | 4.159497 |
| 8/29/2021 17:40 | 2.413771 | 0.108532 | 4.24084 |
| 8/29/2021 17:45 | 2.383741 | 0.108532 | 4.168048 |
| 8/29/2021 17:50 | 2.400515 | 0.108532 | 4.208678 |
| 8/29/2021 17:55 | 2.295607 | 0.108532 | 3.955906 |
| 8/29/2021 18:00 | 3.279081 | 0.108532 | 6.422759 |
| 8/29/2021 18:05 | 3.158586 | 0.108532 | 6.111435 |
| 8/29/2021 18:10 | 2.327404 | 0.108532 | 4.032181 |
| 8/29/2021 18:15 | 2.35418 | 0.108532 | 4.096641 |
| 8/29/2021 18:20 | 2.319113 | 0.108532 | 4.012263 |
| 8/29/2021 18:25 | 2.364866 | 0.108532 | 4.122425 |
| 8/29/2021 18:30 | 2.441296 | 0.108532 | 4.307779 |
| 8/29/2021 18:35 | 2.370233 | 0.108532 | 4.135388 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/29/2021 18:40 | 2.245718 | 0.108532 | 3.836848 | |
| 8/29/2021 18:45 | 2.79067 | 0.108532 | 5.173668 | |
| 8/29/2021 18:50 | 2.377714 | 0.108532 | 4.153468 | |
| 8/29/2021 18:55 | 2.353914 | 0.108532 | 4.095999 | |
| 8/29/2021 19:00 | 2.373589 | 0.108532 | 4.143496 | |
| 8/29/2021 19:05 | 3.014606 | 0.108532 | 5.741881 | |
| 8/29/2021 19:10 | 3.190293 | 0.108532 | 6.193192 | |
| 8/29/2021 19:15 | 2.539777 | 0.108532 | 4.548916 | |
| 8/29/2021 19:20 | 2.269687 | 0.108532 | 3.893952 | |
| 8/29/2021 19:25 | 2.408542 | 0.108532 | 4.228146 | |
| 8/29/2021 19:30 | 2.41914 | 0.108532 | 4.25388 | |
| 8/29/2021 19:35 | 2.282176 | 0.108532 | 3.923778 | |
| 8/29/2021 19:40 | 2.484479 | 0.108532 | 4.413204 | |
| 8/29/2021 19:45 | 3.14471 | 0.108532 | 6.075696 | |
| 8/29/2021 19:50 | 2.418932 | 0.108532 | 4.253376 | |
| 8/29/2021 19:55 | 2.372196 | 0.108532 | 4.140129 | |
| 8/29/2021 20:00 | 2.403501 | 0.112147 | 4.356328 | |
| 8/29/2021 20:05 | 2.904106 | 0.112147 | 5.64226 | |
| 8/29/2021 20:10 | 3.520682 | 0.112147 | 7.286121 | |
| 8/29/2021 20:15 | 3.666359 | 0.112147 | 7.679694 | |
| 8/29/2021 20:20 | 2.481852 | 0.112147 | 4.553545 | |
| 8/29/2021 20:25 | 2.32473 | 0.112147 | 4.159831 | |
| 8/29/2021 20:30 | 2.327539 | 0.112147 | 4.166806 | |
| 8/29/2021 20:35 | 2.272481 | 0.112147 | 4.030531 | |
| 8/29/2021 20:40 | 2.254569 | 0.112147 | 3.986402 | |
| 8/29/2021 20:45 | 2.231875 | 0.112147 | 3.930642 | |
| 8/29/2021 20:50 | 2.23853 | 0.112147 | 3.946975 | |
| 8/29/2021 20:55 | 2.232237 | 0.112147 | 3.93153 | |
| 8/29/2021 21:00 | 2.232227 | 0.112147 | 3.931505 | |
| 8/29/2021 21:05 | 2.225325 | 0.112147 | 3.914578 | |
| 8/29/2021 21:10 | 2.229862 | 0.112147 | 3.925703 | |
| 8/29/2021 21:15 | 2.223163 | 0.112147 | 3.90928 | |
| 8/29/2021 21:20 | 2.230109 | 0.112147 | 3.926309 | |
| 8/29/2021 21:25 | 2.228682 | 0.112147 | 3.92281 | |
| 8/29/2021 21:30 | 2.235145 | 0.112147 | 3.938666 | |
| 8/29/2021 21:35 | 2.229533 | 0.112147 | 3.924897 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/29/2021 21:40 | 2.236219 | 0.112147 | 3.941301 |
| 8/29/2021 21:45 | 2.242429 | 0.112147 | 3.956554 |
| 8/29/2021 21:50 | 2.216679 | 0.112147 | 3.893397 |
| 8/29/2021 21:55 | 2.235804 | 0.112147 | 3.940283 |
| 8/29/2021 22:00 | 2.241906 | 0.112147 | 3.955266 |
| 8/29/2021 22:05 | 2.250162 | 0.112147 | 3.975561 |
| 8/29/2021 22:10 | 2.278801 | 0.112147 | 4.046125 |
| 8/29/2021 22:15 | 2.247657 | 0.112147 | 3.969401 |
| 8/29/2021 22:20 | 2.241538 | 0.112147 | 3.954364 |
| 8/29/2021 22:25 | 2.241475 | 0.112147 | 3.954209 |
| 8/29/2021 22:30 | 2.246817 | 0.112147 | 3.967337 |
| 8/29/2021 22:35 | 2.226641 | 0.112147 | 3.917805 |
| 8/29/2021 22:40 | 2.228633 | 0.112147 | 3.922689 |
| 8/29/2021 22:45 | 2.233665 | 0.112147 | 3.935033 |
| 8/29/2021 22:50 | 2.236724 | 0.112147 | 3.942542 |
| 8/29/2021 22:55 | 2.236467 | 0.112147 | 3.94191 |
| 8/29/2021 23:00 | 2.255198 | 0.112147 | 3.987951 |
| 8/29/2021 23:05 | 2.204507 | 0.112147 | 3.86362 |
| 8/29/2021 23:10 | 2.257591 | 0.112147 | 3.99384 |
| 8/29/2021 23:15 | 2.251304 | 0.112147 | 3.978368 |
| 8/29/2021 23:20 | 2.238511 | 0.112147 | 3.946927 |
| 8/29/2021 23:25 | 2.237877 | 0.112147 | 3.945372 |
| 8/29/2021 23:30 | 2.236531 | 0.112147 | 3.942067 |
| 8/29/2021 23:35 | 2.237093 | 0.112147 | 3.943447 |
| 8/29/2021 23:40 | 2.274005 | 0.112147 | 4.034291 |
| 8/29/2021 23:45 | 2.24781 | 0.112147 | 3.969777 |
| 8/29/2021 23:50 | 2.247625 | 0.112147 | 3.969324 |
| 8/29/2021 23:55 | 2.247206 | 0.112147 | 3.968293 |
| 8/30/2021 0:00 | 2.250104 | 0.112147 | 3.975418 |
| 8/30/2021 0:05 | 2.248723 | 0.112147 | 3.972022 |
| 8/30/2021 0:10 | 2.250429 | 0.112147 | 3.976218 |
| 8/30/2021 0:15 | 2.274522 | 0.112147 | 4.035567 |
| 8/30/2021 0:20 | 2.269096 | 0.112147 | 4.022184 |
| 8/30/2021 0:25 | 2.253436 | 0.112147 | 3.983615 |
| 8/30/2021 0:30 | 2.245149 | 0.112147 | 3.963236 |
| 8/30/2021 0:35 | 2.24503 | 0.112147 | 3.962943 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/30/2021 0:40 | 2.242331 | 0.112147 | 3.956311 |
| 8/30/2021 0:45 | 2.238689 | 0.112147 | 3.947366 |
| 8/30/2021 0:50 | 2.238164 | 0.112147 | 3.946075 |
| 8/30/2021 0:55 | 2.240014 | 0.112147 | 3.950621 |
| 8/30/2021 1:00 | 2.241696 | 0.112147 | 3.954751 |
| 8/30/2021 1:05 | 2.24077 | 0.112147 | 3.952477 |
| 8/30/2021 1:10 | 2.239652 | 0.112147 | 3.949731 |
| 8/30/2021 1:15 | 2.248216 | 0.112147 | 3.970776 |
| 8/30/2021 1:20 | 2.245125 | 0.112147 | 3.963178 |
| 8/30/2021 1:25 | 2.248376 | 0.112147 | 3.971169 |
| 8/30/2021 1:30 | 2.244852 | 0.112147 | 3.962507 |
| 8/30/2021 1:35 | 2.249614 | 0.112147 | 3.974213 |
| 8/30/2021 1:40 | 2.25491 | 0.112147 | 3.987241 |
| 8/30/2021 1:45 | 2.239649 | 0.112147 | 3.949723 |
| 8/30/2021 1:50 | 2.246654 | 0.112147 | 3.966935 |
| 8/30/2021 1:55 | 2.24974 | 0.112147 | 3.974523 |
| 8/30/2021 2:00 | 2.240172 | 0.112147 | 3.951009 |
| 8/30/2021 2:05 | 2.247991 | 0.112147 | 3.970222 |
| 8/30/2021 2:10 | 2.244542 | 0.112147 | 3.961745 |
| 8/30/2021 2:15 | 2.246058 | 0.112147 | 3.96547 |
| 8/30/2021 2:20 | 2.247305 | 0.112147 | 3.968537 |
| 8/30/2021 2:25 | 2.246676 | 0.112147 | 3.966988 |
| 8/30/2021 2:30 | 2.249844 | 0.112147 | 3.974779 |
| 8/30/2021 2:35 | 2.25175 | 0.112147 | 3.979466 |
| 8/30/2021 2:40 | 2.25056 | 0.112147 | 3.97654 |
| 8/30/2021 2:45 | 2.252697 | 0.112147 | 3.981797 |
| 8/30/2021 2:50 | 2.260684 | 0.112147 | 4.001457 |
| 8/30/2021 2:55 | 2.259908 | 0.112147 | 3.999545 |
| 8/30/2021 3:00 | 2.257563 | 0.112147 | 3.993773 |
| 8/30/2021 3:05 | 2.256718 | 0.112147 | 3.991691 |
| 8/30/2021 3:10 | 2.259108 | 0.112147 | 3.997576 |
| 8/30/2021 3:15 | 2.259396 | 0.112147 | 3.998285 |
| 8/30/2021 3:20 | 2.258311 | 0.112147 | 3.995613 |
| 8/30/2021 3:25 | 2.263107 | 0.112147 | 4.007424 |
| 8/30/2021 3:30 | 2.257409 | 0.112147 | 3.993392 |
| 8/30/2021 3:35 | 2.256954 | 0.112147 | 3.992273 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/30/2021 3:40 | 2.260938 | 0.112147 | 4.002081 | |
| 8/30/2021 3:45 | 2.256947 | 0.112147 | 3.992255 | |
| 8/30/2021 3:50 | 2.26003 | 0.112147 | 3.999846 | |
| 8/30/2021 3:55 | 2.254895 | 0.112147 | 3.987204 | |
| 8/30/2021 4:00 | 2.267336 | 0.112147 | 4.017846 | |
| 8/30/2021 4:05 | 2.283164 | 0.112147 | 4.056898 | |
| 8/30/2021 4:10 | 2.302811 | 0.112147 | 4.105484 | |
| 8/30/2021 4:15 | 2.292769 | 0.112147 | 4.080636 | |
| 8/30/2021 4:20 | 2.273769 | 0.112147 | 4.033708 | |
| 8/30/2021 4:25 | 2.260779 | 0.112147 | 4.00169 | |
| 8/30/2021 4:30 | 2.256181 | 0.112147 | 3.990369 | |
| 8/30/2021 4:35 | 2.255714 | 0.112147 | 3.989219 | |
| 8/30/2021 4:40 | 2.252192 | 0.112147 | 3.980553 | |
| 8/30/2021 4:45 | 2.256923 | 0.112147 | 3.992194 | |
| 8/30/2021 4:50 | 2.239924 | 0.112147 | 3.9504 | |
| 8/30/2021 4:55 | 2.245584 | 0.112147 | 3.964306 | |
| 8/30/2021 5:00 | 2.237723 | 0.112147 | 3.944995 | |
| 8/30/2021 5:05 | 2.244475 | 0.112147 | 3.96158 | |
| 8/30/2021 5:10 | 2.246918 | 0.112147 | 3.967584 | |
| 8/30/2021 5:15 | 2.248515 | 0.112147 | 3.97151 | |
| 8/30/2021 5:20 | 2.256207 | 0.112147 | 3.990435 | |
| 8/30/2021 5:25 | 2.253272 | 0.112147 | 3.983212 | |
| 8/30/2021 5:30 | 2.244543 | 0.112147 | 3.961746 | |
| 8/30/2021 5:35 | 2.249471 | 0.112147 | 3.973861 | |
| 8/30/2021 5:40 | 2.248324 | 0.112147 | 3.97104 | |
| 8/30/2021 5:45 | 2.252014 | 0.112147 | 3.980116 | |
| 8/30/2021 5:50 | 2.725531 | 0.112147 | 5.177005 | |
| 8/30/2021 5:55 | 2.755564 | 0.151815 | 7.113508 | |
| 8/30/2021 6:00 | 2.570908 | 0.151815 | 6.47037 | |
| 8/30/2021 6:05 | 2.462468 | 0.151815 | 6.097947 | |
| 8/30/2021 6:10 | 2.399374 | 0.151815 | 5.883236 | |
| 8/30/2021 6:15 | 2.360849 | 0.151815 | 5.752893 | |
| 8/30/2021 6:20 | 2.323636 | 0.151815 | 5.627555 | |
| 8/30/2021 6:25 | 2.307397 | 0.151815 | 5.573038 | |
| 8/30/2021 6:30 | 2.306313 | 0.151815 | 5.569405 | |
| 8/30/2021 6:35 | 2.297395 | 0.151815 | 5.539515 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/30/2021 6:40 | 2.426477 | 0.095153 | 3.745103 | |
| 8/30/2021 6:45 | 2.272522 | 0.095153 | 3.419843 | |
| 8/30/2021 6:50 | 2.257799 | 0.095153 | 3.38906 | |
| 8/30/2021 6:55 | 2.25094 | 0.095153 | 3.374741 | |
| 8/30/2021 7:00 | 2.257285 | 0.095153 | 3.387987 | |
| 8/30/2021 7:05 | 2.248458 | 0.095153 | 3.369562 | |
| 8/30/2021 7:10 | 2.249191 | 0.095153 | 3.371091 | |
| 8/30/2021 7:15 | 2.25222 | 0.095153 | 3.377412 | |
| 8/30/2021 7:20 | 2.226199 | 0.095153 | 3.323194 | |
| 8/30/2021 7:25 | 2.238467 | 0.095153 | 3.348732 | |
| 8/30/2021 7:30 | 2.249911 | 0.095153 | 3.372593 | |
| 8/30/2021 7:35 | 2.265111 | 0.095153 | 3.404341 | |
| 8/30/2021 7:40 | 2.214878 | 0.095153 | 3.299663 | |
| 8/30/2021 7:45 | 2.254017 | 0.095153 | 3.381164 | |
| 8/30/2021 7:50 | 2.291808 | 0.095153 | 3.460254 | |
| 8/30/2021 7:55 | 2.259736 | 0.095153 | 3.393108 | |
| 8/30/2021 8:00 | 2.244138 | 0.095153 | 3.360552 | |
| 8/30/2021 8:05 | 2.245104 | 0.095153 | 3.362566 | |
| 8/30/2021 8:10 | 2.246105 | 0.095153 | 3.364654 | |
| 8/30/2021 8:15 | 2.238389 | 0.095153 | 3.34857 | |
| 8/30/2021 8:20 | 2.254174 | 0.095153 | 3.381491 | |
| 8/30/2021 8:25 | 2.250137 | 0.095153 | 3.373065 | |
| 8/30/2021 8:30 | 2.291229 | 0.095153 | 3.459038 | |
| 8/30/2021 8:35 | 2.290118 | 0.095153 | 3.456707 | |
| 8/30/2021 8:40 | 2.298155 | 0.095153 | 3.473575 | |
| 8/30/2021 8:45 | 2.279166 | 0.095153 | 3.433754 | |
| 8/30/2021 8:50 | 2.260804 | 0.095153 | 3.395338 | |
| 8/30/2021 8:55 | 2.249113 | 0.095153 | 3.370929 | |
| 8/30/2021 9:00 | 2.301743 | 0.095153 | 3.48111 | |
| 8/30/2021 9:05 | 2.289766 | 0.095153 | 3.455969 | |
| 8/30/2021 9:10 | 2.267052 | 0.095153 | 3.4084 | |
| 8/30/2021 9:15 | 2.262468 | 0.095153 | 3.398816 | |
| 8/30/2021 9:20 | 2.268165 | 0.095153 | 3.410727 | |
| 8/30/2021 9:25 | 2.253056 | 0.095153 | 3.379157 | |
| 8/30/2021 9:30 | 2.306643 | 0.095153 | 3.491404 | |
| 8/30/2021 9:35 | 2.344945 | 0.095153 | 3.572099 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/30/2021 9:40 | 2.487969 | 0.095153 | 3.876639 |
| 8/30/2021 9:45 | 2.37669 | 0.095153 | 3.639264 |
| 8/30/2021 9:50 | 2.296391 | 0.095153 | 3.46987 |
| 8/30/2021 9:55 | 2.779257 | 0.095153 | 4.510689 |
| 8/30/2021 10:00 | 2.533973 | 0.095153 | 3.97561 |
| 8/30/2021 10:05 | 2.373217 | 0.095153 | 3.631902 |
| 8/30/2021 10:10 | 2.451866 | 0.095153 | 3.799305 |
| 8/30/2021 10:15 | 3.145571 | 0.095153 | 5.328635 |
| 8/30/2021 10:20 | 2.802 | 0.095153 | 4.560876 |
| 8/30/2021 10:25 | 2.790315 | 0.095153 | 4.535079 |
| 8/30/2021 10:30 | 2.636917 | 0.095153 | 4.19873 |
| 8/30/2021 10:35 | 2.422467 | 0.095153 | 3.736554 |
| 8/30/2021 10:40 | 2.568656 | 0.095153 | 4.050532 |
| 8/30/2021 10:45 | 2.41515 | 0.095153 | 3.72097 |
| 8/30/2021 10:50 | 2.475862 | 0.095153 | 3.850672 |
| 8/30/2021 10:55 | 2.430274 | 0.095153 | 3.753198 |
| 8/30/2021 11:00 | 2.571712 | 0.095153 | 4.057146 |
| 8/30/2021 11:05 | 2.621634 | 0.095153 | 4.165467 |
| 8/30/2021 11:10 | 2.665422 | 0.095153 | 4.260896 |
| 8/30/2021 11:15 | 2.592026 | 0.095153 | 4.101161 |
| 8/30/2021 11:20 | 2.748602 | 0.095153 | 4.443189 |
| 8/30/2021 11:25 | 2.335303 | 0.095153 | 3.55175 |
| 8/30/2021 11:30 | 2.406413 | 0.095153 | 3.702377 |
| 8/30/2021 11:35 | 2.319297 | 0.095153 | 3.518023 |
| 8/30/2021 11:40 | 2.486247 | 0.095153 | 3.872943 |
| 8/30/2021 11:45 | 2.438845 | 0.095153 | 3.771486 |
| 8/30/2021 11:50 | 2.37901 | 0.095153 | 3.644181 |
| 8/30/2021 11:55 | 2.384574 | 0.095153 | 3.655983 |
| 8/30/2021 12:00 | 2.328643 | 0.095153 | 3.537709 |
| 8/30/2021 12:05 | 2.437723 | 0.095153 | 3.769093 |
| 8/30/2021 12:10 | 2.537345 | 0.095153 | 3.982883 |
| 8/30/2021 12:15 | 2.558003 | 0.095153 | 4.027493 |
| 8/30/2021 12:20 | 2.344444 | 0.095153 | 3.571042 |
| 8/30/2021 12:25 | 2.322024 | 0.095153 | 3.523763 |
| 8/30/2021 12:30 | 2.533305 | 0.095153 | 3.974169 |
| 8/30/2021 12:35 | 2.881802 | 0.095153 | 4.737657 |

| Site Name | Albany | Albany | Albany | |
|----------------------|-------------|-------------|-------------|---|
| Isco Quantity | Level | Velocity | Flow Rate | |
| Label | 350 Level | 350 Velocit | Flow Rate | |
| Units | in | ft/s | gpm | |
| Resolution | | 0 | 0 | 0 |
| Significant Digits | | 0 | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M | |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C | |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/30/2021 12:40 | 2.369584 | 0.095153 | 3.624207 |
| 8/30/2021 12:45 | 2.424872 | 0.095153 | 3.74168 |
| 8/30/2021 12:50 | 2.401671 | 0.095153 | 3.692292 |
| 8/30/2021 12:55 | 2.312016 | 0.095153 | 3.502702 |
| 8/30/2021 13:00 | 2.365402 | 0.095153 | 3.615351 |
| 8/30/2021 13:05 | 2.312481 | 0.095153 | 3.50368 |
| 8/30/2021 13:10 | 2.363046 | 0.095153 | 3.610365 |
| 8/30/2021 13:15 | 2.892459 | 0.095153 | 4.761343 |
| 8/30/2021 13:20 | 2.547962 | 0.095153 | 4.005798 |
| 8/30/2021 13:25 | 3.014259 | 0.187397 | 9.912658 |
| 8/30/2021 13:28 | | | |
| 8/30/2021 13:30 | 2.865341 | 0.187397 | 9.27816 |
| 8/30/2021 13:35 | 2.654283 | 0.187397 | 8.343672 |
| 8/30/2021 13:40 | 2.587314 | 0.149787 | 6.439856 |
| 8/30/2021 13:45 | 2.508258 | 0.149787 | 6.171123 |
| 8/30/2021 13:50 | 2.301147 | 0.149787 | 5.477899 |
| 8/30/2021 13:55 | 2.36513 | 0.149787 | 5.690284 |
| 8/30/2021 14:00 | 2.795173 | 0.149787 | 7.155882 |
| 8/30/2021 14:05 | 2.555412 | 0.149787 | 6.331157 |
| 8/30/2021 14:10 | 2.605805 | 0.149787 | 6.503015 |
| 8/30/2021 14:15 | 2.445021 | 0.149787 | 5.957737 |
| 8/30/2021 14:20 | 2.424944 | 0.149787 | 5.890295 |
| 8/30/2021 14:25 | 2.480159 | 0.149787 | 6.076127 |
| 8/30/2021 14:30 | 2.857718 | 0.149787 | 7.373738 |
| 8/30/2021 14:35 | 2.424535 | 0.149787 | 5.888925 |
| 8/30/2021 14:40 | 2.349249 | 0.149787 | 5.637415 |
| 8/30/2021 14:45 | 2.398576 | 0.149787 | 5.801955 |
| 8/30/2021 14:50 | 2.4522 | 0.149787 | 5.981888 |
| 8/30/2021 14:55 | 2.383686 | 0.101163 | 3.884929 |
| 8/30/2021 15:00 | 2.362156 | 0.101163 | 3.836432 |
| 8/30/2021 15:05 | 2.271808 | 0.101163 | 3.634288 |
| 8/30/2021 15:10 | 2.653889 | 0.101163 | 4.503298 |
| 8/30/2021 15:15 | 2.434262 | 0.101163 | 3.999333 |
| 8/30/2021 15:20 | 2.784002 | 0.101163 | 4.806756 |
| 8/30/2021 15:25 | 3.5057 | 0.101163 | 6.536073 |
| 8/30/2021 15:30 | 2.592965 | 0.101163 | 4.362399 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/30/2021 15:35 | 2.455412 | 0.101163 | 4.047368 |
| 8/30/2021 15:40 | 2.254613 | 0.101163 | 3.596074 |
| 8/30/2021 15:45 | 2.202051 | 0.101163 | 3.479805 |
| 8/30/2021 15:50 | 2.398336 | 0.101163 | 3.917999 |
| 8/30/2021 15:55 | 2.424451 | 0.033855 | 1.330953 |
| 8/30/2021 16:00 | 3.074901 | 0.033855 | 1.839248 |
| 8/30/2021 16:05 | 2.810845 | 0.033855 | 1.629692 |
| 8/30/2021 16:10 | 2.613514 | 0.033855 | 1.475774 |
| 8/30/2021 16:15 | 2.513286 | 0.033855 | 1.398649 |
| 8/30/2021 16:20 | 2.407493 | 0.033855 | 1.318107 |
| 8/30/2021 16:25 | 2.40205 | 0.033855 | 1.313988 |
| 8/30/2021 16:30 | 2.397756 | 0.033855 | 1.310741 |
| 8/30/2021 16:35 | 2.387958 | 0.033855 | 1.303337 |
| 8/30/2021 16:40 | 2.367059 | 0.033855 | 1.287574 |
| 8/30/2021 16:45 | 2.339706 | 0.033855 | 1.267001 |
| 8/30/2021 16:50 | 2.262657 | 0.033855 | 1.209424 |
| 8/30/2021 16:55 | 2.258851 | 0.033855 | 1.206594 |
| 8/30/2021 17:00 | 2.28815 | 0.033855 | 1.228412 |
| 8/30/2021 17:05 | 2.230006 | 0.033855 | 1.185195 |
| 8/30/2021 17:10 | 2.352561 | 0.033855 | 1.276661 |
| 8/30/2021 17:15 | 2.300017 | 0.033855 | 1.237273 |
| 8/30/2021 17:20 | 2.491159 | 0.033855 | 1.381727 |
| 8/30/2021 17:25 | 2.609427 | 0.033855 | 1.472613 |
| 8/30/2021 17:30 | 2.887198 | 0.033855 | 1.689903 |
| 8/30/2021 17:35 | 2.450262 | 0.033855 | 1.350555 |
| 8/30/2021 17:40 | 2.348568 | 0.033855 | 1.273659 |
| 8/30/2021 17:45 | 2.390867 | 0.033855 | 1.305534 |
| 8/30/2021 17:50 | 2.346396 | 0.033855 | 1.272027 |
| 8/30/2021 17:55 | 2.322117 | 0.033855 | 1.253809 |
| 8/30/2021 18:00 | 2.285728 | 0.033855 | 1.226605 |
| 8/30/2021 18:05 | 2.23876 | 0.033855 | 1.191681 |
| 8/30/2021 18:10 | 2.235811 | 0.033855 | 1.189495 |
| 8/30/2021 18:15 | 2.269977 | 0.033855 | 1.21487 |
| 8/30/2021 18:20 | 2.339787 | 0.033855 | 1.267063 |
| 8/30/2021 18:25 | 2.258611 | 0.033855 | 1.206416 |
| 8/30/2021 18:30 | 2.219844 | 0.033855 | 1.177676 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/30/2021 18:35 | 2.291416 | 0.033855 | 1.23085 | |
| 8/30/2021 18:40 | 2.201089 | 0.033855 | 1.163825 | |
| 8/30/2021 18:45 | 2.204552 | 0.033855 | 1.16638 | |
| 8/30/2021 18:50 | 2.526704 | 0.033855 | 1.408929 | |
| 8/30/2021 18:55 | 2.611448 | 0.033855 | 1.474176 | |
| 8/30/2021 19:00 | 2.648173 | 0.033855 | 1.502617 | |
| 8/30/2021 19:05 | 2.649223 | 0.033855 | 1.503431 | |
| 8/30/2021 19:10 | 2.874787 | 0.033855 | 1.680093 | |
| 8/30/2021 19:15 | 2.409891 | 0.033855 | 1.319921 | |
| 8/30/2021 19:20 | 2.310853 | 0.033855 | 1.245375 | |
| 8/30/2021 19:25 | 2.212612 | 0.033855 | 1.172331 | |
| 8/30/2021 19:30 | 2.208871 | 0.033855 | 1.169568 | |
| 8/30/2021 19:35 | 2.190908 | 0.033855 | 1.156321 | |
| 8/30/2021 19:40 | 2.186264 | 0.033855 | 1.152902 | |
| 8/30/2021 19:45 | 2.20373 | 0.033855 | 1.165774 | |
| 8/30/2021 19:50 | 2.211687 | 0.033855 | 1.171647 | |
| 8/30/2021 19:55 | 2.191904 | 0.033855 | 1.157056 | |
| 8/30/2021 20:00 | 2.573101 | 0.033855 | 1.444584 | |
| 8/30/2021 20:05 | 2.845854 | 0.033855 | 1.657257 | |
| 8/30/2021 20:10 | 2.322253 | 0.033855 | 1.253911 | |
| 8/30/2021 20:15 | 2.242548 | 0.033855 | 1.19449 | |
| 8/30/2021 20:20 | 2.2535 | 0.033855 | 1.202618 | |
| 8/30/2021 20:25 | 2.231115 | 0.033855 | 1.186017 | |
| 8/30/2021 20:30 | 2.201391 | 0.033855 | 1.164048 | |
| 8/30/2021 20:35 | 2.200231 | 0.033855 | 1.163192 | |
| 8/30/2021 20:40 | 2.193573 | 0.033855 | 1.158285 | |
| 8/30/2021 20:45 | 2.209079 | 0.033855 | 1.169722 | |
| 8/30/2021 20:50 | 2.211817 | 0.033855 | 1.171744 | |
| 8/30/2021 20:55 | 2.192653 | 0.033855 | 1.157607 | |
| 8/30/2021 21:00 | 2.183076 | 0.033855 | 1.150556 | |
| 8/30/2021 21:05 | 2.73055 | 0.114161 | 5.283211 | |
| 8/30/2021 21:10 | 2.543792 | 0.114161 | 4.795237 | |
| 8/30/2021 21:15 | 2.427661 | 0.114161 | 4.496292 | |
| 8/30/2021 21:20 | 2.36045 | 0.114161 | 4.32502 | |
| 8/30/2021 21:25 | 2.309614 | 0.114161 | 4.196377 | |
| 8/30/2021 21:30 | 2.270456 | 0.114161 | 4.097839 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/30/2021 21:35 | 2.246904 | 0.114161 | 4.038811 |
| 8/30/2021 21:40 | 2.222406 | 0.114161 | 3.977605 |
| 8/30/2021 21:45 | 2.225157 | 0.114161 | 3.984469 |
| 8/30/2021 21:50 | 2.206671 | 0.114161 | 3.938399 |
| 8/30/2021 21:55 | 2.204284 | 0.114161 | 3.93246 |
| 8/30/2021 22:00 | 2.226152 | 0.114161 | 3.986952 |
| 8/30/2021 22:05 | 2.207307 | 0.114161 | 3.939983 |
| 8/30/2021 22:10 | 2.202634 | 0.114161 | 3.928355 |
| 8/30/2021 22:15 | 2.200182 | 0.114161 | 3.922257 |
| 8/30/2021 22:20 | 2.188678 | 0.114161 | 3.893671 |
| 8/30/2021 22:25 | 2.183718 | 0.114161 | 3.881359 |
| 8/30/2021 22:30 | 2.188862 | 0.114161 | 3.894127 |
| 8/30/2021 22:35 | 2.180857 | 0.114161 | 3.874264 |
| 8/30/2021 22:40 | 2.192481 | 0.114161 | 3.903115 |
| 8/30/2021 22:45 | 2.185342 | 0.114161 | 3.88539 |
| 8/30/2021 22:50 | 2.186055 | 0.114161 | 3.887158 |
| 8/30/2021 22:55 | 2.184748 | 0.114161 | 3.883917 |
| 8/30/2021 23:00 | 2.186159 | 0.114161 | 3.887419 |
| 8/30/2021 23:05 | 2.183755 | 0.114161 | 3.881453 |
| 8/30/2021 23:10 | 2.184095 | 0.114161 | 3.882297 |
| 8/30/2021 23:15 | 2.188102 | 0.114161 | 3.892242 |
| 8/30/2021 23:20 | 2.18463 | 0.114161 | 3.883623 |
| 8/30/2021 23:25 | 2.184773 | 0.114161 | 3.883977 |
| 8/30/2021 23:30 | 2.181179 | 0.114161 | 3.87506 |
| 8/30/2021 23:35 | 2.184635 | 0.114161 | 3.883637 |
| 8/30/2021 23:40 | 2.193695 | 0.114161 | 3.906132 |
| 8/30/2021 23:45 | 2.187129 | 0.114161 | 3.889825 |
| 8/30/2021 23:50 | 2.17876 | 0.114161 | 3.869062 |
| 8/30/2021 23:55 | 2.183315 | 0.114161 | 3.88036 |
| 8/31/2021 0:00 | 2.184727 | 0.114161 | 3.883863 |
| 8/31/2021 0:05 | 2.187197 | 0.114161 | 3.889994 |
| 8/31/2021 0:10 | 2.184776 | 0.114161 | 3.883986 |
| 8/31/2021 0:15 | 2.182708 | 0.114161 | 3.878854 |
| 8/31/2021 0:20 | 2.191536 | 0.114161 | 3.900769 |
| 8/31/2021 0:25 | 2.178818 | 0.114161 | 3.869206 |
| 8/31/2021 0:30 | 2.184073 | 0.114161 | 3.882241 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/31/2021 0:35 | 2.187458 | 0.114161 | 3.890643 |
| 8/31/2021 0:40 | 2.185048 | 0.114161 | 3.884662 |
| 8/31/2021 0:45 | 2.191546 | 0.114161 | 3.900793 |
| 8/31/2021 0:50 | 2.217097 | 0.114161 | 3.96437 |
| 8/31/2021 0:55 | 2.205263 | 0.114161 | 3.934895 |
| 8/31/2021 1:00 | 2.207129 | 0.114161 | 3.93954 |
| 8/31/2021 1:05 | 2.185083 | 0.114161 | 3.884748 |
| 8/31/2021 1:10 | 2.194946 | 0.114161 | 3.90924 |
| 8/31/2021 1:15 | 2.184377 | 0.114161 | 3.882995 |
| 8/31/2021 1:20 | 2.194593 | 0.114161 | 3.908363 |
| 8/31/2021 1:25 | 2.183154 | 0.114161 | 3.879961 |
| 8/31/2021 1:30 | 2.205095 | 0.114161 | 3.934477 |
| 8/31/2021 1:35 | 2.203554 | 0.114161 | 3.930642 |
| 8/31/2021 1:40 | 2.206679 | 0.114161 | 3.938419 |
| 8/31/2021 1:45 | 2.202151 | 0.114161 | 3.927152 |
| 8/31/2021 1:50 | 2.202137 | 0.114161 | 3.927117 |
| 8/31/2021 1:55 | 2.20389 | 0.114161 | 3.931478 |
| 8/31/2021 2:00 | 2.201292 | 0.114161 | 3.925015 |
| 8/31/2021 2:05 | 2.222651 | 0.114161 | 3.978217 |
| 8/31/2021 2:10 | 2.215568 | 0.114161 | 3.960558 |
| 8/31/2021 2:15 | 2.211078 | 0.114161 | 3.949373 |
| 8/31/2021 2:20 | 2.199479 | 0.114161 | 3.920508 |
| 8/31/2021 2:25 | 2.197907 | 0.114161 | 3.9166 |
| 8/31/2021 2:30 | 2.192032 | 0.114161 | 3.901999 |
| 8/31/2021 2:35 | 2.203416 | 0.114161 | 3.930301 |
| 8/31/2021 2:40 | 2.193461 | 0.114161 | 3.905551 |
| 8/31/2021 2:45 | 2.196578 | 0.114161 | 3.913296 |
| 8/31/2021 2:50 | 2.197313 | 0.114161 | 3.915123 |
| 8/31/2021 2:55 | 2.196495 | 0.114161 | 3.913089 |
| 8/31/2021 3:00 | 2.191704 | 0.114161 | 3.901185 |
| 8/31/2021 3:05 | 2.193015 | 0.114161 | 3.904443 |
| 8/31/2021 3:10 | 2.193527 | 0.114161 | 3.905714 |
| 8/31/2021 3:15 | 2.188201 | 0.114161 | 3.892487 |
| 8/31/2021 3:20 | 2.195296 | 0.114161 | 3.910109 |
| 8/31/2021 3:25 | 2.197732 | 0.114161 | 3.916165 |
| 8/31/2021 3:30 | 2.194855 | 0.114161 | 3.909013 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 8/31/2021 3:35 | 2.192396 | 0.114161 | 3.902903 | |
| 8/31/2021 3:40 | 2.199691 | 0.114161 | 3.921035 | |
| 8/31/2021 3:45 | 2.193279 | 0.114161 | 3.905098 | |
| 8/31/2021 3:50 | 2.19993 | 0.114161 | 3.92163 | |
| 8/31/2021 3:55 | 2.196181 | 0.114161 | 3.912309 | |
| 8/31/2021 4:00 | 2.197274 | 0.114161 | 3.915025 | |
| 8/31/2021 4:05 | 2.194001 | 0.114161 | 3.906891 | |
| 8/31/2021 4:10 | 2.208761 | 0.114161 | 3.943601 | |
| 8/31/2021 4:15 | 2.234536 | 0.114161 | 4.007886 | |
| 8/31/2021 4:20 | 2.218776 | 0.114161 | 3.968554 | |
| 8/31/2021 4:25 | 2.215176 | 0.114161 | 3.959583 | |
| 8/31/2021 4:30 | 2.204194 | 0.114161 | 3.932234 | |
| 8/31/2021 4:35 | 2.204306 | 0.114161 | 3.932515 | |
| 8/31/2021 4:40 | 2.199608 | 0.114161 | 3.92083 | |
| 8/31/2021 4:45 | 2.196884 | 0.114161 | 3.914057 | |
| 8/31/2021 4:50 | 2.200565 | 0.114161 | 3.923208 | |
| 8/31/2021 4:55 | 2.199663 | 0.114161 | 3.920966 | |
| 8/31/2021 5:00 | 2.201991 | 0.114161 | 3.926756 | |
| 8/31/2021 5:05 | 2.198531 | 0.114161 | 3.91815 | |
| 8/31/2021 5:10 | 2.197157 | 0.114161 | 3.914736 | |
| 8/31/2021 5:15 | 2.203636 | 0.114161 | 3.930847 | |
| 8/31/2021 5:20 | 2.203248 | 0.114161 | 3.929881 | |
| 8/31/2021 5:25 | 2.195493 | 0.114161 | 3.9106 | |
| 8/31/2021 5:30 | 2.196185 | 0.114161 | 3.91232 | |
| 8/31/2021 5:35 | 2.201701 | 0.114161 | 3.926035 | |
| 8/31/2021 5:40 | 2.200971 | 0.114161 | 3.924219 | |
| 8/31/2021 5:45 | 2.204366 | 0.114161 | 3.932664 | |
| 8/31/2021 5:50 | 2.198712 | 0.114161 | 3.9186 | |
| 8/31/2021 5:55 | 2.200312 | 0.114161 | 3.922579 | |
| 8/31/2021 6:00 | 2.201217 | 0.114161 | 3.92483 | |
| 8/31/2021 6:05 | 2.20096 | 0.114161 | 3.92419 | |
| 8/31/2021 6:10 | 2.206975 | 0.114161 | 3.939157 | |
| 8/31/2021 6:15 | 2.202349 | 0.114161 | 3.927646 | |
| 8/31/2021 6:20 | 2.208342 | 0.114161 | 3.942558 | |
| 8/31/2021 6:25 | 2.204575 | 0.114161 | 3.933183 | |
| 8/31/2021 6:30 | 2.202018 | 0.114161 | 3.926822 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/31/2021 6:35 | 2.21667 | 0.114161 | 3.963303 |
| 8/31/2021 6:40 | 2.308534 | 0.098315 | 3.611549 |
| 8/31/2021 6:45 | 2.206379 | 0.098315 | 3.391101 |
| 8/31/2021 6:50 | 2.197544 | 0.098315 | 3.372176 |
| 8/31/2021 6:55 | 2.200399 | 0.098315 | 3.378289 |
| 8/31/2021 7:00 | 2.234162 | 0.098315 | 3.450765 |
| 8/31/2021 7:05 | 2.231251 | 0.098315 | 3.444503 |
| 8/31/2021 7:10 | 2.288296 | 0.098315 | 3.567645 |
| 8/31/2021 7:15 | 2.205085 | 0.098315 | 3.388327 |
| 8/31/2021 7:20 | 2.18395 | 0.098315 | 3.3431 |
| 8/31/2021 7:25 | 2.190753 | 0.098315 | 3.357643 |
| 8/31/2021 7:30 | 2.121682 | 0.098315 | 3.210632 |
| 8/31/2021 7:35 | 2.253522 | 0.098315 | 3.49247 |
| 8/31/2021 7:40 | 2.289228 | 0.098315 | 3.569666 |
| 8/31/2021 7:45 | 2.277136 | 0.098315 | 3.543482 |
| 8/31/2021 7:50 | 2.213519 | 0.098315 | 3.406412 |
| 8/31/2021 7:55 | 2.202062 | 0.098315 | 3.381851 |
| 8/31/2021 8:00 | 2.207931 | 0.098315 | 3.394429 |
| 8/31/2021 8:05 | 2.209312 | 0.098315 | 3.39739 |
| 8/31/2021 8:10 | 2.205225 | 0.098315 | 3.388628 |
| 8/31/2021 8:15 | 2.200781 | 0.098315 | 3.379107 |
| 8/31/2021 8:20 | 2.215542 | 0.098315 | 3.410753 |
| 8/31/2021 8:25 | 2.375172 | 0.098315 | 3.756891 |
| 8/31/2021 8:30 | 2.352988 | 0.107535 | 4.056165 |
| 8/31/2021 8:35 | 2.253293 | 0.107535 | 3.819469 |
| 8/31/2021 8:40 | 2.224985 | 0.107535 | 3.752809 |
| 8/31/2021 8:45 | 2.215225 | 0.107535 | 3.729885 |
| 8/31/2021 8:50 | 2.211668 | 0.107535 | 3.721539 |
| 8/31/2021 8:55 | 2.208523 | 0.107535 | 3.71416 |
| 8/31/2021 9:00 | 2.229267 | 0.107535 | 3.762876 |
| 8/31/2021 9:05 | 2.21796 | 0.107535 | 3.736305 |
| 8/31/2021 9:10 | 2.222015 | 0.107535 | 3.745831 |
| 8/31/2021 9:15 | 2.284749 | 0.107535 | 3.893829 |
| 8/31/2021 9:20 | 2.259456 | 0.107535 | 3.834014 |
| 8/31/2021 9:25 | 2.257584 | 0.107535 | 3.829595 |
| 8/31/2021 9:30 | 2.243795 | 0.107535 | 3.797074 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/31/2021 9:35 | 2.233961 | 0.107535 | 3.773919 |
| 8/31/2021 9:40 | 2.351629 | 0.107535 | 4.052919 |
| 8/31/2021 9:45 | 2.313343 | 0.107535 | 3.961686 |
| 8/31/2021 9:50 | 2.297584 | 0.107535 | 3.924259 |
| 8/31/2021 9:55 | 2.934143 | 0.196315 | 10.01491 |
| 8/31/2021 10:00 | 2.650456 | 0.196315 | 8.723543 |
| 8/31/2021 10:05 | 3.034231 | 0.196315 | 10.47682 |
| 8/31/2021 10:10 | 2.504586 | 0.196315 | 8.07178 |
| 8/31/2021 10:15 | 2.420165 | 0.196315 | 7.699002 |
| 8/31/2021 10:20 | 2.486976 | 0.196315 | 7.993739 |
| 8/31/2021 10:25 | 2.339714 | 0.196315 | 7.347037 |
| 8/31/2021 10:30 | 2.312474 | 0.196315 | 7.228631 |
| 8/31/2021 10:35 | 2.373898 | 0.196315 | 7.496185 |
| 8/31/2021 10:40 | 2.353838 | 0.196315 | 7.408587 |
| 8/31/2021 10:45 | 2.339412 | 0.196315 | 7.345725 |
| 8/31/2021 10:50 | 2.411087 | 0.196315 | 7.659124 |
| 8/31/2021 10:55 | 2.343946 | 0.196315 | 7.36547 |
| 8/31/2021 11:00 | 2.269024 | 0.196315 | 7.040591 |
| 8/31/2021 11:05 | 2.351605 | 0.196315 | 7.39885 |
| 8/31/2021 11:10 | 2.275812 | 0.196315 | 7.069902 |
| 8/31/2021 11:15 | 2.625401 | 0.196315 | 8.610945 |
| 8/31/2021 11:20 | 2.450184 | 0.196315 | 7.831165 |
| 8/31/2021 11:25 | 2.329611 | 0.196315 | 7.303076 |
| 8/31/2021 11:30 | 2.46 | 0.196315 | 7.874474 |
| 8/31/2021 11:35 | 2.390805 | 0.196315 | 7.570172 |
| 8/31/2021 11:40 | 2.509521 | 0.196315 | 8.093676 |
| 8/31/2021 11:45 | 2.645481 | 0.196315 | 8.701166 |
| 8/31/2021 11:50 | 2.492434 | 0.196315 | 8.017913 |
| 8/31/2021 11:55 | 2.404529 | 0.196315 | 7.630339 |
| 8/31/2021 12:00 | 2.35738 | 0.196315 | 7.424042 |
| 8/31/2021 12:05 | 2.836933 | 0.196315 | 9.56922 |
| 8/31/2021 12:10 | 2.613525 | 0.196315 | 8.557664 |
| 8/31/2021 12:15 | 2.610856 | 0.196315 | 8.545697 |
| 8/31/2021 12:20 | 2.325071 | 0.196315 | 7.283337 |
| 8/31/2021 12:25 | 3.1065 | 0.196315 | 10.81206 |
| 8/31/2021 12:30 | 2.794894 | 0.196315 | 9.377459 |

| | | | |
|----------------------|-------------|-------------|-------------|
| Site Name | Albany | Albany | Albany |
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/31/2021 12:35 | 2.36404 | 0.196315 | 7.453111 |
| 8/31/2021 12:40 | 2.958934 | 0.196315 | 10.12905 |
| 8/31/2021 12:45 | 2.477379 | 0.196315 | 7.951273 |
| 8/31/2021 12:50 | 2.938281 | 0.196315 | 10.03395 |
| 8/31/2021 12:55 | 2.579814 | 0.196315 | 8.406751 |
| 8/31/2021 13:00 | 2.579934 | 0.196315 | 8.407288 |
| 8/31/2021 13:05 | 3.087806 | 0.196315 | 10.72521 |
| 8/31/2021 13:10 | 3.04313 | 0.160409 | 8.594282 |
| 8/31/2021 13:15 | 4.403247 | 0.160409 | 13.8332 |
| 8/31/2021 13:20 | 2.90916 | 0.160409 | 8.089358 |
| 8/31/2021 13:25 | 2.780653 | 0.160409 | 7.609357 |
| 8/31/2021 13:30 | 2.551153 | 0.160409 | 6.764638 |
| 8/31/2021 13:35 | 2.405643 | 0.160409 | 6.238744 |
| 8/31/2021 13:40 | 2.679736 | 0.12569 | 5.669646 |
| 8/31/2021 13:45 | 2.448068 | 0.071161 | 2.835302 |
| 8/31/2021 13:48 | | | |
| 8/31/2021 13:50 | 2.461879 | 0.071161 | 2.884142 |
| 8/31/2021 13:55 | 2.415146 | 0.071161 | 2.782782 |
| 8/31/2021 14:00 | 3.428873 | 0.071161 | 4.466346 |
| 8/31/2021 14:05 | 2.574373 | 0.071161 | 3.038513 |
| 8/31/2021 14:10 | 2.875272 | 0.071161 | 3.532288 |
| 8/31/2021 14:15 | 2.935968 | 0.071161 | 3.633303 |
| 8/31/2021 14:20 | 2.733498 | 0.071161 | 3.298085 |
| 8/31/2021 14:25 | 2.486082 | 0.071161 | 2.896179 |
| 8/31/2021 14:30 | 2.326336 | 0.071161 | 2.642097 |
| 8/31/2021 14:35 | 2.459067 | 0.071161 | 2.85289 |
| 8/31/2021 14:40 | 2.484093 | 0.071161 | 2.892989 |
| 8/31/2021 14:45 | 2.845647 | 0.071161 | 3.483139 |
| 8/31/2021 14:50 | 2.457942 | 0.071161 | 2.85109 |
| 8/31/2021 14:55 | 2.417828 | 0.071161 | 2.787053 |
| 8/31/2021 15:00 | 2.480223 | 0.071161 | 2.88678 |
| 8/31/2021 15:05 | 2.482053 | 0.071161 | 2.889716 |
| 8/31/2021 15:10 | 2.465926 | 0.071161 | 2.86387 |
| 8/31/2021 15:15 | 2.349952 | 0.071161 | 2.679364 |
| 8/31/2021 15:20 | 2.709823 | 0.071161 | 3.259233 |
| 8/31/2021 15:25 | 2.966545 | 0.071161 | 3.684348 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/31/2021 15:30 | 2.726952 | 0.071161 | 3.287334 |
| 8/31/2021 15:35 | 2.639055 | 0.071161 | 3.143573 |
| 8/31/2021 15:40 | 2.684696 | 0.071161 | 3.218083 |
| 8/31/2021 15:45 | 2.463513 | 0.071161 | 2.860005 |
| 8/31/2021 15:50 | 2.395045 | 0.071161 | 2.750812 |
| 8/31/2021 15:55 | 2.40323 | 0.071161 | 2.763821 |
| 8/31/2021 16:00 | 2.620804 | 0.071161 | 3.113864 |
| 8/31/2021 16:05 | 2.534421 | 0.071161 | 2.973948 |
| 8/31/2021 16:10 | 2.357588 | 0.071161 | 2.691435 |
| 8/31/2021 16:15 | 2.327814 | 0.071161 | 2.644426 |
| 8/31/2021 16:20 | 2.336547 | 0.071161 | 2.658196 |
| 8/31/2021 16:25 | 2.305888 | 0.071161 | 2.609918 |
| 8/31/2021 16:30 | 2.295267 | 0.071161 | 2.593235 |
| 8/31/2021 16:35 | 2.317321 | 0.071161 | 2.6279 |
| 8/31/2021 16:40 | 2.410139 | 0.071161 | 2.774812 |
| 8/31/2021 16:45 | 2.565045 | 0.071161 | 3.023414 |
| 8/31/2021 16:50 | 2.519909 | 0.071161 | 2.950559 |
| 8/31/2021 16:55 | 2.387846 | 0.071161 | 2.739379 |
| 8/31/2021 17:00 | 2.353276 | 0.071161 | 2.684617 |
| 8/31/2021 17:05 | 2.325868 | 0.071161 | 2.64136 |
| 8/31/2021 17:10 | 2.261955 | 0.071161 | 2.541059 |
| 8/31/2021 17:15 | 2.323205 | 0.071161 | 2.637165 |
| 8/31/2021 17:20 | 2.322371 | 0.071161 | 2.635852 |
| 8/31/2021 17:25 | 2.390279 | 0.071161 | 2.743242 |
| 8/31/2021 17:30 | 2.413413 | 0.071161 | 2.780023 |
| 8/31/2021 17:35 | 2.428781 | 0.071161 | 2.80451 |
| 8/31/2021 17:40 | 2.327473 | 0.071161 | 2.64389 |
| 8/31/2021 17:45 | 2.351154 | 0.071161 | 2.681263 |
| 8/31/2021 17:50 | 2.411274 | 0.071161 | 2.776619 |
| 8/31/2021 17:55 | 2.890899 | 0.071161 | 3.558256 |
| 8/31/2021 18:00 | 2.440573 | 0.071161 | 2.823327 |
| 8/31/2021 18:05 | 2.332684 | 0.071161 | 2.652104 |
| 8/31/2021 18:10 | 2.263491 | 0.071161 | 2.543459 |
| 8/31/2021 18:15 | 2.427978 | 0.071161 | 2.803229 |
| 8/31/2021 18:20 | 2.429179 | 0.071161 | 2.805144 |
| 8/31/2021 18:25 | 2.360221 | 0.071161 | 2.6956 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/31/2021 18:30 | 2.410262 | 0.071161 | 2.775007 |
| 8/31/2021 18:35 | 2.318247 | 0.071161 | 2.629357 |
| 8/31/2021 18:40 | 2.337262 | 0.071161 | 2.659325 |
| 8/31/2021 18:45 | 2.374808 | 0.071161 | 2.718699 |
| 8/31/2021 18:50 | 2.291367 | 0.071161 | 2.587115 |
| 8/31/2021 18:55 | 2.225652 | 0.071161 | 2.484454 |
| 8/31/2021 19:00 | 2.498758 | 0.071161 | 2.916534 |
| 8/31/2021 19:05 | 2.516242 | 0.071161 | 2.944656 |
| 8/31/2021 19:10 | 2.225845 | 0.071161 | 2.484754 |
| 8/31/2021 19:15 | 2.461779 | 0.071161 | 2.857231 |
| 8/31/2021 19:20 | 2.572064 | 0.071161 | 3.034774 |
| 8/31/2021 19:25 | 3.533477 | 0.071161 | 4.64522 |
| 8/31/2021 19:30 | 2.331044 | 0.071161 | 2.649518 |
| 8/31/2021 19:35 | 2.218395 | 0.071161 | 2.473172 |
| 8/31/2021 19:40 | 2.251352 | 0.071161 | 2.524498 |
| 8/31/2021 19:45 | 2.327243 | 0.071161 | 2.643527 |
| 8/31/2021 19:50 | 2.435063 | 0.071161 | 2.814532 |
| 8/31/2021 19:55 | 2.368287 | 0.071161 | 2.708369 |
| 8/31/2021 20:00 | 2.491474 | 0.071161 | 2.904835 |
| 8/31/2021 20:05 | 2.427846 | 0.071161 | 2.803019 |
| 8/31/2021 20:10 | 2.259935 | 0.071161 | 2.537903 |
| 8/31/2021 20:15 | 2.217515 | 0.071161 | 2.471804 |
| 8/31/2021 20:20 | 2.210114 | 0.071161 | 2.46031 |
| 8/31/2021 20:25 | 2.210809 | 0.071161 | 2.461389 |
| 8/31/2021 20:30 | 2.190325 | 0.071161 | 2.429634 |
| 8/31/2021 20:35 | 2.204019 | 0.071161 | 2.450853 |
| 8/31/2021 20:40 | 2.192676 | 0.071161 | 2.433274 |
| 8/31/2021 20:45 | 2.191084 | 0.071161 | 2.430809 |
| 8/31/2021 20:50 | 2.184772 | 0.071161 | 2.421042 |
| 8/31/2021 20:55 | 2.192395 | 0.071161 | 2.432839 |
| 8/31/2021 21:00 | 2.189335 | 0.071161 | 2.428102 |
| 8/31/2021 21:05 | 2.178836 | 0.071161 | 2.411865 |
| 8/31/2021 21:10 | 2.186619 | 0.071161 | 2.4239 |
| 8/31/2021 21:15 | 2.187076 | 0.071161 | 2.424607 |
| 8/31/2021 21:20 | 2.181373 | 0.071161 | 2.415786 |
| 8/31/2021 21:25 | 2.183872 | 0.071161 | 2.41965 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 8/31/2021 21:30 | 2.185012 | 0.071161 | 2.421414 |
| 8/31/2021 21:35 | 2.185175 | 0.071161 | 2.421665 |
| 8/31/2021 21:40 | 2.18188 | 0.071161 | 2.416569 |
| 8/31/2021 21:45 | 2.181032 | 0.071161 | 2.415259 |
| 8/31/2021 21:50 | 2.184606 | 0.071161 | 2.420785 |
| 8/31/2021 21:55 | 2.188533 | 0.071161 | 2.426861 |
| 8/31/2021 22:00 | 2.181561 | 0.071161 | 2.416076 |
| 8/31/2021 22:05 | 2.180799 | 0.071161 | 2.414899 |
| 8/31/2021 22:10 | 2.178065 | 0.071161 | 2.410672 |
| 8/31/2021 22:15 | 2.178659 | 0.071161 | 2.41159 |
| 8/31/2021 22:20 | 2.20174 | 0.071161 | 2.447319 |
| 8/31/2021 22:25 | 2.208151 | 0.071161 | 2.457264 |
| 8/31/2021 22:30 | 2.200663 | 0.071161 | 2.44565 |
| 8/31/2021 22:35 | 2.191174 | 0.071161 | 2.430949 |
| 8/31/2021 22:40 | 2.18435 | 0.071161 | 2.42039 |
| 8/31/2021 22:45 | 2.19497 | 0.071161 | 2.436828 |
| 8/31/2021 22:50 | 2.208072 | 0.071161 | 2.45714 |
| 8/31/2021 22:55 | 2.197733 | 0.071161 | 2.441108 |
| 8/31/2021 23:00 | 2.188931 | 0.071161 | 2.427477 |
| 8/31/2021 23:05 | 2.180631 | 0.071161 | 2.414638 |
| 8/31/2021 23:10 | 2.176421 | 0.071161 | 2.408132 |
| 8/31/2021 23:15 | 2.173525 | 0.071161 | 2.403658 |
| 8/31/2021 23:20 | 2.17596 | 0.071161 | 2.407419 |
| 8/31/2021 23:25 | 2.176019 | 0.071161 | 2.407511 |
| 8/31/2021 23:30 | 2.174853 | 0.071161 | 2.40571 |
| 8/31/2021 23:35 | 2.177253 | 0.071161 | 2.409418 |
| 8/31/2021 23:40 | 2.177487 | 0.071161 | 2.40978 |
| 8/31/2021 23:45 | 2.178487 | 0.071161 | 2.411325 |
| 8/31/2021 23:50 | 2.180109 | 0.071161 | 2.413831 |
| 8/31/2021 23:55 | 2.178206 | 0.071161 | 2.41089 |
| 9/1/2021 0:00 | 2.185158 | 0.071161 | 2.421639 |
| 9/1/2021 0:00 | 2.185158 | 0.071161 | 2.421639 |
| 9/1/2021 0:05 | 2.18518 | 0.071161 | 2.421673 |
| 9/1/2021 0:10 | 2.195688 | 0.071161 | 2.437939 |
| 9/1/2021 0:15 | 2.206077 | 0.071161 | 2.454045 |
| 9/1/2021 0:20 | 2.193763 | 0.071161 | 2.434959 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 9/1/2021 0:25 | 2.189631 | 0.071161 | 2.428561 |
| 9/1/2021 0:30 | 2.183788 | 0.071161 | 2.41952 |
| 9/1/2021 0:35 | 2.18149 | 0.071161 | 2.415967 |
| 9/1/2021 0:40 | 2.182328 | 0.071161 | 2.417263 |
| 9/1/2021 0:45 | 2.182905 | 0.071161 | 2.418154 |
| 9/1/2021 0:50 | 2.183582 | 0.071161 | 2.419201 |
| 9/1/2021 0:55 | 2.186026 | 0.071161 | 2.422983 |
| 9/1/2021 1:00 | 2.182859 | 0.071161 | 2.418083 |
| 9/1/2021 1:05 | 2.177984 | 0.071161 | 2.410547 |
| 9/1/2021 1:10 | 2.185665 | 0.071161 | 2.422423 |
| 9/1/2021 1:15 | 2.181205 | 0.071161 | 2.415526 |
| 9/1/2021 1:20 | 2.186649 | 0.071161 | 2.423947 |
| 9/1/2021 1:25 | 2.18249 | 0.071161 | 2.417513 |
| 9/1/2021 1:30 | 2.186825 | 0.071161 | 2.424218 |
| 9/1/2021 1:35 | 2.19373 | 0.071161 | 2.434907 |
| 9/1/2021 1:40 | 2.210432 | 0.071161 | 2.460803 |
| 9/1/2021 1:45 | 2.202657 | 0.071161 | 2.44874 |
| 9/1/2021 1:50 | 2.189358 | 0.071161 | 2.428138 |
| 9/1/2021 1:55 | 2.179131 | 0.071161 | 2.412321 |
| 9/1/2021 2:00 | 2.182824 | 0.071161 | 2.418029 |
| 9/1/2021 2:05 | 2.176166 | 0.071161 | 2.407738 |
| 9/1/2021 2:10 | 2.180714 | 0.071161 | 2.414767 |
| 9/1/2021 2:15 | 2.18518 | 0.071161 | 2.421674 |
| 9/1/2021 2:20 | 2.959694 | 0.195434 | 10.08709 |
| 9/1/2021 2:25 | 2.59798 | 0.195434 | 8.449927 |
| 9/1/2021 2:30 | 2.464078 | 0.195434 | 7.857069 |
| 9/1/2021 2:35 | 2.395445 | 0.195434 | 7.556443 |
| 9/1/2021 2:40 | 2.332599 | 0.195434 | 7.283246 |
| 9/1/2021 2:45 | 2.308792 | 0.195434 | 7.180293 |
| 9/1/2021 2:50 | 2.258494 | 0.195434 | 6.963791 |
| 9/1/2021 2:55 | 2.242563 | 0.195434 | 6.895509 |
| 9/1/2021 3:00 | 2.23813 | 0.195434 | 6.876536 |
| 9/1/2021 3:05 | 2.216745 | 0.195434 | 6.785158 |
| 9/1/2021 3:10 | 2.216734 | 0.195434 | 6.785112 |
| 9/1/2021 3:15 | 2.208022 | 0.195434 | 6.747963 |
| 9/1/2021 3:20 | 2.200671 | 0.195434 | 6.716649 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | | 2 | 10 | 1 |
|-------------------|----------|----------|----------|---|
| 9/1/2021 3:25 | 2.197822 | 0.195434 | 6.704521 | |
| 9/1/2021 3:30 | 2.200106 | 0.195434 | 6.714247 | |
| 9/1/2021 3:35 | 2.200205 | 0.195434 | 6.714665 | |
| 9/1/2021 3:40 | 2.191922 | 0.195434 | 6.679425 | |
| 9/1/2021 3:45 | 2.194662 | 0.195434 | 6.691076 | |
| 9/1/2021 3:50 | 2.189588 | 0.195434 | 6.669503 | |
| 9/1/2021 3:55 | 2.190635 | 0.195434 | 6.673951 | |
| 9/1/2021 4:00 | 2.191619 | 0.195434 | 6.678138 | |
| 9/1/2021 4:05 | 2.189315 | 0.195434 | 6.668341 | |
| 9/1/2021 4:10 | 2.192021 | 0.195434 | 6.679847 | |
| 9/1/2021 4:15 | 2.182884 | 0.195434 | 6.641017 | |
| 9/1/2021 4:20 | 2.185346 | 0.195434 | 6.651474 | |
| 9/1/2021 4:25 | 2.185027 | 0.195434 | 6.65012 | |
| 9/1/2021 4:30 | 2.194913 | 0.195434 | 6.692148 | |
| 9/1/2021 4:35 | 2.186105 | 0.195434 | 6.654698 | |
| 9/1/2021 4:40 | 2.19802 | 0.195434 | 6.705366 | |
| 9/1/2021 4:45 | 2.185207 | 0.195434 | 6.650885 | |
| 9/1/2021 4:50 | 2.187657 | 0.195434 | 6.661295 | |
| 9/1/2021 4:55 | 2.202296 | 0.195434 | 6.72357 | |
| 9/1/2021 5:00 | 2.218498 | 0.195434 | 6.79264 | |
| 9/1/2021 5:05 | 2.208276 | 0.195434 | 6.749043 | |
| 9/1/2021 5:10 | 2.201112 | 0.195434 | 6.71853 | |
| 9/1/2021 5:15 | 2.189912 | 0.195434 | 6.67088 | |
| 9/1/2021 5:20 | 2.180222 | 0.195434 | 6.629713 | |
| 9/1/2021 5:25 | 2.190005 | 0.195434 | 6.671275 | |
| 9/1/2021 5:30 | 2.184042 | 0.195434 | 6.645934 | |
| 9/1/2021 5:35 | 2.19078 | 0.195434 | 6.67457 | |
| 9/1/2021 5:40 | 2.184856 | 0.195434 | 6.649393 | |
| 9/1/2021 5:45 | 2.201532 | 0.195434 | 6.720315 | |
| 9/1/2021 5:50 | 2.16315 | 0.195434 | 6.557322 | |
| 9/1/2021 5:55 | 2.180183 | 0.195434 | 6.629546 | |
| 9/1/2021 6:00 | 2.171431 | 0.195434 | 6.592414 | |
| 9/1/2021 6:05 | 2.135707 | 0.195434 | 6.441322 | |
| 9/1/2021 6:10 | 2.152613 | 0.195434 | 6.51273 | |
| 9/1/2021 6:15 | 2.158736 | 0.195434 | 6.538633 | |
| 9/1/2021 6:20 | 2.146026 | 0.195434 | 6.484886 | |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 9/1/2021 6:25 | 2.158182 | 0.195434 | 6.536287 |
| 9/1/2021 6:30 | 2.153781 | 0.195434 | 6.517666 |
| 9/1/2021 6:35 | 2.150904 | 0.195434 | 6.505502 |
| 9/1/2021 6:40 | 2.150346 | 0.195434 | 6.503143 |
| 9/1/2021 6:45 | 2.154354 | 0.195434 | 6.520094 |
| 9/1/2021 6:50 | 2.157646 | 0.195434 | 6.534022 |
| 9/1/2021 6:55 | 2.187439 | 0.195434 | 6.660368 |
| 9/1/2021 7:00 | 2.176027 | 0.195434 | 6.611906 |
| 9/1/2021 7:05 | 2.160294 | 0.195434 | 6.545229 |
| 9/1/2021 7:10 | 2.164879 | 0.195434 | 6.564646 |
| 9/1/2021 7:15 | 2.165602 | 0.195434 | 6.567708 |
| 9/1/2021 7:20 | 2.15584 | 0.195434 | 6.526381 |
| 9/1/2021 7:25 | 2.156378 | 0.195434 | 6.528653 |
| 9/1/2021 7:30 | 2.159281 | 0.195434 | 6.540941 |
| 9/1/2021 7:35 | 2.175924 | 0.195434 | 6.611471 |
| 9/1/2021 7:40 | 2.191414 | 0.195434 | 6.677264 |
| 9/1/2021 7:45 | 2.169982 | 0.195434 | 6.586269 |
| 9/1/2021 7:50 | 2.160357 | 0.195434 | 6.545495 |
| 9/1/2021 7:55 | 2.155768 | 0.195434 | 6.526072 |
| 9/1/2021 8:00 | 2.153736 | 0.195434 | 6.517479 |
| 9/1/2021 8:05 | 2.1614 | 0.195434 | 6.54991 |
| 9/1/2021 8:10 | 2.168746 | 0.195434 | 6.581032 |
| 9/1/2021 8:15 | 2.188374 | 0.195434 | 6.664341 |
| 9/1/2021 8:20 | 2.184899 | 0.195434 | 6.649575 |
| 9/1/2021 8:25 | 2.171405 | 0.195434 | 6.592306 |
| 9/1/2021 8:30 | 2.19234 | 0.195434 | 6.681204 |
| 9/1/2021 8:35 | 2.305036 | 0.139796 | 5.124539 |
| 9/1/2021 8:40 | 2.324181 | 0.139796 | 5.183715 |
| 9/1/2021 8:45 | 2.217382 | 0.139796 | 4.85544 |
| 9/1/2021 8:50 | 2.179328 | 0.139796 | 4.739586 |
| 9/1/2021 8:55 | 2.172497 | 0.139796 | 4.718856 |
| 9/1/2021 9:00 | 2.165705 | 0.139796 | 4.69826 |
| 9/1/2021 9:05 | 2.197805 | 0.139796 | 4.795764 |
| 9/1/2021 9:10 | 2.19812 | 0.139796 | 4.796723 |
| 9/1/2021 9:15 | 2.176651 | 0.084045 | 2.844535 |
| 9/1/2021 9:20 | 2.183737 | 0.084045 | 2.857473 |

| Site Name | Albany | Albany | Albany |
|----------------------|-------------|-------------|-------------|
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature M | Signature M | Signature M |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 9/1/2021 9:25 | 2.433043 | 0.084045 | 3.320285 |
| 9/1/2021 9:30 | 2.276384 | 0.084045 | 3.027768 |
| 9/1/2021 9:35 | 3.107324 | 0.084045 | 4.630412 |
| 9/1/2021 9:40 | 2.622876 | 0.084045 | 3.681597 |
| 9/1/2021 9:45 | 2.534333 | 0.084045 | 3.512203 |
| 9/1/2021 9:50 | 2.437373 | 0.084045 | 3.328447 |
| 9/1/2021 9:55 | 2.404787 | 0.084045 | 3.267126 |
| 9/1/2021 10:00 | 2.33857 | 0.084045 | 3.143224 |
| 9/1/2021 10:05 | 2.276864 | 0.084045 | 3.028656 |
| 9/1/2021 10:10 | 2.240104 | 0.084045 | 2.960831 |
| 9/1/2021 10:15 | 2.219293 | 0.084045 | 2.922579 |
| 9/1/2021 10:20 | 2.235533 | 0.084045 | 2.952419 |
| 9/1/2021 10:25 | 2.276428 | 0.084045 | 3.027849 |
| 9/1/2021 10:30 | 2.265825 | 0.084045 | 3.008254 |
| 9/1/2021 10:35 | 2.332882 | 0.084045 | 3.132626 |
| 9/1/2021 10:40 | 2.216769 | 0.084045 | 2.917946 |
| 9/1/2021 10:45 | 2.27214 | 0.084045 | 3.019921 |
| 9/1/2021 10:50 | 2.299256 | 0.084045 | 3.070129 |
| 9/1/2021 10:55 | 2.448163 | 0.084045 | 3.348803 |
| 9/1/2021 11:00 | 2.418123 | 0.084045 | 3.292195 |
| 9/1/2021 11:05 | 2.390392 | 0.084045 | 3.240108 |
| 9/1/2021 11:10 | 2.315922 | 0.084045 | 3.101073 |
| 9/1/2021 11:15 | 2.321883 | 0.084045 | 3.112156 |
| 9/1/2021 11:20 | 2.280792 | 0.084045 | 3.035923 |
| 9/1/2021 11:25 | 2.232359 | 0.084045 | 2.946583 |
| 9/1/2021 11:30 | 2.296872 | 0.084045 | 3.065707 |
| 9/1/2021 11:35 | 2.31095 | 0.084045 | 3.091833 |
| 9/1/2021 11:40 | 2.321688 | 0.084045 | 3.111792 |
| 9/1/2021 11:45 | 2.292034 | 0.084045 | 3.05674 |
| 9/1/2021 11:50 | 2.284534 | 0.084045 | 3.042848 |
| 9/1/2021 11:55 | 2.24844 | 0.084045 | 2.976182 |
| 9/1/2021 12:00 | 2.290413 | 0.084045 | 3.053736 |
| 9/1/2021 12:05 | 2.270378 | 0.084045 | 3.016664 |
| 9/1/2021 12:10 | 2.242452 | 0.084045 | 2.965153 |
| 9/1/2021 12:15 | 2.272795 | 0.084045 | 3.021133 |
| 9/1/2021 12:20 | 2.864837 | 0.084045 | 4.151336 |

| | | | |
|----------------------|-------------|-------------|-------------|
| Site Name | Albany | Albany | Albany |
| Isco Quantity | Level | Velocity | Flow Rate |
| Label | 350 Level | 350 Velocit | Flow Rate |
| Units | in | ft/s | gpm |
| Resolution | | 0 | 0 |
| Significant Digits | | 0 | 0 |
| Device Name | Signature \ | Signature \ | Signature \ |
| Device Serial Number | 221C0293C | 221C0293C | 221C0293C |

FlowCon

FlowConDetails

| Isco Data Type ID | 2 | 10 | 1 |
|-------------------|----------|----------|----------|
| 9/1/2021 12:25 | 2.610483 | 0.084045 | 3.657801 |
| 9/1/2021 12:30 | 2.475517 | 0.084045 | 3.40051 |
| 9/1/2021 12:35 | 2.495781 | 0.084045 | 3.438914 |
| 9/1/2021 12:40 | 2.425812 | 0.084045 | 3.306666 |
| 9/1/2021 12:45 | 2.443299 | 0.084045 | 3.339623 |
| 9/1/2021 12:50 | 2.437989 | 0.084045 | 3.329609 |
| 9/1/2021 12:55 | 2.363 | 0.084045 | 3.188823 |
| 9/1/2021 13:00 | 2.31976 | 0.084045 | 3.108206 |
| 9/1/2021 13:05 | 2.383486 | 0.084045 | 3.227163 |
| 9/1/2021 13:10 | 2.383146 | 0.084045 | 3.226526 |
| 9/1/2021 13:15 | 2.338887 | 0.084045 | 3.143814 |
| 9/1/2021 13:20 | 2.300776 | 0.084045 | 3.072948 |
| 9/1/2021 13:25 | 2.448528 | 0.135735 | 5.409511 |
| 9/1/2021 13:30 | 2.354904 | 0.135735 | 5.1256 |
| 9/1/2021 13:35 | 2.493494 | 0.135735 | 5.546924 |
| 9/1/2021 13:40 | 2.442661 | 0.135735 | 5.391629 |

ATTACHMENT D

PHOTO- MANHOLE 6 INTERIOR

